

Ornaments from the Magdalenian burial area in El Mirón Cave (Cantabria, northern Spain). Were they grave goods?

Igor Gutiérrez-Zugasti, David Cuenca-Solana

► To cite this version:

Igor Gutiérrez-Zugasti, David Cuenca-Solana. Ornaments from the Magdalenian burial area in El Mirón Cave (Cantabria, northern Spain). Were they grave goods?. Journal of Archaeological Science, 2015, 60, pp.112-124. 10.1016/j.jas.2015.04.012 . hal-01150375

HAL Id: hal-01150375 https://univ-rennes.hal.science/hal-01150375v1

Submitted on 12 Nov 2015

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Ornaments from the Magdalenian burial area in El Mirón Cave (Cantabria, northern
 Spain). Were they grave goods?

3

4 Igor Gutiérrez-Zugasti¹ and David Cuenca-Solana²

5

¹Instituto Internacional de Investigaciones Prehistóricas de Cantabria, Universidad de Cantabria,
Avda. de los Castros s/n, 39005 Santander, Spain. <u>igorgutierrez.zug@gmail.com</u>
(Corresponding author)

9

²Centre de Recherche en Archéologie Archéosciences Histoire, UMR 6566, CNRS, Université
de Rennes I, Campus Beaulieu, Bât. 24-25, Ave.du Général Leclerc, CS74205, 35042 Rennes
CEDEX, France. david.cuencasolana@gmail.com

13

14 Abstract

15

El Mirón Cave, located in northern Atlantic Iberia, has produced important evidence of 16 17 human occupation during the Lower Magdalenian (19-17.5 cal kya). Among the finds dating to this period is that of a disturbed primary burial of an adult woman. The excavation of the small 18 19 area around the burial yielded a considerable number of ornamental items (mainly shell beads), but the actual association of any of them with the interment is problematic. The results of our 20 study of the perforated marine shells and mammal teeth suggest that the ornamental objects were 21 22 not grave goods, but rather were simply artifacts present in the occupation layers in this part of the cave. The materials used to make ornaments were gathered by collecting shells along the 23 Late Glacial shore and by hunting ungulates. The perforation techniques used were similar to 24 those found at contemporary sites in the Franco-Cantabrian region and the appearance of various 25 elements from the manufacturing operatory chain indicates that some of the ornaments were 26 made at the site. It was also possible to determine that some of the shells were used-probably 27 suspended or attached to other objects. From a functional standpoint, the ornaments probably 28 29 played not only an aesthetic role, but also a symbolic one, facilitating communication and exchanges among human groups. 30

Keywords: Shell beads; perforated mammal teeth; Upper Paleolithic; ornaments; Magdalenian;
human burial.

34

35 1. Introduction

36

In recent years, a new explanatory model has stressed the importance of marine resources 37 among human populations of the Middle and Upper Paleolithic (Bailey and Flemming, 2008; 38 Bicho and Haws, 2008; see also Straus and Clark, 1986). This model is derived from evidence 39 that has been recovered from many sites (among other places) along the Atlantic and 40 Mediterranean shores and contrasts with the traditional view that these resources had only 41 become important in the Late Glacial (Colonese et al., 2011; Gutiérrez-Zugasti et al., 2011). 42 Among the marine resources used by humans were mollusks that had various uses-- not only for 43 food and tools (e.g. Bailey and Craighead, 2003; Cuenca-Solana et al. 2014), but also for 44 symbolic and ideological purposes as ornaments (Álvarez-Fernández, 2006; Taborin, 1993). 45

Marine shells have been used as ornaments by humans since at least about 80 kya, as 46 attested in Grotte des Pigeons (Morocco) (Bouzouggar et al., 2007) and Blombos Cave (South 47 Africa) (d'Errico et al., 2005). The appearance of ornamental use of shells has been related with 48 the development of greater capacity on the part of anatomically modern humans for expressive 49 50 behavior relative to earlier hominins, and the evidence currently suggests that this first happened in Africa. This led to some scholars to defend the idea that the use of objects of symbolic 51 character in Western Eurasia dated to the beginnings of the Upper Paleolithic (ca. 40 cal kya) 52 (Alvarez-Fernández and Joris, 2008). However, current evidence is challenging this statement 53 showing examples of possible symbolic behavior on the part of Neandertal populations in 54 55 Europe (e.g. García-Díez et al., 2013; Morin and Laroulandie, 2012; Peresani et al., 2011, 2013; Rodríguez-Vidal et al., 2014; Zilhão et al., 2010), and contributing to the current debate on the 56 relative capacities of Neandertals and *H. sapiens sapiens* (e.g., Caron et al., 2011; Mellars, 2010; 57 Rendu et al., 2014; Soressi et al., 2013; Zilhão, 2007; Zilhão and d'Errico, 1999). 58

59 During the Upper Paleolithic shells, along with other materials—especially bones and 60 teeth of animals (mammals, fish and birds), antler, ivory, and minerals were commonly used for 61 the fabrication of ornaments (Álvarez-Fernández, 2006). The use of these elements was related 62 to the symbolic world of hunter-gatherer groups. Shell beads in particular have been defined as objects that identified human groups (Kuhn et al., 2001; Stiner, 1999, 2003), social status
(Vanhaeren and d'Errico, 2005), social and personal identities (White, 2007), and even ethnolinguistic groups (Vanhaeren and d'Errico, 2006).

El Mirón Cave, located in the northern Atlantic zone of the Iberian Peninsula, has 66 produced significant evidence of human occupations during the Lower Magdalenian (19-17.5 cal 67 kya). In addition to rich residential deposits, the excavations uncovered the disturbed, but 68 substantially complete burial of an adult woman that is described in all its aspects in this special 69 issue of JAS (Straus and González Morales, this issue). This find is the first of its kind on the 70 71 Iberian Peninsula and one of the very few ever to be discovered in Western Europe (Orschiedt, 2013). The excavation of the area where the burial was located yielded a considerable number of 72 ornamental elements (mostly shell beads), but their actual association with the interment is not 73 74 clear. Generally, personal ornaments appear in differentiated contexts during the Upper 75 Paleolithic: habitation areas and funerary areas. In the former they are usually dispersed and found together with remains of subsistence activities (e.g. Tatá et al., 2014) or in shell deposits 76 that may or may not be associated with hearths (Álvarez-Fernández, 2006; Gutiérrez-Zugasti et 77 al., 2013), while in funerary contexts they are found in close physical association with the human 78 79 remains (e.g., in St.-Germain-la-Rivière [see Vanhaeren and d'Errico, 2005]).

It is fundamental to obtain information on the acquisition, transformation and use of 80 ornaments by Upper Paleolithic forager groups in order to understand their symbolic world. 81 Together with the technological activity related to ornament manufacture is their symbolic 82 function, and the study of both aspects provides a more complete vision of the social relations 83 that existed among such groups. The principal objectives of this article are to 1) determine 84 whether the ornamental objects found in El Mirón Cave had any actual relationship with the 85 Magdalenian burial or rather simply with the habitation layers into which the grave had been dug 86 at the rear of the cave vestibule, and 2) establish the technical, functional and possible social 87 characteristics of the identified ornaments. To do this, we analyzed the species represented in the 88 whole shell assemblage and their characteristics, the taphonomic alterations that the shells had 89 undergone, and the attributes of the perforated elements, their spatial distribution and 90 morphometrics. 91

92

93 2 El Mirón Cave and the Magdalenian burial

94

El Mirón Cave is located at about 255 m above present sea level in the middle valley of 95 the Asón River, in the central sector of the Cantabrian region of Spain (Fig. 1). The large cave 96 mouth faces West and dominates the Asón valley at its confluence with the Calera and Gándara 97 rivers from the steep side of Mount Pando. The site is about 20 km from the present shore of the 98 Bay of Biscay at the mouth of the Asón, and would have been some 25-30 km from the shore 99 during the Oldest Dryas, at the time of the Lower Magdalenian. The site was excavated by 100 teams directed by Lawrence G. Straus and Manuel R. González Morales between 1996 and 2013. 101 It contains a very long cultural sequence, with especially impressive occupation levels pertaining 102 to the Cantabrian Lower Magdalenian. The excavations of these levels were conducted in the 103 outer vestibule (Cabin area) and vestibule rear (Corral area), connected by the Mid-Vestibule 104 Trench (González-Morales and Straus, 2009; Straus and González Morales, 2012). 105

106 The disturbed but primary human burial was excavated between 2010-2013 at the rear of the vestibule in a narrow area separated from the Corral area and the cave wall by a large 107 engraved and ochre-stained block (Fig. 1). It is the first substantially complete Magdalenian 108 burial to be found on the Iberian Peninsula. In this area, parts of meter-squares X5-7 and Y5-7 109 110 were dug (see Straus and González Morales, this issue, for a detailed discussion of the excavation, stratigraphy and radiocarbon chronology). Levels 501 and 502, although they yielded 111 artifacts of clear Magdalenian attribution (including an antler harpoon barb in 502), were 112 disturbed in recent times (probably by shepherds), as they contained modern artifacts such as 113 shards of glass. The rest of the layers in the area were intact, beside the existence of the pit that 114 had been dug in Lower Magdalenian times for the interment of the corpse. The human remains 115 were mainly associated with intensely red ochre-stained Level 504 (dated to 18.9-18.7 cal kya) in 116 square X7, subsquares B+D and adjacent subsquares. However, the rest of the area dug between 117 the engraved block and the rear cave vestibule wall contained human habitation deposits that 118 evidenced subsistence and flint-knapping activities (see articles respectively on mammalian 119 fauna and artifacts by Marín-Arroyo and Geiling and by Fontes et al., in this issue). The skeleton, 120 corresponding to an adult woman (see Carretero et al., this issue), was deposited during the 121 formation of Level 504 in a pit that affected both that layer and underlying Level 505 (c. 18.9 cal 122 kya). According to the taphonomic study of the human remains, the corpse would have been laid 123 down in flexed, lateral position in a small pit dug into the sediments. After it had become 124

skeletonized, it was slightly disturbed by a carnivore and finally certain large bones (including
the cranium) were apparently removed by humans for transport to another (unknown) location,
while the carnivore-gnawed tibia, mandible and several smaller bones were (re-)stained with
ochre and reburied (Marín-Arroyo, this issue).

129

130 **3. Materials and methods**

131

The materials analyzed here were recovered during the excavation campaigns of 2010, 132 2011 and 2013 and come from levels 502, 503, 504, 505 and 506 in squares X5-7 and Y5-7. 133 The marine mollusks and other aquatic organisms (e.g., sea urchins) were taxonomically 134 identified using specialized manuals (Poppe and Goto 1991, 1993) and the comparative 135 collection of one of the authors (IGZ). In terms of systematics, we used the nomenclature 136 proposed by the World Register of Marine Species (WORMS) for marine mollusks 137 (http://www.marinespecies.org/aphia.php?p=taxdetails&id=140293). The few perforated 138 mammal teeth were anatomically and taxonomically identified with the help of the reference 139 collection of the Bioarchaeology lab at the IIIPC (Cantabria, Spain). With respect to measures of 140 141 abundance, we calculated absolute frequencies by Numbers of Identified Specimens (NISP) and Minimum Numbers of Individuals (MNI). To obtain the MNI for shells we used a method based 142 on the creation of categories of levels of fragmentation, developed from patterns of mollusk 143 disarticulation (Gutiérrez-Zugasti, 2011a; Moreno, 1994). Given the small number of ornamental 144 objects that were piece-plotted with 3-dimensional coordinates during the excavation, the spatial 145 146 distribution of the ornaments was analyzed using the subsquare (50x50 cm) information of each 147 find.

The complete teeth and shells, as well as the substantial shell fragments used in the MNI 148 calculations were examined for taphonomic alterations. The shells were observed with a Leica 149 S8 APO binocular microscope. In order to evaluate the state of conservation, each shell was 150 inspected using the method proposed by Yanes et al. (2012), with some modifications. The 151 taphonomic descriptors used in the analysis were carbonate coating, manganese staining, 152 biodegradation (loss of proteins), burning, color loss and ornamentation loss. The taphonomic 153 study was conducted using three scoring variables as to the degree of weathering: 1=poor 154 preservation; 0.5=intermediate preservation; 0=good preservation. The total taphonomic grade 155

(TTG) was scored for each shell and for the whole assemblage as the mean of all taphonomic
features. Finally, the index of total fragmentation (FI) per level was calculated using the
MNI/NISP ratio (Gutiérrez-Zugasti, 2011a).

The marine shells and teeth were measured with a digital caliper to the nearest 0.1 mm. 159 Only the taxa that had complete or minimally fragmented shells were subjected to detailed 160 biometric analysis. In the case of Littorina obtusata we measured the length, total width, width 161 of the first whorl and the aperture width, while in the case of *Trivia* sp. we measured the length 162 and width of the shell, following the conventions in the scientific literature (Gutiérrez-Zugasti, 163 2009; Rigaud et al., 2014). The ranges of measurements were compared with those from other 164 assemblages, both modern and archeological, in order to evaluate any possible intentional 165 selection of sizes of items to be used for ornaments. 166

All the items that could have been used as ornaments were also measured and inspected 167 under the microscope at different magnifications. We did an even more exhaustive analysis of 168 those shells and teeth that have perforations or evidence of having been used as personal 169 ornaments. In these cases we measured the perforation holes, documented the presence of ochre 170 and noted traces of use-wear on the shells. Then we compared any alterations with those 171 172 published in several specialized works (d'Errico et al., 1993; Taborin, 1993; Vanhaeren and d'Errico, 2002; Vanhaeren et al., 2005) in order to infer the techniques that could have been used 173 to make the holes and to establish the existence or not of wear-traces related to the use of the 174 shells in question. In order to analyze the perforations we used macroscopic observation and 175 microscopy with the same binocular instrument at 5/80X, as well as with a Leica DM 2500M 176 metallographic microscope for possible wear-traces between 50/200X. To photograph the shells, 177 we used a Canon digital camera mounted on the microscopes. 178

179

180 **4. Results**

181

182 4.1 Species representation

183

The analyzed excavation units produced a total of 157 remains of marine shells. Among them, 17 taxa were identified (Table 1). Four of them were identified at the species level (the bivalve *Solen marginatus* Pulteney, 1799; and the marine gastropods *Littorina littorea*

[Linnaeus, 1758], *Littorina obtusata* [Linnaeus, 1758] and *Nucella lapillus* [Linnaeus, 1758]),
ten at genus level (the bivalves *Cerastoderma* sp., *Mytilus* sp., and *Pecten* sp.; and the marine
gastropods *Cyclope* sp., *Littorina* sp., *Nassarius* sp., *Patella* sp., *Trivia* sp., *Turritella* sp.; the
scaphopod *Antalis* sp.), one at order level (Camarodonta) and two at class level (Bivalvia and
Gastropoda). Among the perforated mammal teeth we identified two taxa: red deer (*Cervus elaphus*) and goat (presumably ibex) (*Capra* cf. *pyrenaica*).

The collection of marine shells and mammal teeth is dominated by taxa that were 193 generally utilized for ornaments in Western Europe during the Upper Paleolithic (Álvarez-194 Fernández, 2006), although it also includes mollusks that are usually exclusively used for food, 195 such as the razor shell (Solen marginatus), mussel Mytilus sp., and sea urchins from the 196 Camarodonta Order. The numbers of marine shells are similar in all the levels, though slightly 197 greater in Levels 504 and 505. The gastropods are better represented than the bivalves in the 198 whole sequence of levels. The identified taxa generally inhabit rocky zones or intertidal 199 sand/mud zones, although some also inhabit the infratidal fringe (e.g., Antalis sp., Pecten sp.). 200 Similarly, most of the taxa can be found both along the open shore and in estuaries, although 201 there are some that live in exclusively one or the other of these habitats (e.g., Antalis sp. and 202 203 Turritella sp. are mostly estuarine, while Trivia sp. and Camarodonta are usually found along open coasts). 204

205

4.1 Shell taphonomy

207

The TTG index reflects that the shells in all the levels display an intermediate state of preservation, with values centered around 0.5 (Fig. 2). However we did observe a pattern of progressive deterioration of the shells from the higher to the lower levels (from 0.47 in Level 502 to 0.64 in Level 506). Similarly the IF (fragmentation index) does not display extreme values in any level, but the pattern is slightly different than for the TTG, since Levels 502 (which is mixed) and 503 (which is intact) showed higher and lower indices of fragmentation respectively.

The most frequently observed taphonomic processes are manganese staining, biodegradation, color loss, and ornamentation loss (Fig. 3). The last three display the same trends throughout the stratigraphic sequence (the oldest levels display a higher grade of deterioration than the more recent ones), while manganese staining is less common on shells from Level

504—the burial deposit. This suggests that the presence of scarce decomposing organic matter
during the formation of this level, in accordance with what has been observed on both the human
and large mammal bones from Level 504 (Marín-Arroyo, this issue; Marín-Arroyo and Geiling,
this issue). Other processes such as carbonate coating and burning are hardly attested among the
shells.

The analysis of taphonomic alterations allowed us to identify some case of bioerosion, which indicates that some shells had been collected after the mollusks had died. Most of the shells display traces of ochre on both their external and internal surfaces. In some cases the ochre appears on breaks (both anthropic and natural), a fact which suggests that the shells were already broken when the ochre powder was deposited. The same is true for the manganese which habitually occurs on breaks. In addition, when the two kinds of mineral staining on the same shell, the manganese is always on top of the ochre, proving its antiquity.

- 230
- 231 4.3 Shell and tooth ornaments
- 232

Among the items that were transformed into ornaments, there are two types: shell beads 233 234 and mammal teeth. From the 157 shell remains recorded in this study, a total of 47 whole and fragmentary shells belonging to nine taxa have been identified as ornamental objects (Table 2). 235 Among the marine shells, 16 gastropods and bivalves display anthropic perforations (Fig. 4). 236 Among the scaphopods we identified 31 whole or fragmentary manufactured beads with breaks 237 that are either longitudinal or transversal to the long axis of the shell (Fig. 5). There are three 238 terrestrial mammal teeth with perforations (one atrophied red deer canine, a juvenile ibex right 239 incisor and an adult ibex right incisor with the perforation broken) (Fig 6). Apart from the shell 240 beads, another 24 complete shells or smaller fragments belonging without traces of human 241 manipulation (except for the presence of ochre in the surface of 12 of them) have been also 242 identified as potential ornaments (Table 3; Fig. 7). They could have been collected to be 243 transformed into beads and then discarded at the site or perhaps they are fragments of broken 244 beads. Among the shells, 33 ornaments and 12 potential ornaments are stained with ochre. The 245 presence of ochre in the surface of these shells suggests their use in symbolic activities. 246

The ornamental assemblage from post-burial Levels 503 and 502 is quite limited and is made up of marine and terrestrial species that are habitually found in Magdalenian deposits in Western Europe (*Cyclope* in 503 and *Cerastoderma* and a red deer canine in 502). The level with the most ornaments is 505, followed by 504 and 506, and the most abundant shell beads belong to the taxa *L. obtusata, Trivia* sp., *Antalis* sp., *Nassarius* sp. and *N. lapillus* (Table 2). In general, the composition of the ornamental assemblages is quite homogeneous, with almost all the same species appearing in all three of these levels.

254

255 **4.4 Morphometrics**

256

Only two taxa had well preserved individuals, thus permitting detailed morphometric 257 analysis: L. obtusata (n=10) and Trivia sp. (n=4). In both cases the average length of the 258 perforated shells (L. obtusata=10.1 mm; Trivia=10.5 mm) is slightly greater than that of the 259 non-perforated shells (L.obtusata=7.8 mm; Trivia=8.6 mm). The distributions of sizes of these 260 261 two species were compared with those of reference collections from La Concha Beach in Santander for L. obtusata and from Cubelas (San Ciprián, Lugo, Galicia) for Trivia (data from 262 Álvarez-Fernández, 2006). The results show that the specimens of *L.obtusata* from El Mirón 263 cover most of the range of sizes among modern shells, with only one being clearly larger (Fig. 264 265 8A). As for *Trivia*, three individuals fall within the group of the largest modern specimens and one is of average size (Fig. 8B). 266

- 267
- 268 4.5 Technology and use wear

269

The perforations of *L. obtusata* shells have a regular shape and flat surface on which one 270 can see striations that are oblique to the axis of the shell (Fig. 9: #13, #14). This striated surface 271 is the result of rubbing the shell against an abrasive object, probably a piece of sandstone. The 272 same kinds of traces are found on the three broken specimens of Nucella (e.g. Fig. 9: #20), the 273 two of Nassarius (one of them with three perforations, see Fig. 9: #17a, 17b and 17c), and one of 274 Cerastoderma (Fig. 9: #1). The Trivia shells have regular, circular perforations whose edges are 275 perpendicular to the surface of the shell (Fig. 9: #15a, #15b). Two shells have double 276 perforations, with a hole at each end, while the third shell has only one small perforation (0.7 x 277 0.7 mm) at one end, but not exactly in the same position than the other two shells, which raise 278 some doubts about its anthropogenic origin. Given the characteristics of Trivia shells, the holes 279

must have been made from the exterior surface with a sharp object such as a stone borer or bone 280 awl. Despite its poor state of preservation of the Cyclope shell, we were able to observe a hole of 281 similar characteristics as those of the Trivia shells (Fig. 9: #3). In the case of the scaphopods, we 282 found evidence of sawing of the shells to obtain tube-shaped beads (Fig. 10). Among the 283 recovered fragments is one that has been sawed in its posterior portion (the thinnest part, usually 284 discarded because of its small natural hole, see Figs. 5 and 10: #38) and two others that could be 285 refitted (# 23 and 24). An irregular fracture on the edge of the anterior end has been identified in 286 some individuals of Antalis (Fig. 5). This is probably related to the position of the shells with 287 respect to one another in a composite ornament, with each successive bead being fitted into its 288 neighbor along the string. This layout, together with twisting caused by suspension and 289 movement of the ornament would have caused the breakage of this part of the shell. 290

The perforations on the red deer canine and on the juvenile ibex incisor are on the root and were made by scraping the root followed by rotary drilling with a lithic borer. In both cases we could see the scrape marks and many striations in several directions that were made in the process of preparation and drilling the holes (Fig. 6). The perforation of the adult ibex incisor is broken and the overall preservation of the piece is not good, but nevertheless we could see striations that the hole was also made by rotation with a small stone tool.

About 23% of the shell beads bear clear traces of wear in their holes, mainly in the form 297 of smoothed edges at the perforations and/or polish traces (Table 2; Fig. 9). A considerable 298 number (28%) also present polish traces that could be or not directly tied to shell use, since 299 similar polishes appear on other zones of the shell surfaces. However, given the lack of 300 experimental controls we were not able to distinguish if they are wear traces or post-depositional 301 weathering. The rest of the whole and fragmentary shells (49%) show no traces of use. The 302 perforated reed deer canine shows wear traces in the perimeter of the hole while the juvenile ibex 303 incisor presents a thorough preparation of the hole (including a small platform perpendicular to 304 the length axis of the tooth and a rounded groove longitudinal to that axis). In both cases these 305 marks are probably related to the attachement/suspension of the teeth. 306

307

308 4.6 Spatial distribution

The analysis of the spatial distribution of the ornaments helped to determine their 310 locations vis à vis the burial, which was centered on subsquares B and D of square /X7 (Fig. 11). 311 Levels 502 (disturbed) and 503 (intact) were above the burial layer, so objects found in them 312 were clearly not related to the burial. In Level 504 the ornaments were distributed among X6, 313 X7, Y5 and Y6 (the latter squares being fairly remote from the burial). Only one item (the 314 perforated ibex incisor from X7 subsquare D) was from the area occupied by the burial. In Level 315 505, the spatial distribution of perforated objects is very homogeneous throughout four squares: 316 X7, Y7, Y6 and Y7, only the first two of which were in the immediate burial area. All the 317 perforated items from Level 506 were from one subsquare (X7 C), but this level was only dug in 318 a very small area in X7 (and did not exist in the northern part of X7 due to the presence of a 319 sloping bedrock ledge there). 320

321

322 **5. Discussion**

323

324

Levels 502-506 in El Mirón Cave, located in the area of the discovery of a Magdalenianage human burial (Marín-Arroyo, this issue; Straus and González Morales, this issue) yielded a collection of ornamental elements made from marine shells and ungulate teeth. However, the

5.1 The burial area shell and tooth ornaments: were they "grave goods"?

spatial analysis of the items shows that only one element came from the burial layer (504) in the 329 area of the burial pit in square X7 B+D. The rest of the objects came from areas outside the 330 burial area, in zones clearly related to subsistence and flint knapping activities of the Lower 331 Magdalenian inhabitants of the cave (see Marín-Arroyo and Geiling, this issue; and Fontes et al., 332 this issue). This would seem to indicate that there was no (or almost no) relationship between the 333 ornaments and the burial, which is the same conclusion that has been reached with regard to the 334 faunal remains and the osseous and lithic artifacts from Level 504 (with the possible exception of 335 a large quartz crystal). The presence of beads in this area of the cave was related to the conduct 336 of normal, daily activities (and losses or discards), notably, we argue, as material remains of 337 social relations among the living. Such objects were frequently found in the Lower (and other 338 Magdalenian and Solutrean) levels throughout the other excavation areas of the cave in purely 339 residential contexts (Straus et al., 2011). The presence of a perforated ibex incisor in the burial 340

pit might not either be actually related to the interment, since it could have been originally in the 341 Level 504 (or 505) fill that was dug into to make the narrow, shallow grave. In addition, the 342 homogeneity of the ornamental assemblages from levels 504, 505 and 506 also supports the 343 hypothesis that the beads were not related to the burial. The taphonomic alterations do not 344 suggest the existence of different processes affecting the shells of Level 504 relative to the other 345 levels, save perhaps for a higher incidence of manganese precipitation. Thus the presence of 346 ornaments in this area of the site must be interpreted from a non-funerary perspective, just as in 347 the case of other Lower Magdalenian living areas in the cave. 348

349

350 5.2 Acquisition of raw materials

351

The animal species that were used to make beads are all ones that are characteristic of the 352 Cantabrian region, except the specimen of Cyclope sp. from Level 503, whose origin is 353 Mediterranean. This species can be found today along the Cantabrian coast, but it is an 354 allochthonous mollusk, having been introduced recently in association with the oyster-farming 355 industry (Arias et al., 2012; Bachelet et al., 2004). The presence of Mediterranean species among 356 357 the ornamental shell assemblages of the Upper Paleolithic in northern Atlantic Spain is sparse, but not insignificant. Various specimens of *Cyclope pellucida* were found in the Magdalenian of 358 Tito Bustillo Cave (eastern Asturias), one of Zonaria pyrum in La Garma A (central Cantabria), 359 and a specimen of Homalopoma sanguineum in El Mirón Level 17 (Lower Magdalenian-360 contemporaneous with the burial layer, 504) (Álvarez-Fernández, 2006). The presence of this 361 species suggest the existence of networks of exchange among hunter-gatherer groups of the 362 Mediterranean and Cantabrian regions (probably via the Ebro Valley, along which there are 363 Magdalenian sites, see Utrilla et al., 2012) or exchange relationships with other groups in contact 364 with Mediterranean bands. 365

As no fossil shells were identified, the acquisition of most of the shells used for ornaments was probably done along the Cantabrian shore, possibly around the paleo-mouth of the Asón River. At the time of the Lower Magdalenian the site would have been about 25-30 km from the early Late Glacial shore, proving that it was humans who transported the shells to the cave. Evidence from numerous Upper Paleolithic ornament assemblages indicates that the collection of dead shells (sometimes even fossil shells) to make beads was a habitual practice

(e.g. Gutiérrez-Zugasti et al., 2013; Stiner et al., 2013; Taborin, 1993). Because of the bioerosion 372 on the surfaces of some of the shells, they must have been collected dead, though we cannot 373 determine whether they came from one or several kinds of thanatocenoses. In the case of 374 perforated teeth, the two identified species (red deer and ibex) lived in the surroundings of El 375 Mirón and were hunted by Lower Magdalenian people, as attested by the archeofaunal 376 assemblage from Level 504 (see Marín-Arroyo and Geiling, this issue). Thus the teeth were 377 probably obtained from carcasses that were killed and eaten by the inhabitants of the site at the 378 time. 379

As regards the selection of shell sizes, among the specimens of L. obtusata only one has 380 dimensions comparable to ones from Magdalenian assemblages like that of Urtiaga (Levels E+F) 381 in Guipúzcoa, whose assemblage of shells displays a marked selection for the biggest specimens 382 (Álvarez-Fernández, 2006; Rigaud et al., 2014). However, the rest of the individual unperforated 383 384 shells in the El Mirón assemblage are smaller, though within the range of sizes that have been documented both in other Upper Paleolithic sites and along the present day Cantabrian coast 385 (Álvarez-Fernández, 2006). On the other hand, comparison between the sizes of the perforated 386 and non-perforated shells suggests a slight preference for larger shells with which to make beads. 387 388 Generally the decrease in shell size through time has been explained either by sea-surface temperature rise or by the pressure of human exploitation (Bailey and Craighead, 2003; 389 Gutiérrez-Zugasti, 2011b; Straus and Clark, 1986). As in many other sites in Western Europe, 390 the species used for ornaments in El Mirón came from various kinds of thanatocenoses, so they 391 were not subjected to the impact of human exploitation which, in any case was not especially 392 intensive yet in the Magdalenian of Cantabria (Gutiérrez-Zugasti et al., 2011b). This means that 393 human pressure does not seem to have played an important role in determining the sizes of shells 394 that were available for selection. Furthermore, the climatic conditions of the Lower Magdalenian 395 were too rigorous to suggest that there was any climatic reason for size decrease in L. obtusata at 396 this time. In any case, although it is possible that variations in local ecological conditions along 397 the Cantabrian coast could have played a role in the sizes of shells available to humans, the 398 results of our study suggest that there was no preference for the largest shells in bead-making, 399 since perforated and non-perforated Littorina shells are of the same sizes. On the other hand, in 400 the case of Trivia, comparisons both with archeological shells and with modern collections 401 (Álvarez-Fernández, 2006) of both El Mirón perforated and non-perforated shells suggest that 402

the site's inhabitants selected the biggest shells for fabrication of ornaments. This distinction 403 between the non-selection of large Littorina shells and the selection of large Trivia shells could 404 be explained by the existence of more favorable ecological conditions for Trivia in the area 405 where people were collecting shells at the time, which in turn would have permitted the 406 formation of thanatocenoses with bigger individuals than in the case of *Littorina*. However, 407 human choices and social practices can provide alternative explanations. Possible aesthetic 408 choices of the artisans could have led them to associate large and small shells in the same 409 beadwork, maybe organized according to a size gradient or a codified alternation of sizes. 410 It can also be proposed that group composition included adult and children and that small shells 411 were dedicated to children while larger shells were used for adults. Size reduction of personal 412 ornaments crafted for children has already been proposed in the case of the Magdalenian burial 413 in the type site of La Madeleine (Vanhaeren and d'Errico 2001). The Lower Magdalenian levels 414 415 in El Mirón Cave evidence a wealth of materials of all types that have been interpreted as the 416 products of repeated, multi-functional, residential occupations of the site. The complex composition of the groups represented would fit with the residential function of the site. 417

418

419 **5.3 Technology and use**

420

The perforation techniques used to make the shell beads at El Mirón (abrasion and percussion/pressure) are very habitual for the manufacture of ornamental shells throughout Western Europe in the Upper Paleolithic (Álvarez-Fernández, 2006; Taborin, 1993). The presence of manufacturing debris (principally fragments of *Antalis*) and several shell beads without wear traces, indicate that at least some of the ornaments could have been made at the site. The manufacture of shell (and tooth) beads—symbolic artifacts-- here would fit in very well with the overall picture of the site multifaceted occupations.

Only some pieces have clear wear-traces, probably related to the suspension/attachment of the shells. Several other shells display traces of wear around the hole that are similar to wear traces on other zones of shell surfaces. We cannot rule out the possibility that taphonomic alterations that occurred during biostratinomic or diagenenic phases of the shells' existence were responsible for these wear traces. The presence of traces on various parts of the shells could be related to tying the beads in different ways. White (2007) has pointed out that these materials are

usually associated with body ornaments from a traditional typo-morphological perspective, while 434 ethnographic examples suggest that they could have been used as non-body-ornament objects 435 adapted for suspension or attachment on baskets, bags, blankets, dwellings, etc. Experimental 436 studies have demonstrated that different kinds of use-wear are produced when different systems 437 for stringing the shells together are used, and that some of those systems produce wear traces in 438 various parts of the shells (Vanhaeren et al., 2013). However, considering the limited number 439 and quality of the use-wear recorded on El Mirón shells, and the previously published 440 experimental data, it is not possible to make any accurate assumption on the function of the 441 shells. 442

443

444 **5.4 Social implications**

445

446 Currently available ethnographic evidence supports the idea that the ethnic dimension of 447 human groups can be recognized through the use of different bead types and by their 448 combination and arrangement on the body and on other objects such as clothing. Thus 449 understanding the meaning of the ornaments could be shared by one or more neighboring groups. 450 This would allow or facilitate the communication of social identity of people bearing the 451 ornaments as members of the same group, gender or other grouping related to age, marital 452 status, role in society, etc. (Kuhn et al., 2001, 2009; Vanhaeren and d'Errico, 2006).

In El Mirón, both the species used to make ornaments and the manufacturing processes 453 are similar to those that are documented at Upper Paleolithic sites throughout Western Europe, 454 especially in the Franco-Cantabrian region (Álvarez-Fernández, 2006). This fact suggests that 455 the Magdalenian human groups shared the same technological tradition for the manufacture of 456 ornaments and that those ornaments may have had the same general sorts of social meanings as 457 is documented in the ethnographic record of recent forager societies. The presence of 458 Mediterranean species in Cantabrian sites including El Mirón suggests the existence of a network 459 of contacts among Magdalenian bands (see Schwendler, 2004). These contacts could have 460 occurred during travels related to the subsistence strategies but also during social get-togethers 461 ("aggregations"), as has been argued for the Lower Magdalenian site of Altamira (Conkey, 462 1980), which is linked to El Mirón by the presence of striation-engraved red deer scapulae 463

464 (González Morales and Straus, 2009). The ornamental objects could have served to facilitate
 465 communication among members of different bands, and thus social relations and exchanges.

466

467 **6.** Conclusions

468

The results of this study of the marine shells and perforated ungulate teeth in El Mirón 469 Cave suggest that the beads (with the remotely possible exception of a perforated ibex incisor) 470 were not grave goods deposited with the Magdalenian burial. On the contrary, they were no 471 doubt objects lost during residential occupations of this area at the rear of the cave vestibule 472 before and after the time of the burial. The raw materials for making the beads were all easily 473 obtainable by the Lower Magdalenian inhabitants of the site (with the exception of a shell of 474 Mediterranean origin) either by collection along the Bay of Biscay shore or by hunting normal 475 476 game animals near the cave. The perforation techniques used are like those found at other contemporary sites in the Franco-Cantabrian region, suggesting the existence of a widespread, 477 well-established technological tradition across a very large area. The discovery of several 478 remains of the manufacturing operatory chain and shells without wear traces suggests that some 479 480 of the beads were made on-site, a fact that supports the hypothesis that El Mirón was used as a multi-purpose site during the Lower Magdalenian. We were also able to determine the presence 481 of wear-traces on some of the shells, confirming that they were utilized as personal ornaments. 482 From a functional standpoint, the ornaments probably played not only an aesthetic role, but also 483 a social one in the facilitation of communication among different groups, including interpersonal 484 relationships and exchanges of all sorts-from trade, to information-sharing, to intermarriage. 485

486

487 Acknowledgments

488

This research was part of the project HAR2013-46802-P, and IGZ is supported by the programme Juan de la Cierva, both funded by the Spanish Ministry of Economy and Competitiveness. DCS is supported by a grant from the Fyssen Foundation. The directors of the El Mirón Cave Prehistoric Project, Professors Manuel R. González Morales and Lawrence G. Straus, provided us with the artifacts that were the objects of our analysis in this study. We would like to thank Ana B. Marín-Arroyo and J. M. Geiling for their help in the identification of

- mammal teeth and for figure 1, and Luis Teira for their help with pictures and figures. We also
 thank to the reviewers for their useful comments. The manuscript was translated into English and
 lightly edited by Straus.
- 498

499	Reference	S

500

Álvarez Fernández, E., 2006. Los objetos de adorno-colgantes del Paleolítico Superior y del
Mesolítico en la cornisa cantábrica y en el valle del Ebro: una visión europea. Universidad de
Salamanca, Salamanca.

504

Álvarez Fernández, A., Jöris, O., 2008. Personal ornaments in the early Upper Paleolithic of
Western Eurasia: an evaluation of the record. Eurasian Prehistory 5, 31-44.

507

Arias, A., Richter, A., Anadón, N., 2012. Estado actual de los Moluscos marinos no autóctonos
en aguas del Cantábrico. In: GEIB Grupo Especialista en Invasiones Biológicas (Ed.), EEI 2012
Notas Científicas, GEIB, Serie Técnica Nº 5, León, pp. 99-103.

511

Bachelet, G., Simon-Bouhet, B., Desclaux, C., Garcia-Meunier, P., Mairesse, G., Xavier De, M.,
Raigné, H., Sauriau, K.R.P.-G., Viard, F., 2004. Invasion of the eastern Bay of Biscay by the
nassariid gastropod Cyclope neritea: origin and effects on resident fauna. Marine Ecology
Progress Series 276, 147-159.

516

Bailey, G.N., Craighead, A.S., 2003. Late Pleistocene and Holocene coastal paleoeconomies: a
reconsideration of the molluscan evidence from Northern Spain. Geoarchaeology 18 (2), 175204.

520

Bailey, G.N., Flemming, N.C., 2008. Archaeology of the continental shelf: Marine resources,
submerged landscapes and underwater archaeology. Quaternary Science Reviews 27, 2153-2165.

523 Bicho, N., Haws, J., 2008. At the land's end: Marine resources and the importance of fluctuations

in the coastline in the prehistoric hunter-gatherer economy of Portugal. Quaternary ScienceReviews 27, 2166-2175.

526

Bouzouggar, A., Barton, N., Vanhaeren, M., d'Errico, F., Simon, C., Higham, T., Hodge, E.,
Simon, P., Rhodes, E., Schwenninger, J.-L., Stringer, C., Turner, E., Ward, S., Moutmir, A.,
Stambouli, A., 2007. 82,000-Year-Old Shell Beads from North Africa and Implications for the
Origins of Modern Human Behavior. Proceedings of the National Academy of Sciences of the
United States of America 104, 9964-9969.

- Caron, F., d'Errico, F., Del Moral, P., Santos, F., Zilhão, J., 2011. The Reality of Neandertal
 Symbolic Behavior at the Grotte du Renne, Arcy-sur-Cure, France. PLoS ONE 6, e21545.
- 535

Carretero, J.M., Quam, R.M., Gómez-Olivencia, A., Rodríguez, L., Castilla, M., García González, R., this issue. The Magdalenian human remains from El Mirón Cave, Cantabria
(Spain). Journal of Archaeological Science.

539

540 Colonese, A.C., Mannino, M.A., Bar-Yosef Mayer, D.E., Fa, D.A., Finlayson, J.C., Lubell, D.,

- Stiner, M.C., 2011. Marine mollusc exploitation in Mediterranean prehistory: An overview.
 Quaternary International 239, 86-103.
- 543
- Conkey, M.W., 1980. The identification of prehistoric hunter-gatherer aggregation sites: the case
 of Altamira. Current Anthropology 21 (5), 609-630.
- 546

547 Cuenca Solana, D., 2014. The use of shells by hunter-fisher-gatherers and farmers from the early
548 upper Palaeolithic to the Neolithic in the European Atlantic façade: a technological perspective.
549 Journal of Island and Coastal Archaeology. (doi: 10.1080/15564894.2014.934491).

550

d'Errico, F., Jardón-Giner, P., Soler Mayor, B., 1993. Critères à base expérimentale pour l'étude
des perforations naturelles et intentionnelles sur coquillages. in: Anderson, P.C., Beyries, S.,
Otte, M., Plisson, H. (Eds.), Traces et fonction: gestes retrouvés, Centre de Recherches
Archéologiques du CNRS, ERAUL, Liege, pp. 243-254.

- d'Errico, F., Henshilwood, C., Vanhaeren, M., Van Niekerk, K., 2005. Nassarius kraussianus
 shell beads from Blombos Cave: evidence for symbolic behaviour in the Middle Stone Age.
 Journal of Human Evolution 48, 3-24.
- 559
- Fontes, L.M., Straus, L.G., González-Morales, M.R., this issue. Lithic & osseous artifacts from
 the human burial deposit in El Mirón Cave. Journal of Archaeological Science.
- 562
- García-Díez, M., Ochoa, B., Barandiarán, I., 2013. Neanderthal Graphic Behavior: The Pecked
 Pebble from Axlor Rockshelter (Northern Spain). Journal of Anthropological Research 69, 397410.
- 566
- González Morales, M.R., Straus, L.G., 2009. Extraordinary Early Magdalenian finds from El
 Miron Cave, Cantabria (Spain). Antiquity 83, 267-281.
- 569
- Gutiérrez Zugasti, F.I., 2009. La explotación de moluscos y otros recursos litorales en la región
 cantábrica durante el Pleistoceno final y el Holoceno inicial, PUbliCan, Ediciones de la
 Universidad de Cantabria, Santander.
- 573
- 574 Gutiérrez Zugasti, F.I., 2011a. Shell fragmentation as tool for quantification and identification of 575 taphonomic processes in archaeomalacological analysis: the case of the Cantabrian region 576 (Northern Spain). Archaeometry 53, 614-630.
- 577
- Gutiérrez Zugasti, F.I., 2011b. Coastal resource intensification across the Pleistocene-Holocene
 transition in Northern Spain: evidence from shell size and age distributions of marine gastropods.
 Quaternary International 244, 54-66.
- 581
- Gutiérrez Zugasti, I., Andersen, S., Araújo, A.C., Dupont, C., Milner, N., Soares, A.M.M., 2011.
 Shell midden research in Atlantic Europe: state of the art, research problems and perspectives for
 the future. Quaternary International 239, 70-85.

- Gutiérrez Zugasti, I., Cuenca Solana, D., Rasines Del Río, P., Muñoz Fernández, E., Santamaría
 Santamaría, S., Morlote Expósito, J.M., 2013. The role of shellfish in hunter-gatherer societies
 during the early Upper Palaeolithic: a view from El Cuco rockshelter, Northern Spain Journal of
 Anthropological Archaeology 32, 242-256.
- 590
- Kuhn, S.L., Stiner, M.C., Reese, D.S., Güleç, E., 2001. Ornaments of the Earliest Upper
 Paleolithic: New Insights from the Levant. Proceedings of the National Academy of Sciences of
 the United States of America 98, 7641-7646.
- 594
- Kuhn, S.L., Stiner, M.C., Güleç, E., Özer, I., Yilmaz, H., Baykara, I., Açikkol, A., Goldberg, P.,
 Molina, K.M., Ünay, E., Suata-Alpaslan, F., 2009. The early Upper Paleolithic occupations at
- 597 ÜçagIzlI Cave (Hatay, Turkey). Journal of Human Evolution 56, 87-113.
- 598
- Marín Arroyo, A.B., this issue. Taphonomic study of the human remains from the Magdalenian
 burial in El Mirón Cave (Cantabria, Spain). Journal of Archaeological Science.
- 601
- Marín Arroyo, A.B., Geiling, J.M., this issue. Archeozoological Study of the Macromanmal
 Remains Stratigraphically Associated with the Magdalenian Human Burial in El Mirón Cave
 (Cantabria, Spain). Journal of Archaeological Science.
- 605
- Mellars, P., 2010. Neanderthal symbolism and ornament manufacture: The bursting of a bubble?
 Proceedings of the National Academy of Sciences 107, 20147-20148.
- 608
- Moreno, R., 1994. Análisis arqueomalacológicos en la Península Ibérica. Contribución
 metodológica y biocultural. Unpublished PhD thesis, Universidad Autónoma de Madrid, Madrid.
- Morin, E., Laroulandie, V., 2012. Presumed Symbolic Use of Diurnal Raptors by Neanderthals.
 PLoS ONE 7, e32856.

- Orschiedt, J., 2013. Bodies, bits and pieces: burials from the Magdalenian and the Late
 Palaeolothic. in: Pastoors, A., Auffermann, B. (Eds.), Pleistocene foragers: their culture and
 environment, Wissenschaftliche Schriften des Neanderthal Museums 6, Mettman, pp. 117-132.
- 619 Peresani, M., Fiore, I., Gala, M., Romandini, M., Tagliacozzo, A., 2011. Late Neandertals and
- 620 the intentional removal of feathers as evidenced from bird bone taphonomy at Fumane Cave 44
- 621 ky B.P., Italy. Proceedings of the National Academy of Sciences 108, 3888-3893.
- 622
- 623 Peresani, M., Vanhaeren, M., Quaggiotto, E., Queffelec, A., D'errico, F., 2013. An Ochered
- Fossil Marine Shell From the Mousterian of Fumane Cave, Italy. PLoS ONE 8, e68572.
- Poppe, G.T., Goto, Y., 1991. European Seashells. Vol. I (Polyplacophora, Caudofoveata,
 Solenogastra, Gastropoda), Verlag Christa Hemmen, Germany.
- 628
- Poppe, G.T., Goto, Y., 1993. European Seashells. Vol. II (Scaphopoda, Bivalvia, Cephalopoda),
 Verlag Christa Hemmen, Germany.
- 631
- Rendu, W., Beauval, C., Crevecoeur, I., Bayle, P., Balzeau, A., Bismuth, T., Bourguignon, L.,
 Delfour, G., Faivre, J.-P., Lacrampe-Cuyaubère, F., Tavormina, C., Todisco, D., Turq, A.,
 Maureille, B., 2014. Evidence supporting an intentional Neandertal burial at La Chapelle-auxSaints. Proceedings of the National Academy of Sciences 111, 81-86.
- 636
- Rigaud, S., D'Errico, F., Vanhaeren, M., Peñalver, X., 2014. A short-term, task-specific site:
 Epipaleolithic settlement patterns inferred from marine shells found at Praileaitz I (Basque
 Country, Spain). Journal of Archaeological Science 41, 666-678.
- 640
- Rodríguez-Vidal, J., D'errico, F., Pacheco, F.G., Blasco, R., Rosell, J., Jennings, R.P., Queffelec,
 A., Finlayson, G., Fa, D.A., Gutiérrez López, J.M., Carrión, J.S., Negro, J.J., Finlayson, S.,
 Cáceres, L.M., Bernal, M.A., Fernández Jiménez, S., Finlayson, C., 2014. A rock engraving
 made by Neanderthals in Gibraltar. Proceedings of the National Academy of Sciences 111,
 13301-13306.

646

- 647 Schwendler, R., 2004. Hunter-Gatherer Social Interactions in Magdalenian Western Europe.
 648 Unpublished Ph.D. dissertation, University of New Mexico.
- 649
- 650 Soressi, M., Mcpherron, S.P., Lenoir, M., Dogandžić, T., Goldberg, P., Jacobs, Z., Maigrot, Y.,
- 651 Martisius, N.L., Miller, C.E., Rendu, W., Richards, M., Skinner, M.M., Steele, T.E., Talamo, S.,
- Texier, J.-P., 2013. Neandertals made the first specialized bone tools in Europe. Proceedings of
 the National Academy of Sciences 110, 14186-14190.
- 654
- Stiner, M.C., 1999. Paleolithic mollusc exploitation at Riparo Mochi (Balzi Rossi, Italy): food
 and ornaments from the Aurignacian through Epigravettian. Antiquity 73, 735-754.
- 657
- Stiner, M.C., 2003. "Standardization" in Upper Paleolithic ornaments at the coastal sites of
 Riparo Mochi and Üçagizli cave. in: Zilhão, J., d'Errico, F. (Eds.), The Chronology of the
 Aurignacian and of the Transitional Technocomplexes: Dating, Stratigraphies, Cultural
 Implications, Instituto Portugues de Arqueologia, Lisbon, pp. 49-59.
- 662
- Stiner, M.C., Kuhn, S.L., Güleç, E., 2013. Early Upper Paleolithic shell beads at Üçağızlı Cave I
 (Turkey): Technology and the socioeconomic context of ornament life-histories. Journal of
 Human Evolution 64, 380-398.
- 666
- Straus, L.G., Clark, G.A., 1986. La Riera Cave. Stone Age hunter-gatherer adaptations in
 northern Spain, Anthropological Research Papers 36, Arizona State University, Tempe.
- 669
- Straus, L.G., González-Morales, M.R., 2012. The Magdalenian settlement of the Cantabrian
 region (Northern Spain): The view from El Miron Cave. Quaternary International 272-273, 111124.

673

Straus, L.G., González-Morales, M.R., this issue. The Magdalenian Human Burial of El Mirón
Cave (Ramales de la Victoria, Cantabria, Spain): Introduction, Background, Discovery and
Context. Journal of Archaeological Science.

677

- Straus, L.G., González Morales, M.R., Gutiérrez-Zugasti, I., Iriarte Chiapusso, M.J., 2011.
 Further Solutrean evidence in El Mirón cave (Ramales de la Victoria, Cantabria). Munibe 62,
 117-133.
- 681
- Taborin, Y., 1993. La parure en coquillage au Paléolithique, XXIX Supplément Gallia
 Préhistorique, CNRS, Paris.
- 684
- Tátá, F., Cascalheira, J., Marreiros, J., Pereira, T., Bicho, N., 2014. Shell bead production in the
 Upper Paleolithic of Vale Boi (SW Portugal): an experimental perspective. Journal of
 Archaeological Science 42, 29-41.
- 688
- Utrilla, P., Domingo, R., Montes, L., Mazo, C., Rodanés, J.M., Blasco, F., Alday, A., 2012. The
 Ebro Basin in NE Spain: A crossroads during the Magdalenian. Quaternary International 272273, 88-104.
- 692
- Vanhaeren, M., D'Errico, F., 2001. La parure de l'enfant de la Madeleine (fouilles Peyrony). Un
 nouveau regard sur l'enfance au Paléolithique supérieur. PALEO 13, 201-240.
- 695
- Vanhaeren, M., d'Errico, F., 2002. Chapter 10. The Body Ornaments Associated with the Burial.
 in: Zilhão, J., Trinkaus, E. (Eds.), Portrait of the Artist as a Child. The Gravettian human
 skeleton from the Abrigo do Lagar Velho and its archaeological context, Trabalhos de
 Arqueologia, 22. Instituto Portugues de Archeologia, Lisbonne, pp. 154-186.
- 700
- Vanhaeren, M., d'Errico, F., 2005. Grave goods from the Saint-Germain-la-Rivière burial:
 Evidence for social inequality in the Upper Palaeolithic. Journal of Anthropological Archaeology
 24, 117-134.

- Vanhaeren, M., d'Errico, F., 2006. Aurignacian ethno-linguistic geography of Europe revealed
 by personal ornaments. Journal of Archaeological Science 33, 1105-1128.
- 707

Vanhaeren, M., d'Errico, F., Fano Martínez, M.A., Álvarez Fernández, E., 2005. La parure de la
Cueva de El Horno (Ramales, Cantabrie, Espagne). in: Vujardin, V. (Ed.), Industries osseuses et
parures du Solutréen au Magdalénien en Europe, Mémoire XXXIX de la Société Préhistorique
Française, pp. 197-208.

712

Vanhaeren, M., d'Errico, F., Van Niekerk, K.L., Henshilwood, C.S., Erasmus, R.M., 2013.
Thinking strings: Additional evidence for personal ornament use in the Middle Stone Age at
Blombos Cave, South Africa. Journal of Human Evolution 64, 500-517.

716

White, R., 2007. Systems of Personal Ornamentation in the Early Upper Palaeolithic:
Methodological Challenges and New Observations. in: Mellars, P., Boyle, K., Bar-Yosef, O.,
Stringer, C. (Eds.), Rethinking the Human Revolution: New Behavioural and Biological
Perspectives on the Origin and Dispersal of Modern Humans., McDonald Institute for
Archaeological Research, Cambridge, pp. 287-302.

722

Yanes, Y., Gutiérrez-Zugasti, I., Delgado, A., 2012. Late glacial-Holocene transition in northern
Spain deduced from land snail shelly accumulations. Quaternary Research 78, 373-385.

725

Zilhão, J., 2007. The Emergence of Ornaments and Art: An Archaeological Perspective on the
Origins of "Behavioral Modernity". Journal of Archaeological Research 15, 1-54.

728

Zilhão, J., d'Errico, F., 1999. The Chronology and Taphonomy of the Earliest Aurignacian and
Its Implications for the Understanding of Neandertal Extinction. Journal of World Prehistory 13,
1-68.

732

Zilhão, J., Angelucci, D.E., Badal-García, E., d'Errico, F., Daniel, F., Dayet, L., Douka, K.,
Higham, T.F.G., Martínez-Sánchez, M.J., Montes-Bernárdez, R., Murcia-Mascarós, S., PérezSirvent, C., Roldán-García, C., Vanhaeren, M., Villaverde, V., Wood, R., Zapata, J., 2010.
Symbolic use of marine shells and mineral pigments by Iberian Neandertals. Proceedings of the
National Academy of Sciences Early Edition, 1-6.

739	
740	Figure captions
741	
742	Fig. 1: Location of El Mirón Cave (above). The plan of the site (below) shows excavation areas,
743	including the burial area and the burial pit (Marín-Arroyo and Geiling, this issue).
744	
745	Fig. 2: Total Taphonomic Grade (TTG) and Fragmentation Index (FI) of marine shells from
746	levels 502-506. Note the progressive decrease of the TTG from older to younger levels, while the
747	FI is higher (better preservation) in Level 503 and similar for the rest of levels.
748	
749	Fig. 3: Recorded taphonomic alterations in marine taxa from levels 502-506. Biodegradation,
750	manganese staining, color loss and ornamentation loss present the higher TTG (Total
751	Taphonomic Grade) (poorer shell preservation), while carbonate coating and burning are
752	scarcely represented.
753	
754	Fig. 4: Complete and fragmentary shell beads from levels 502-506 showing perforations: 1:
755	Cerastoderma sp.; 3: Cyclope sp.; 4, 12, 13, 14, 47: Littorina obtusata; 5, 15, 16: Trivia sp.; 6,
756	19, 20: Nucella lapillus; 17, 18, 48: Nassarius sp. Numbers referred to Table 2.
757	
758	Fig. 5: Shell beads made on <i>Antalis</i> sp. and manufacturing debris. Numbers referred to Table 2.
759	
760	Fig. 6: General and detailed views of perforated teeth: Left) atrophied red deer canine; Right)
761	juvenile ibex right incisor; and Center) adult ibex right incisor with the perforation broken.
762	Numbers referred to Table 2.
763	
764	Fig. 7: Additional shells identified as potential ornaments. 51, 52, 53, 57, 62, 70, 71, 72, 73:
765	Littorina obtusata; 54: Littorina sp.; 55: Gastropoda sp.; 56: Cyclope sp.; 58, 59, 63, 64: Trivia
766	sp.; 60, 65: Nassarius sp.; 61: Bivalvia sp; 66, 74: Turritella sp.; 67, 68, 69: Pecten sp. Numbers
767	referred to Table 3.
768	

Fig. 8: Morphometric data from archaeological specimens of *Littorina obtusata* (A) and *Trivia*sp. (B) of El Mirón compared to modern reference collections from La Concha beach
(Santander) and Cubelas beach (Galicia) respectively. Black triangles: perforated shells; Black
circles: non perforated shells; Grey and white circles: modern reference collection (after ÁlvarezFernández, 2006).

774

Fig. 9: Detailed view of perforations made by abrasion on *L. obtusata* (#13, 14), *N. lapillus* (#20), *Nassarius* sp. (#17a, 17b, 17c) and *Cerastoderma* sp. (#1); and percussion/pression on *Trivia* sp. (#15a, 15b) and *Cyclope* sp (#3). White rectangles are showing use wear traces in the perforations.

779

Fig. 10: Examples of *Antalis* sp. (#25, 36, 38) with evidence of sawing. Top: view of the whole
shells; Bottom: detailed view of the areas with traces of sawing.

782

Fig. 11: Spatial distribution by subsquares of shell and tooth ornaments from levels 502-506.

784

785 **Table captions**

786

Table 1: Marine taxa from levels 502-506 at the burial area in El Mirón Cave and abundance in
terms of Number of Identified Specimens (NISP) and Minimum Number of Individuals (MNI).

789

Table 2: Morphometric data (mm), presence/absence of ochre stains, perforation metrics (mm),
modification type and presence/absence of use wear of shell and tooth ornaments from levels
502-506. Black circles in the use column refer to clearly identified use wear traces, while the
asterisk represent the occurrence of polishing of ambiguous origin (either anthropogenic or
natural).

795

Table 3: Morphometric data (mm) and presence/absence of ochre stains in whole andfragmentary shells from levels 502-506 considered potential ornaments.

			2	2																					
	NN										-	5	-	F				• ~	6		-			1	4
506	NISP 1										~	17	~	~				~	21		-			1	23
5	MNI	-			-		7				-	9	-	2	0		ю	~	16		1 4		.	2	35
50	NISP	-			4		5				-	7	~	с	7		4	~	19		29		0	7	62
4	MNI	7	~	~			4				7	7		-	~	2	2		10		7		~	٢	18
50	NISP	с	-	~			S				œ	7		~	2	ю	с		24		4		2	-	36
33	MNI					~	-		7	~	с	2	~			~			6					-	1
50	NISP					~	-		7	~	4	9	~			~			14					-	16
12	MN		~	~			2				~	~	~		~				4					2	œ
50	NISP		2	5			7				2	-	ю		-				7					9	20
	Marine bivalves	Bivalvia sp.	Cerastoderma sp.	Mytilus sp.	Pecten sp.	Solen marginatus	Total Bivalves	Gastropods	Cyclope sp.	Gastropoda sp.	Littorina littorea	Littorina obtusata	Littorina sp.	Nassarius sp.	Nucella lapillus	<i>Patella</i> sp.	<i>Trivia</i> sp.	<i>Turritella</i> sp.	Total gastropods	Scaphopods	Antalis sp.	Echinoderms	Camarodonta	Unidentifiable	тота

	Use wear	•	•	*	•				*	*				•	•	•	•	•		*	•		*	*	*		*				*					•	*
ation	Nodification ype	Abrasion	Rotation	Percussion	Abrasion	Percussion	Abrasion	Serrated	Serrated			Rotation	Percussion	Abrasion	Abrasion	Percussion	Percussion	Abrasion	Percussion	Abrasion	Abrasion		Serrated	Serrated	Serrated		Serrated				Serrated?					Serrated	Serrated
Perfo	Lmin t	1,4	1,9	2,7	2,7	0,7								3,3	1.9	2,2/2,6	2,7/2,8	2/1,4/2,9	2,7																		
	Lmax	2,3	2,9	4,8	4	0,7								3,7	3.2	3,5/3,4	3,2/3,3	2,2/2/3,4	3,8																		
	Ochre	•	•	•	•	•	•	•	•	•	•			•		•		•	•		•	•	•		•		•		•	•	•	•	•			•	•
teeth	Aperture width				4,6								5,6	9	3,8			3,1	3,8																		
ells and	Spire width				4,3								6,8	5,6	3,4																						
Sr	Width	26	11,6	6,4	8	5,8		2,9	3,1	С	3.3	7	9,2	10,8	6,5	7,9	7,3	4,9	5			2,3	3,6	3,3	2,6	2.8	3,3	3.5	2.5	3.2	3,6	3.3	3.4	2,6	2,8	3,8	2,3
	Length	28	19,2	4,9	8,5	7,3		11,9	8	8,3	3.2	23,8	11,4	10	6,5	10,6	10,4	8	10,4			3,1	4,9	10,3	3,1	7,4	5,1	6,5	3,6	3,3	6,6	2.6	3.1	7,5	3,3	5,2	3,1
	Level	502	502	503	504	504	504	504	504	504	504	504	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505	505
	Species	Cerastoderma sp.	Cervus elaphus	Cyclope sp.	Littorina obtusata	<i>Trivia</i> sp.	Nucella lapillus	Antalis sp.	Antalis sp.	<i>Antalis</i> sp.	Antalis sp.	Capra pyrenaica	Littorina obtusata	Littorina obtusata	Littorina obtusata	<i>Trivia</i> sp.	<i>Trivia</i> sp.	<i>Nassarius</i> sp.	<i>Nassarius</i> sp.	Nucella lapillus	Nucella lapillus	Antalis sp.	Antalis sp.	Antalis sp.	<i>Antalis</i> sp.	Antalis sp.	<i>Antalis</i> sp.	Antalis sp.	Antalis sp.	<i>Antalis</i> sp.	<i>Antalis</i> sp.	<i>Antalis</i> sp.					
	Sample ID	-	2	ო	4	5	9	7	8	6	10	11	12	13	41	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36

				4	2								
*	Serrated					*	Serrated *		Serrated	Abrasion	Abrasion?		Rotation
										4.3			7
										6.6			<u>4</u> .
•		•		•		•	•		•		•		
										7,7			
										8,2			
2,5	2,1	3,7	3,6	3,5	2,9	3,1	ę	3,7	2,5	13,6	3,4	2,8	4 4
4,9	4	3,8	3,4	5,7	10,2	8,1	с	2,3	1,9	14,3	3,7	5,9	0 0
505	505	505	505	505	505	505	505	505	505	506	506	506	2000
Antalis sp.	<i>Antalis</i> sp.	Antalis sp.	Antalis sp.	Antalis sp.	Antalis sp.	Antalis sp.	<i>Antalis</i> sp.	Antalis sp.	Antalis sp.	Littorina obtusata	Nassarius sp.	Antalis sp.	Capra pyrenaica
37	88	39	6	÷	4	43	4	45	46	47	1 8	49	2 0

		ACCEDTED MANUSCOIDT													
Sample ID	Species	Level	Length	Width	Spire width	Aperture width	Ochre								
51	Littorina obtusata	502	6,8	5,5	2,5	3	•								
52	Littorina obtusata	503	6,6	7,2	3,5	3,9	•								
53	Littorina obtusata	503					•								
54	Littorina sp.	503													
55	Gastropoda sp.	503													
56	Cyclope sp.	503					•								
57	Littorina obtusata	504	10,2	9	5,2	5,2	•								
58	<i>Trivia</i> sp.	504					•								
59	<i>Trivia</i> sp.	504													
60	Nassarius sp.	504					•								
61	Bivalvia sp.	504													
62	Littorina obtusata	505													
63	<i>Trivia</i> sp.	505					•								
64	<i>Trivia</i> sp.	505	10	8			•								
65	Nassarius sp.	505													
66	Turritella sp.	505					•								
67	Pecten sp.	505					٠								
68	Pecten sp.	505													
69	Pecten sp.	505					٠								
70	Littorina obtusata	506	7,6	7	3,7	3,9									
71	Littorina obtusata	506	8	7,1	3,6	3,9									
72	Littorina obtusata	506													
73	Littorina obtusata	506													

Turritella sp.



CER MAN



CHIP HIL



CER MAN







CER HAN











		50)2					50)4		505						506						
	X Y		<u>/</u>	X Y					>	(<u>۱</u>	/	X Y						>	[]			
7	А	В	А	В	А	В	А	В		А	В	А	В		А	В	А	В		А	В	А	В
'	С	D	С	D	С	D	С	D		С	D	С	D		С	D	С	D		С	D	С	D
6	А	В	А	В	A	В	A	В		А	В	А	В		А	В	А	В		А	В	A	В
Ū	с	D	С	D	С	D	С	D		С	D	С	D		С	D	С	D		с	D	с	D
5	Α	В	A	В	A	В	A	В		А	В	А	В		A	В	A	В		A	В	A	В
U	с	D	С	D	С	D	С	D		С	D	С	D		С	D	С	D		с	D	С	D

Highlights

- A Lower Magdalenian burial of an adult woman was excavated at El Mirón Cave.
- Perforated shells and teeth from the Magdalenian burial area were not grave goods.
- Ornamental objects were related to habitation levels.
- Ornaments played a social role facilitating communication and exchanges among humans.