


## Supplementary Data

**Supplementary Table S1.** Percentages of cell survival (PS) after treatment by FKD at a unique concentration of 50 µM; in grey, FKD inducing a PS ≤ 50%

FKD	HuH7	CaCo-2	MDA-MB-231	HCT116	PC3	NCI-H727	HaCaT	Fibroblasts
<b>1</b>	50	32	58	20	43	40	35	67
<b>2</b>	10	1	19	0	27	2	7	32
<b>3</b>	> 80	> 80	> 80	> 80	> 80	> 80	> 80	> 80
<b>4</b>	> 80	> 80	> 80	> 80	58	72	66	> 80
<b>5</b>	66	45	69	25	56	54	36	> 80
<b>6</b>	> 80	> 80	> 80	> 80	> 80	> 80	> 80	> 80
<b>7</b>	> 80	> 80	> 80	> 80	> 80	> 80	> 80	> 80
<b>8</b>	13	1	11	0	22	1	7	44
<b>9</b>	39	43	37	8	32	11	30	71
<b>10</b>	38	23	39	1	35	8	22	65
<b>11</b>	39	32	26	19	33	14	21	62
<b>12</b>	6	5	13	1	29	1	20	74
<b>13</b>	8	3	13	0	15	1	11	68
<b>14</b>	3	0	6	0	10	2	6	57
<b>15</b>	8	3	12	1	26	4	21	78
<b>16</b>	38	25	68	7	39	23	59	57
<b>17</b>	66	68	> 80	> 80	75	58	> 80	> 80
<b>18</b>	4	1	3	1	6	1	4	51
<b>19</b>	3	2	4	0	19	1	18	66
<b>20</b>	6	5	11	0	32	1	23	77
<b>21</b>	4	17	36	0	30	1	6	74
<b>22</b>	45	24	32	17	33	42	16	65



**Supplementary Figure F1.** Structural elucidation of the new synthetic FKd **6**, **10**, **14**, **16**, **19** and **21** based on the NMR study ( $^1\text{H}$ - $^1\text{H}$  COSY and key HMBC)

**Supplementary Material M1.**  $^1\text{H}$  and  $^{13}\text{C}$  NMR data of already known FKd

**(E)-1-(2-hydroxy-4,6-diméthoxyphényl)-3-(4-méthoxyphényl)prop-2-èn-1-one ou flavokavaïne A (1)**

NMR  $^1\text{H}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  3.82 (s, 3H, 4'-OCH<sub>3</sub>), 3.83 (s, 3H, 4-OCH<sub>3</sub>), 3.90 (s, 3H, 6'-OCH<sub>3</sub>), 5.94 (d,  $J=2.4\text{Hz}$ , 1H, H-5'), 6.09 (d,  $J=2.4\text{Hz}$ , 1H, H-3'), 6.91 (d,  $J=8.7\text{Hz}$ , 2H, H-3,5), 7.54 (d,  $J=8.7\text{Hz}$ , 2H, H-2,6), 7.79 (d,  $J=15.3\text{Hz}$ , 2H, H- $\alpha,\beta$ )

NMR  $^{13}\text{C}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  55.56 (4-OCH<sub>3</sub>), 55.74 (4'-OCH<sub>3</sub>), 56.00 (6'-OCH<sub>3</sub>), 91.40 (C-5'), 93.99 (C-3'), 106.53 (C-1'), 114.52 (C-3,5), 125.31 (C- $\alpha$ ), 128.50 (C-1), 130.27 (C-2,6), 142.42 (C- $\beta$ ), 161.52 (C-4), 162.62 (C-6'), 166.18 (C-4'), 168.53 (C-2'), 192.75 (-CO)

**(E)-1-(2-hydroxy-4,6-diméthoxyphényl)-3-phénylprop-2-èn-1-one ou flavokavaïne B (2)**

NMR  $^1\text{H}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  3.82 (s, 3H, 4'-OCH<sub>3</sub>), 3.90 (s, 3H, 6'-OCH<sub>3</sub>), 5.95 (d,  $J=2.4\text{Hz}$ , 1H, H-5'), 7.00 (d,  $J=2.4\text{Hz}$ , 1H, H-3'), 7.36 - 7.40 (m, 3H, H-3,4,5), 7.59 (d,  $J=7.9\text{Hz}$ , 2H, H-2,6), 7.77 (d,  $J=15.5\text{Hz}$ , 1H, H- $\beta$ ), 7.88 (d,  $J=15.5\text{Hz}$ , 1H, H- $\alpha$ )

NMR  $^{13}\text{C}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  55.83 (4'-OCH<sub>3</sub>), 56.09 (6'-OCH<sub>3</sub>), 91.48 (C-5'), 94.02 (C-3'), 106.60 (C-1'), 127.78 (C- $\alpha$ ), 128.58 (C-3,5), 129.09 (C-2,6), 130.26 (C-4), 135.78 (C-1), 142.54 (C- $\beta$ ), 162.73 (C-6'), 166.46 (C-4'), 168.63 (C-2'), 192.89 (-CO)

**(E)-3-(4-chlorophényl)-1-(2-hydroxy-4,6-diméthoxyphényl)prop-2-èn-1-one (3)**

NMR  $^1\text{H}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  3.82 (s, 3H, 4'-OCH<sub>3</sub>), 3.90 (s, 3H, 6'-OCH<sub>3</sub>), 5.95 (d,  $J=2.4\text{Hz}$ , 1H, H-5'), 6.09 (d,  $J=2.4\text{Hz}$ , 1H, H-3'), 7.35 (d,  $J=8.3\text{Hz}$ , 2H, H-3,5), 7.51 (d,  $J=8.3\text{Hz}$ , 2H, H-2,6), 7.69 (d,  $J=15.5\text{Hz}$ , 1H, H- $\beta$ ), 7.84 (d,  $J=15.5\text{Hz}$ , 1H, H- $\alpha$ )

NMR  $^{13}\text{C}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  55.84 (4'-OCH<sub>3</sub>), 56.12 (6'-OCH<sub>3</sub>), 91.55 (C-5'), 94.05 (C-3'), 106.54 (C-1'), 128.29 (C- $\alpha$ ), 129.36 (C-3,5), 129.68 (C-2,6), 134.34 (C-1), 136.09 (C-4), 140.96 (C- $\beta$ ), 162.68 (C-6'), 166.58 (C-4'), 168.66 (C-2'), 192.57 (-CO)

**(E)-3-(4-bromophényl)-1-(2-hydroxy-4,6-diméthoxyphényl)prop-2-èn-1-one (4)**

NMR  $^1\text{H}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  3.82 (s, 3H, 4'-OCH<sub>3</sub>), 3.89 (s, 3H, 6'-OCH<sub>3</sub>), 5.94 (d,  $J=2.4\text{Hz}$ , 1H, H-5'), 6.09 (d,  $J=2.4\text{Hz}$ , 1H, H-3'), 7.43 (d,  $J=8.5\text{Hz}$ , 2H, H-2,6), 7.51 (d,  $J=8.5\text{Hz}$ , 2H, H-3,5), 7.67 (d,  $J=15.5\text{Hz}$ , 1H, H- $\beta$ ), 7.85 (d,  $J=15.5\text{Hz}$ , 1H, H- $\alpha$ )

NMR  $^{13}\text{C}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  55.86 (4'-OCH<sub>3</sub>), 56.13 (6'-OCH<sub>3</sub>), 91.57 (C-5'), 94.07 (C-3'), 106.55 (C-1'), 124.40 (C-4), 128.40 (C- $\alpha$ ), 129.89 (C-2,6), 132.33 (C-3,5), 134.76 (C-1), 141.02 (C- $\beta$ ), 162.68 (C-6'), 166.60 (C-4'), 168.67 (C-2'), 192.55 (-CO)

**(E)-3-(4-fluorophényl)-1-(2-hydroxy-4,6-diméthoxyphényl)prop-2-èn-1-one (5)**

NMR  $^1\text{H}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  3.82 (s, 3H, 4'-OCH<sub>3</sub>), 3.90 (s, 3H, 6'-OCH<sub>3</sub>), 5.95 (d,  $J=2.4\text{Hz}$ , 1H, H-5'), 6.09 (d,  $J=2.4\text{Hz}$ , 1H, H-3') , 7.05 - 7.10 (m, 2H, H-3,5), 7.54 - 7.59 (m, 2H, H-2,6), 7.78 (d,  $J=15.4\text{Hz}$ , 1H, H- $\beta$ ), 7.86 (d,  $J=15.4\text{Hz}$ , 1H, H- $\alpha$ )

NMR  $^{13}\text{C}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  55.83 (4'-OCH<sub>3</sub>), 56.10 (6'-OCH<sub>3</sub>), 91.51 (C-5'), 94.03 (C-3'), 106.53 (C-1'), 116.15 (C-3,5), 127.49 (C- $\alpha$ ), 130.35 (C-2,6), 132.02 (C-1), 141.26 (C- $\beta$ ), 162.69 (C-6'), 164.84 (C-4), 166.50 (C-4'), 168.55 (C-2'), 192.62 (-CO)

**(E)-3-(4-diméthylamino-phényl)-1-(2-hydroxy-4,6-diméthoxyphényl)prop-2-èn-1-one (7)**

NMR  $^1\text{H}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  3.03 (s, 6H, 4-N(CH<sub>3</sub>)<sub>2</sub>), 3.81 (s, 3H, 4'-OCH<sub>3</sub>), 3.90 (s, 3H, 6'-OCH<sub>3</sub>), 5.94 (d,  $J=2.4\text{Hz}$ , 1H, H-5'), 6.09 (d,  $J=2.4\text{Hz}$ , 1H, H-3'), 6.72 (d,  $J=8.6\text{Hz}$ , 2H, H-3,5), 7.51 (d,  $J=8.6\text{Hz}$ , 2H, H-2,6), 7.74 (d,  $J=15.1\text{Hz}$ , 1H, H- $\alpha$ ), 7.81 (d,  $J=15.1\text{Hz}$ , 1H, H- $\beta$ )

NMR  $^{13}\text{C}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  40.68 (4-N(CH<sub>3</sub>)<sub>2</sub>), 55.77 (4'-OCH<sub>3</sub>), 56.03 (6'-OCH<sub>3</sub>), 91.38 (C-5'), 94.05 (C-3'), 106.65 (C-1'), 112.65 (C-3,5), 122.86 (C- $\alpha$ ), 125.41 (C-1), 130.56 (C-2,6), 151.67 (C-4), 144.24 (C- $\beta$ ), 162.59 (C-6'), 165.87 (C-4'), 168.53 (C-2'), 192.67 (-CO)

**(E)-1-(2-hydroxy-4,6-diméthoxyphényl)-3-(3-méthoxyphényl)prop-2-èn-1-one (8)**

NMR  $^1\text{H}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  3.82 (s, 3H, 4'-OCH<sub>3</sub>), 3.83 (s, 3H, 3-OCH<sub>3</sub>), 3.90 (s, 3H, 6'-OCH<sub>3</sub>), 5.95 (d,  $J=2.2\text{Hz}$ , 1H, H-5'), 6.09 (d,  $J=2.2\text{Hz}$ , 1H, H-3'), 6.92 (dd,  $J=7.9\text{Hz}, J=2.3\text{Hz}$ , 1H, H-4), 7.10 (sl, 1H, H-2), 7.19 (d,  $J=7.9\text{Hz}$ , 1H, H-6), 7.30 (t,  $J=7.9\text{Hz}$ , 1H, H-5), 7.72 (d,  $J=15.6\text{Hz}$ , 1H, H- $\beta$ ), 7.86 (d,  $J=15.7\text{Hz}$ , 1H, H- $\alpha$ )

NMR  $^{13}\text{C}$  (CDCl<sub>3</sub>, 600 MHz):  $\delta$  55.53 (3-OCH<sub>3</sub>), 55.83 (4'-OCH<sub>3</sub>), 56.10 (6'-OCH<sub>3</sub>), 91.49 (C-5'), 94.02 (C-3'), 106.61 (C-1'), 113.87 (C-2), 115.82 (C-4), 121.13 (C-6), 128.13 (C- $\alpha$ ), 130.06 (C-5), 137.21 (C-1), 142.40 (C- $\beta$ ), 160.09 (C-3), 162.73 (C-6'), 166.50 (C-4'), 168.63 (C-2'), 192.84 (-CO)

**(E)-1-(2-hydroxy-4,6-diméthoxyphényl)-3-(2-méthoxyphényl)prop-2-èn-1-one (9)**

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  3.81 (s, 3H, 4'-OCH<sub>3</sub>), 3.89 (s, 3H, 6'-OCH<sub>3</sub>), 3.91 (s, 3H, 2-OCH<sub>3</sub>), 5.94 (d,  $J=2.5\text{Hz}$ , 1H, H-5'), 6.09 (d,  $J=2.5\text{Hz}$ , 1H, H-3'), 6.91 (brd,  $J=8.3\text{Hz}$ , 1H, H-3), 6.96 (t,  $J=7.6\text{Hz}$ , 1H, H-5), 7.33 (m, 1H, H-4), 7.59 (dd,  $J=7.6\text{Hz}$ ,  $J=1.6\text{Hz}$ , 1H, H-6), 7.95 (d,  $J=15.7\text{Hz}$ , 1H, H- $\alpha$ ), 8.13 (d,  $J=15.7\text{Hz}$ , 1H, H- $\beta$ )

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  55.73 (4'-OCH<sub>3</sub>), 55.79 (6'-OCH<sub>3</sub>), 55.99 (2-OCH<sub>3</sub>), 91.40 (C-5'), 93.99 (C-3'), 106.68 (C-1'), 111.40 (C-3), 120.90 (C-5), 124.82 (C-1), 128.99 (C-6), 128.12 (C- $\alpha$ ), 131.54 (C-4), 138.06 (C- $\beta$ ), 158.86 (C-2), 162.72 (C-6'), 166.24 (C-4'), 168.57 (C-2'), 193.28 (-CO)

(E)-3-(4-méthoxyphényl)-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (11)

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  3.74 (s, 6H, 2',6'-OCH<sub>3</sub>), 3.81 (s, 3H, 4-OCH<sub>3</sub>), 3.84 (s, 3H, 4'-OCH<sub>3</sub>), 6.14 (s, 2H, H-3',5'), 6.83 (d,  $J=15.8\text{Hz}$ , 1H, H- $\alpha$ ), 6.87 (d,  $J=8.7\text{Hz}$ , 2H, H-3,5), 7.29 (d,  $J=15.8\text{Hz}$ , 1H, H- $\beta$ ), 7.45 (d,  $J=8.7\text{Hz}$ , 2H, H-2,6)

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  55.61 (C-4), 55.87 (4'-OCH<sub>3</sub>), 56.18 (2',6'-OCH<sub>3</sub>), 90.98 (C-3',5'), 112.28 (C-1'), 114.49 (C-3,5), 127.26 (C- $\alpha$ ), 127.96 (C-1), 130.31 (C-2,6), 144.46 (C- $\beta$ ), 161.62 (C-4), 162.49 (C-4'), 158.98 (C-2',6'), 194.59 (-CO)

(E)-3-phényl-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (12)

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  3.75 (s, 6H, 2',6'-OCH<sub>3</sub>), 3.84 (s, 3H, 4'-OCH<sub>3</sub>), 6.14 (s, 2H, H-3',5'), 6.94 (d,  $J=15.9\text{Hz}$ , 1H, H- $\alpha$ ), 7.33 (m,  $J=8.7\text{Hz}$ , 3H, H-3,4,5), 7.34 (d,  $J=15.9\text{Hz}$ , 1H, H- $\beta$ ), 7.50 (dl,  $J=8.7\text{Hz}$ , 2H, H-2,6)

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  55.64 (4'-OCH<sub>3</sub>), 56.11 (2',6'-OCH<sub>3</sub>), 90.94 (C-3',5'), 112.03 (C-1'), 128.54 (C-2,6), 128.96 (C-3,5), 129.23 (C- $\alpha$ ), 130.32 (C-4), 135.21 (C-1), 144.25 (C- $\beta$ ), 159.04 (C-2',6'), 162.60 (C-4'), 194.39 (-CO)

(E)-3-(4-chlorophényl)-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (13)

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  3.75 (s, 6H, 2',6'-OCH<sub>3</sub>), 3.84 (s, 3H, 4'-OCH<sub>3</sub>), 6.14 (s, 2H, H-3',5'), 6.90 (d,  $J=16.1\text{Hz}$ , 1H, H- $\alpha$ ), 7.30 (d,  $J=16.1\text{Hz}$ , 1H, H- $\beta$ ), 7.31 (d,  $J=8.7\text{Hz}$ , 2H, H-3,5), 7.43 (d,  $J=8.7\text{Hz}$ , 2H, H-2,6)

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  55.70 (4'-OCH<sub>3</sub>), 56.18 (2',6'-OCH<sub>3</sub>), 90.98 (C-3',5'), 111.97 (C-1'), 129.29 (C-3,5), 129.66 (C- $\alpha$ ), 129.71 (C-2,6), 133.82 (C-1), 136.20 (C-4), 142.49 (C- $\beta$ ), 159.16 (C-2',6'), 162.78 (C-4'), 193.96 (-CO)

(E)-3-(4-fluorophényl)-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (15)

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  3.75 (s, 6H, 2',6'-OCH<sub>3</sub>), 3.84 (s, 3H, 4'-OCH<sub>3</sub>), 6.14 (s, 2H, H-3',5'), 6.86 (d,  $J=16.2\text{Hz}$ , 1H, H- $\alpha$ ), 7.03 (dl,  $J=8.4\text{Hz}$ , 2H, H-3,5), 7.31 (d,  $J=16.2\text{Hz}$ , 1H, H- $\beta$ ), 7.49 (dd,  $J=8.9\text{Hz}, J=5.3\text{Hz}$ , 2H, H-2,6)

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  55.69 (4'-OCH<sub>3</sub>), 56.17 (2',6'-OCH<sub>3</sub>), 90.97 (C-3',5'), 112.02 (C-1'), 116.22 (C-3,5), 129.03 (C- $\alpha$ ), 130.45 (C-2,6), 130.48 (C-1), 142.87 (C- $\beta$ ), 159.10 (C-2',6'), 162.71 (C-4'), 164.89 (C-4), 194.15 (-CO)

(E)-3-(4-diméthylamino)phényle-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (17)

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  2.99 (s, 6H, 4-N(CH<sub>3</sub>)<sub>2</sub>), 3.73 (s, 6H, 2',6'-OCH<sub>3</sub>), 3.83 (s, 3H, 4'-OCH<sub>3</sub>), 6.14 (s, 2H, H-3',5'), 6.64 (d,  $J=8.5\text{Hz}$ , 2H, H-3,5), 6.76 (d,  $J=15.8\text{Hz}$ , 1H, H- $\alpha$ ), 7.23 (d,  $J=15.8\text{Hz}$ , 1H, H- $\beta$ ), 7.39 (d,  $J=8.5\text{Hz}$ , 2H, H-2,6)

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  40.44 (4-N(CH<sub>3</sub>)<sub>2</sub>), 55.65 (4'-OCH<sub>3</sub>), 56.16 (2',6'-OCH<sub>3</sub>), 90.96 (C-3',5'), 112.09 (C-3,5), 112.57 (C-1'), 124.80 (C- $\alpha$ ), 130.36 (C-1), 130.40 (C-2,6), 145.96 (C- $\beta$ ), 151.87 (C-4), 158.79 (C-2',6'), 162.18 (C-4'), 194.77 (-CO)

(E)-3-(4-nitrophényle)-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (18)

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  3.77 (s, 6H, 2',6-OCH<sub>3</sub>), 3.85 (s, 3H, 4'-OCH<sub>3</sub>), 6.14 (s, 2H, H-3',5'), 7.05 (d,  $J=16.2\text{Hz}$ , 1H, H- $\alpha$ ), 7.41 (d,  $J=16.2\text{Hz}$ , 1H, H- $\beta$ ), 7.65 (d,  $J=8.8\text{Hz}$ , 2H, H-2,6), 8.20 (d,  $J=8.8\text{Hz}$ , 2H, H-3,5)

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  55.73 (4'-OCH<sub>3</sub>), 56.20 (2',6'-OCH<sub>3</sub>), 91.00 (C-3',5'), 111.66 (C-1'), 124.27 (C-3,5), 129.01 (C-2,6), 132.67 (C- $\alpha$ ), 139.99 (C- $\beta$ ), 141.70 (C-1), 148.51 (C-4), 159.46 (C-2',6'), 163.20 (C-4'), 192.93 (-CO)

(E)-3-(2-méthoxyphényle)-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (20)

NMR  $^1\text{H}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  3.75 (s, 6H, 2',6'-OCH<sub>3</sub>), 3.80 (s, 3H, 2-OCH<sub>3</sub>), 3.84 (s, 3H, 4'-OCH<sub>3</sub>), 6.14 (s, 2H, H-3',5'), 6.90 (m, 1H, H-5), 6.92 (d,  $J=15.9\text{Hz}$ , 1H, H- $\alpha$ ), 7.02 (m, 1H, H-6), 7.09 (dl,  $J=7.6\text{Hz}$ , 1H, H-3), 7.27 (m, 1H, H-4), 7.30 (d,  $J=15.9\text{Hz}$ , 1H, H- $\beta$ )

NMR  $^{13}\text{C}$  ( $\text{CDCl}_3$ , 600 MHz):  $\delta$  55.57 (2-OCH<sub>3</sub>), 55.71 (4'-OCH<sub>3</sub>), 56.17 (2',6'-OCH<sub>3</sub>), 90.06 (C-3',5'), 111.87 (C-1'), 113.36 (C-6), 116.38 (C-5), 121.37 (C-3), 129.57 (C- $\alpha$ ), 130.01 (C-4), 136.57 (C-1), 144.21 (C- $\beta$ ), 159.11 (C-2',6'), 160.09 (C-2), 162.63 (C-4'), 192.44 (-CO)

(E)-3-(4-hydroxyphényle)-1-(2,4,6-triméthoxyphényl)prop-2-ène-1-one (22)

NMR  $^1\text{H}$  (Acetone-d<sub>6</sub>, 600 MHz):  $\delta$  3.74 (s, 6H, 2',6'-OCH<sub>3</sub>), 3.86 (s, 3H, 4'-OCH<sub>3</sub>), 6.30 (s, 2H, H-3',5'), 6.76 (d,  $J=15.9\text{Hz}$ , 1H, H- $\alpha$ ), 6.88 (d,  $J=8.5\text{Hz}$ , 2H, H-3,5), 7.20 (d,  $J=15.9\text{Hz}$ , 1H, H- $\beta$ ), 7.50 (d,  $J=8.5\text{Hz}$ , 2H, H-2,6)

NMR  $^{13}\text{C}$  (Acetone-d<sub>6</sub>, 600 MHz):  $\delta$  55.86 (4'-OCH<sub>3</sub>), 56.23 (2',6'-OCH<sub>3</sub>), 91.75 (C-3',5'), 113.01 (C-1'), 116.77 (C-3,5), 127.50 (C- $\alpha$ ,1), 131.11 (C-2,6), 144.73 (C- $\beta$ ), 159.45 (C-2',6'), 160.63 (C-4), 163.18 (C-4'), 191.08 (-CO)