



# Integrated Transcriptomic, Phenotypic, and Functional Study Reveals Tissue-Specific Immune Properties of Mesenchymal Stromal Cells

Cédric Ménard, Joelle Dulong, David Roulois, Benjamin Hebraud, Léa Verdière, Céline Pangault, Vonick Sibut, Isabelle Bezier, Nadège Bescher, Céline Monvoisin, et al.

## ► To cite this version:

Cédric Ménard, Joelle Dulong, David Roulois, Benjamin Hebraud, Léa Verdière, et al.. Integrated Transcriptomic, Phenotypic, and Functional Study Reveals Tissue-Specific Immune Properties of Mesenchymal Stromal Cells. *STEM CELLS*, 2020, 38 (1), pp.146-159. 10.1002/stem.3077 . hal-02282131

HAL Id: hal-02282131

<https://univ-rennes.hal.science/hal-02282131>

Submitted on 10 Sep 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.




**Integrated transcriptomic, phenotypic, and functional study reveals tissue-specific immune properties of mesenchymal stromal cells**

Journal:	<i>Stem Cells</i>
Manuscript ID	Draft
Wiley - Manuscript Type:	Original Research
Date Submitted by the Author:	n/a
Complete List of Authors:	<p>Menard, Cedric; UMR U1236 MICMAC, INSERM, Université Rennes 1, Etablissement Français du Sang; SITI Laboratory, Etablissement Français du Sang, CHU Rennes</p> <p>Dulong, Joëlle; SITI Laboratory, Etablissement Français du Sang Bretagne, CHU Rennes; UMR U1236 MICMAC, INSERM, Université Rennes 1, Etablissement Français du Sang</p> <p>Roulois, David; UMR U1236 MICMAC</p> <p>HEBRAUD, Benjamin; STROMALAB</p> <p>VERDIERE, Lea; UMR U1236 MICMAC</p> <p>PANGAULT, Celine; UMR U1236 MICMAC; CHU Rennes, Pole Biologie</p> <p>SIBUT, Vonick; UMR U1236 MICMAC</p> <p>Isabelle, Bezier; SITI Laboratory, Etablissement Français du Sang Bretagne, CHU Rennes; UMR U1236 MICMAC</p> <p>Bescher, Nadège; SITI Laboratory, Etablissement Français du Sang Bretagne, CHU Rennes; UMR U1236 MICMAC</p> <p>MONVOISIN, Celine; UMR U1236 MICMAC</p> <p>Gadelorge, Mélanie; STROMALAB</p> <p>Bertheuil, Nicolas; SITI Laboratory, Etablissement Français du Sang Bretagne, CHU Rennes; UMR U 917 INSERM, Université Rennes 1; Centre Hospitalier Universitaire de Rennes, Plastic, reconstructive and aesthetic surgery</p> <p>Flecher, Erwan; Centre Hospitalier Universitaire de Rennes, Thoracic and cardiac surgery</p> <p>Casteilla, Louis; UMR UPS/CNRS/EFS 5273 Inserm U1031 , STROMALab</p> <p>Collas, Philippe; University of Oslo, Institute of Basic Medical Sciences, Department of Biochemistry</p> <p>SENSEBE, Luc; STROMALAB</p> <p>Bourin, Philippe; CSA21, Direction</p> <p>Espagnolle, Nicolas; STROMALAB</p> <p>Tarte, Karin; UMR U1236 MICMAC, INSERM, Université Rennes 1, Etablissement Français du Sang; SITI Laboratory, Etablissement Français du Sang, CHU Rennes</p>
Keywords:	adipose stem cells, Bone marrow stromal cells (BMSCs), Immunosuppression, Immunogenicity, Gene expression, Cell interactions
Journal Section:	Translational and Clinical Research
Cell Types:	Bone Marrow Stem Cells, Adipose Stem Cells/VSF

Diseases/Processes/Areas:	Genomics / Epigenomics / Metabolomics, Immunomodulation, Clinical Application / Translation, Cell Culture Advances

SCHOLARONE™  
Manuscripts



Clinical-grade mesenchymal stromal cells (MSCs) derived from adipose tissue *versus* bone marrow display tissue-imprinted gene expression profile, phenotype, and functional properties as highlighted by the comprehensive analysis of paired cultures MSC batches obtained from the same donors and the validation on native sorted MSCs.

1  
2  
3       **Integrated transcriptomic, phenotypic, and functional study**  
4       **reveals tissue-specific immune properties of mesenchymal stromal cells**  
5  
6  
7

8           Cédric Ménard<sup>1,2</sup>, Joëlle Dulong<sup>1,2</sup>, David Roulois<sup>1</sup>, Benjamin Hébraud<sup>3</sup>,  
9  
10          Léa Verdière<sup>1</sup>, Céline Pangault<sup>1,4</sup>, Vonick Sibut<sup>1,2</sup>, Isabelle Bezier<sup>1,2</sup>, Nadège  
11          Bescher<sup>1,2</sup>, Céline Monvoisin<sup>1</sup>, Mélanie Gadelorge<sup>3</sup>, Nicolas Bertheuil<sup>2,5</sup>,  
12  
13          Erwan Flécher<sup>6</sup>, Louis Casteilla<sup>3</sup>, Philippe Collas<sup>7</sup>, Luc Sensebé<sup>3</sup>, Philippe Bourin<sup>8</sup>,  
14  
15          Nicolas Espagnolle<sup>3</sup>, and Karin Tarte<sup>1,2</sup>  
16  
17

18       <sup>1</sup> UMR 1236, Univ Rennes, INSERM, Etablissement Français du Sang Bretagne, F-  
19       35000, Rennes, France

20       <sup>2</sup> SITI Laboratory, Etablissement Français du Sang Bretagne, CHU Rennes, F-35000  
21       Rennes, France

22       <sup>3</sup> STROMALab, Etablissement Français du Sang-Occitanie (EFS), Inserm 1031,  
23       University of Toulouse, National Veterinary School of Toulouse (ENVT), ERL5311  
24       CNRS, Toulouse, France.

25       <sup>4</sup> Pôle Biologie, CHU Rennes, F-35000 Rennes, France

26       <sup>5</sup> Department of Plastic Surgery, CHU Rennes, F-35000 Rennes, France

27       <sup>6</sup> Department of Thoracic and Cardiac Surgery, CHU Rennes, F-35000 Rennes,  
28       France

29       <sup>7</sup> Department of Molecular Medicine, Institute of Basic Medical Sciences, Faculty of  
30       Medicine, University of Oslo, 0317 Oslo, Norway

31       <sup>8</sup> Cell-easy, Place Pierre Potier, F-33000, Toulouse, France

32       **CONTACT INFORMATION**

33       Karin Tarte, INSERM U1236, Faculté de Médecine, 2 Avenue du Pr Léon Bernard,  
34       35043 RENNES, France. e-mail: [karin.tarte@univ-rennes1.fr](mailto:karin.tarte@univ-rennes1.fr) Phone: +33 2 23 23 45  
35       12, fax: +33 2 23 23 49 58

36  
37       **RUNNING TITLE:** MSC properties rely on their tissue of origin

38       **AUTHOR'S CONTRIBUTIONS:**

39       C.M.: collection and assembly of data, data analysis and interpretation, manuscript  
40       writing and final approval; J.D., B.H., L.V., I.B., N.B., M.G., P.C: collection and  
41  
42

assembly of data; D.R: data analysis and interpretation, manuscript writing; C.P., V.S.: data analysis and interpretation; B.H., N.B., E.F.: provision of study material or donors; L.S.: contribution to data interpretation and manuscript writing; L.C., P.B., N.E.: conception and design of the study; K.T.: conception and design of the study, financial support, data analysis and interpretation, manuscript writing and final approval.

For Peer Review

**ABSTRACT**

Clinical-grade mesenchymal stromal cells (MSCs) can be expanded from bone marrow and adipose tissue to treat inflammatory diseases and degenerative disorders. However the influence of their tissue of origin on their functional properties, including their immunosuppressive activity, remains unsolved. In this study, we produced paired bone marrow-derived stromal cell (BM-MSC) and adipose-derived stromal cell (ASC) batches from 14 healthy donors. We then compared them using transcriptomic, phenotypic, and functional analyses and validated our results on purified native MSCs to infer which differences were really endowed by tissue of origin. Cultured MSCs segregated together owing to their tissue of origin based on their gene expression profile analyzed using differential expression and weighted gene co-expression network analysis. This translated into distinct immune-related gene signatures, phenotypes, and functional cell interactions. Importantly, sorted native BM-MSCs and ASCs essentially displayed the same distinctive patterns than their *in vitro*-expanded counterparts. As a whole, ASCs exhibited an immune profile consistent with a stronger inhibition of immune response and a lower immunogenicity, supporting the use of adipose tissue as a valuable source for clinical applications.

**SIGNIFICANCE STATEMENT**

Numerous clinical trials are evaluating the therapeutic potential of mesenchymal stromal cells (MSCs) in degenerative and inflammatory diseases. Whereas their tissue of origin has been proposed as a crucial determinant influencing MSC biological function, the comparison of adipose-derived (ASCs) versus bone marrow-derived (BM-MSCs) stromal cells has been essentially performed using MSC batches obtained from different donors, with the confounding influence of inter-individual variability. By evaluating transcriptomic, phenotypic, and functional features of paired ASCs and BM-MSCs expanded from the same donors, and analyzing their native purified counterpart, we highlighted an imprinting of tissue source on MSC immune properties and proposed adipose tissue as a source of MSCs for the treatment of immune-mediated diseases.

### INTRODUCTION

Mesenchymal stromal cell (MSC) therapy has gained tremendous interest over the past decade, since the seminal proof of concept of its beneficial effect in steroid-resistant graft-versus-host disease [1,2]. MSCs have thereafter been proposed as a valuable innovative approach in a wide array of inflammatory diseases, acute tissue injury syndromes, and chronic degenerative disorders, and more than 900 clinical trials involving MSCs have been registered (<http://www.clinicaltrials.gov>). Nevertheless, the limited evidence of their effectiveness in prospective randomized phase III trials, the lack of defined *in vivo* mechanism of action allowing the design of relevant potency assays and patient monitoring strategies, together with the high cost of regulatory approved cell productions have hampered their development in the clinic [2,3]. Besides heterogeneity of recipients, one possible explanation for the inconsistency in clinical results is the heterogeneity of transplanted MSC batches. In addition to inter-individual variability in MSC donors, several critical culture-related parameters affect MSC properties, including culture medium, scale of culture expansion, or cell freezing [4-6]. Accordingly, we have recently shown that replicative senescence associated with industrial-scale expansion of MSCs is associated with a decreased capacity to inhibit T-cell proliferation [7]. Moreover, cryopreservation may behave as an additive detrimental determinant of MSC function and potency [8].

The tissue source of MSCs was identified early as a major parameter modulating MSC functional properties. The two major sources of clinical-grade MSCs are adult bone marrow and adipose tissue. Both of them allow the generation of large number of cells expressing the minimal MSC phenotype, i.e. CD45<sup>neg</sup>CD31<sup>neg</sup>CD14<sup>neg</sup>CD105<sup>pos</sup>CD73<sup>pos</sup>CD90<sup>pos</sup>, and displaying anti-inflammatory properties *in vitro* [4]. Cultured adipose-derived stromal cells (ASCs) and bone marrow-derived stromal cells (BM-MSCs) have been proposed to exhibit specific phenotypes, differentiation potentials, secretomes, exosome contents, DNA methylation signatures, as well as transcriptomic, proteomic, and metabolomic profiles [9-14]. However these findings are not consistent, raising the hypothesis that *in vitro* culture could alter the impact of MSC tissue source. Importantly, MSC clinical efficacy relies on their paracrine activity including their ability to dampen innate and adaptive immune response [1]. Heterogeneity of MSC production processes but also of immunological assays used to evaluate the impact of MSC tissue sources on their anti-inflammatory and immunosuppressive properties have produced conflicting results [15,16].

1  
2  
3 Nevertheless, several reports argue for a superiority of ASCs over BM-MSCs to  
4 inhibit T-cell activation, in relationship with an increased capacity to produce the  
5 immunosuppressive enzyme indoleamine-2,3 dioxygenase (IDO) [17-19].  
6  
7

8 Strikingly, comparative studies of ASC *versus* BM-MSC properties almost exclusively  
9 analyze MSCs obtained from different donors, sometimes even propagated in  
10 different culture conditions, thus precluding any conclusion on the specific role of  
11 MSC tissue-of-origin on the observed variability [15]. In addition, they generally  
12 include low numbers of MSC batches, maximizing the influence of inter-individual  
13 variability. The only large comparison of ASCs and BM-MSCs obtained from the  
14 same donors exclusively focused on *in vitro* immunological functional assays without  
15 any evaluation of the molecular mechanisms underlying differences in MSC-driven  
16 immunosuppression [20]. Finally no study has checked whether the observed  
17 differences could be detected *in situ* in native MSCs. Overall, the decision to use  
18 ASCs *versus* BM-MSCs is typically motivated by proprietary concerns rather than by  
19 validation of their superiority in standardized assays.  
20  
21

22 The present work was designed to conclude on the biological significance of taking  
23 into account MSC tissue source in the design of MSC-based trials. For the first time,  
24 we combined transcriptomic, phenotypic, and functional analyses performed on  
25 ASCs and BM-MSCs obtained from the same 14 donors, and cultured under identical  
26 clinical grade-like conditions. We identified, using a combination of differential  
27 expression, pathway analysis, and weighted gene co-expression network analysis  
28 (WGCNA), a specific gene expression profile (GEP) of BM-MSCs *versus* ASCs with  
29 enrichment for niche-related *versus* immune related genes. Importantly, we  
30 highlighted the same specificities in sorted native BM-MSCs (nBM-MSCs) *versus*  
31 ASCs (nASCs), reinforcing the hypothesis of an imprinting of tissue source on MSC  
32 properties. Interestingly, these differences have direct functional consequences on  
33 the capacity of MSCs to interact with immune cells. Our results add a new rationale  
34 to support the use of adipose tissue as a source of MSCs for the treatment of  
35 immune-mediated diseases.  
36  
37

## 38 MATERIALS AND METHODS 39

### 40 *Cultured MSC production and phenotypic characterization* 41

42 Healthy donor recruitment followed institutional review board approval and written  
43 informed content process according to the revised Declaration of Helsinki was  
44  
45

obtained. Fourteen donors were enrolled in this study (3 women and 11 men; median age: 36 [21-57]; Body Mass Index: 16.5 to 25) and provided bone marrow aspirates (iliac crest) and lipoaspirates (abdominal fat layer). ASCs were obtained after digestion with 0.4U/mL clinical grade-NB4 collagenase (Roche Diagnostics, Mannheim, Germany) for 45 min at 37°C, filtration, and centrifugation to obtain the stromal vascular fraction (SVF) [21]. SVF was seeded at  $4.10^3$  cells/cm<sup>2</sup> onto CellSTACK closed cell culture chambers (Corning, Lowell, MA) in αMEM (Macopharma, Tourcoing, France) supplemented with 10% screened fetal calf serum (Hyclone, Logan, UT) and 10µg/mL ciprofloxacin. Paired BM-MSCs were produced in parallel from unprocessed bone marrow seeded at  $5.10^4$  cells/cm<sup>2</sup> in the same culture dishes and medium as those used for ASCs. For both MSC types, medium was renewed twice weekly until cells reached confluence (end of passage 0 (P0)). Cells were then detached using trypsin, reseeded at 1000/cm<sup>2</sup> until near confluence (end of P1) and subsequently harvested and cryopreserved until use. Additional ASC and BM-MSC batches were obtained with the same process from an independent set of healthy donors for validation experiments. For further use, MSCs were thawed, seeded at 1000 cells/cm<sup>2</sup> and cultured until 80% confluence. All subsequent phenotypic and functional experiments were performed at the end of P2. In particular, MSCs were assessed by flow cytometry for HLA-DR, CD14, CD90, CD73, CD45, CD34, CD105, CD146 (Beckman Coulter, Villepinte, France), CD31 (eBioscience, Paris, France), and VCAM-1 (Becton-Dickinson, Le Pont de Claix, France) as previously described [17]. Acquisition files were analyzed with Kaluza software (Beckman-Coulter) and data expressed as the ratio of mean fluorescence intensity (rMFI) obtained for each marker and its matched isotypic control antibody.

#### Gene expression profiling of cultured MSC

Whole genome gene expression profiling was performed on 14 BM-MSCs and 14 autologous ASCs at the end of P1 using Affymetrix Human Gene 1.0 ST microarrays (Affymetrix, Santa Clara, CA) and data were analyzed with R package Limma (v3.32.10). Non-redundant gene datasets were first generated after GCRMA normalization by retaining for each gene the probeset with the highest expression. Normalized data were visualized by PCA analysis using the R package EMA. Pearson correlation with pairwise complete observation was then performed and visualized using heatmap function of the R package made4. Euclidian distance was

calculated with the R package stats with ward D2 parameter. Differentially expressed genes were identified based on an adjusted p-value <0.05 (by Benjamini-Hochberg method) and were visualized as an heatmap with the heatplot function in R.

As a secondary method of analysis, we used the WGCNA R package [22] to identify modules of co-expressed genes among the 13 paired MSC batches identified as correctly segregated by the unsupervised Pearson correlation analysis. For this analysis, we retained the top 25% most variable genes. Expression matrix was log2 transformed and the network was constructed by Pearson correlation considering a soft threshold power ( $\beta$ ) value identified with the function Pick Soft Threshold in order to avoid the selection of an arbitrary cut-off. Then, a topological overlap metric (TOM) matrix was derived from the gene expression matrix and the dissimilarity of TOM was calculated. Hierarchical clustering tree was created and modules were generated by the dynamic tree cut method, with a minimum module size of 100 and a deepSplit of 2. Each module was marked by a color. The module eigengenes (ME) were then assigned to each cell type and visualized as a box-plot. To determine if co-expression modules were associated with tissue of origin, we performed a Wilcoxon Signed-Rank test. For the most relevant modules, gene expression was visualized with a heatmap using the heatplot function of the R package. Finally, module genelists were used for downstream enrichment pathway using the Ingenuity Pathway Analysis software (QIAGEN Bioinformatics).

For some genes, expression level was also assessed by Q-PCR, as previously described [17]. Briefly, after RNA extraction, gene expression was quantified using Taqman assay-on-demand reagents and an ABI Prism 7000 (Applied Biosystems, Courtaboeuf, France) with the CT calculation method. PCR data were normalized to the geometric mean of the two housekeeping genes (*CDKN1B* and *EIF2B1*). Results were further standardized by comparison to gene expression of a pool of 5 peripheral blood mononuclear cells (PBMC).

### Analysis of native MSCs

VCAM-1 and HLA-DR expression was assessed on native MSCs after enzymatic digestion of 6 lipoaspirates and 6 BM aspirations with the same protocol. Briefly, unprocessed tissue samples were incubated for 45min at 37°C with 200IU/mL type IV collagenase, 1.6IU/mL neutral protease (Worthington, Lakewood, NJ), and 10U/mL DNase (Pulmozyme®, Genentech, San Francisco, CA). Digested tissues

were then filtered, washed, and stained with DAPI viability dye and for CD45, CD235a, CD11b (Beckman Coulter) and CD31 (eBioscience) to gate out hematopoietic and endothelial cells, and CD73, CD146, CD106 (Becton-Dickinson), CD34 (eBioscience), and CD271 (Miltenyi Biotec, Bergisch Gladbach, Germany) to gate stromal cells subsets. nBM-MSCs were gated as CD45/CD235a/CD11b/CD31<sup>neg</sup>CD34<sup>neg</sup>CD73<sup>pos</sup>CD271<sup>pos</sup> and nASCs as CD45/CD235a/CD11b/CD31<sup>neg</sup>CD34<sup>pos</sup>CD73<sup>pos</sup>CD146<sup>neg</sup> (see gating strategy in Figure S1) and VCAM-1 and HLA-DR expression was evaluated on both subsets. For sorting of nBM-MSCs, BM mononuclear cells were first collected from enzymatically-digested BM using Ficoll gradient and depleted for CD45<sup>pos</sup> cells using CD45-coupled magnetic beads (Dynabeads, Thermo Fisher Scientific). nBM-MSCs (n=7) and nASCs (n=10) were purified on a FacsAria II cell sorter (Becton Dickinson). Gene expression level in native MSCs was assessed using the Fluidigm BioMark HD system. Briefly, cDNAs were obtained using the Fluidigm reverse transcription Master Mix and were then pre-amplified for 18 cycles in the presence of Pre-Amp Master Mix and pooled Taqman assay mix. Gene expression was then measured with the TaqMan Gene Expression Master Mix on a 48.48 Dynamic Array IFC. After quality control check, gene expression was calculated with the CT calculation method and *CDKN1B* and *EIF2B1* as housekeeping genes.

### *Impact of MSCs on immune cell apoptosis and adhesion*

MSC ability to support survival of immune cells was evaluated as described [17]. Briefly, paired ASCs and BM-MSCs obtained from the same donors were cocultured with peripheral blood B (1/1 B/MSC ratio), and T cells (10/1 T/MSC ratio) purified using negative selection kits (Miltenyi Biotec, purity >97%). After 3 (B cells) or 7 (T cells) days of coculture, the percentage of apoptotic lymphocytes was assessed by flow cytometry with the Active Caspase-3 Apoptosis kit (Becton-Dickinson) after gating on CD45<sup>pos</sup> events. This allowed for the calculation of the percentage of inhibition of apoptosis with the following formula: (percentage of caspase-3<sup>pos</sup> without MSC - percentage of caspase-3<sup>pos</sup> with MSC) / (percentage of caspase-3<sup>pos</sup> without MSC)\*100.

For adhesion experiments, B cells were stained with 2µM CFSE (Interchim, Montluçon, France) and plated onto MSC layer for 2 hours as described [23]. After washing in PBS, fluorescence of residual adherent B cells was recorded on a

Varioskan (Thermofisher) and the percentage of adherent cells was calculated by comparing with the fluorescence of the input. In some experiments, BM-MSCs were transfected with VCAM-1 siRNA (3 pooled Stealth iRNA, Life Technologies, Saint-Aubin, France) or a control siRNA (Negative Control Medium GC, Life Technologies) with HiPerfect Transfection Reagent (Qiagen). Briefly, 20.000 BM-MSC were plated in 96-wells flat-bottomed plates and incubated for 2 days with the transfection mix containing siRNA (50nM each). Efficient downregulation of VCAM-1 expression was confirmed by flow cytometry (Figure S2).

#### *MSC chemoattractive properties*

CXCL1 and CXCL16 were quantified in MSC supernatant at the end of P2 by ELISA (R&D Systems, Abington, UK) and expressed as the quantity per million of cultured MSCs.

Migration of neutrophils in response to conditioned MSC supernatants was assessed as previously described [24] with slight modifications. Briefly, peripheral blood neutrophils freshly purified using whole blood CD15 microbeads on an AutoMACS® apparatus (Miltenyi Biotech) were added to the upper compartment of Transwell chambers with 5- $\mu$ m pore filters in migration medium (RPMI supplemented with 0.1% human albumin). Lower chambers contained MSC-conditioned supernatants obtained after 3 days of MSC culture in migration medium. The absolute number of viable DAPI<sup>neg</sup>CD66<sup>pos</sup>CD16<sup>pos</sup> neutrophils was quantified in the lower chamber after a 2-hour migration using FlowCount beads by flow cytometry.

#### *MSC immunosuppressive properties*

Inhibition of T and NK cells proliferation was performed as previously described [17]. Briefly, purified peripheral blood T and NK cells were stained with 0.2 $\mu$ M CFSE and activated for 6 days in coculture with MSCs at 10/1 and 1/1 ratios respectively. T cells were activated with 0.5 $\mu$ g/mL agonistic anti-CD3 and anti-CD28 antibodies (Sanquin, Amsterdam, The Netherlands) whereas NK cells were activated by 100IU/mL rhIL-2 (Proleukin®, Novartis Pharma, Basel, Switzerland). The percentage of proliferating immune cells was quantified by flow cytometry as the proportion of cells having undergone more than one division using ModFit LT 3.0 software (Verity Software, Topsham, ME). This allowed for the calculation of the percentage of inhibition of proliferation with the following formula: (percentage of proliferation

without MSC - percentage of proliferation with MSC) / (percentage of proliferation without MSC)\*100.

IDO activity was calculated after quantification of tryptophan and kynurenine catabolite by high-performance liquid chromatography using added 3-nitro-L-tyrosine as an internal standard, as previously described [25]. Results were expressed as the kynurenine to tryptophan ratio in the supernatant of MSC primed or not with IFN $\gamma$  (R&D Systems).

### *Statistical analysis*

Differences between groups were analyzed with Prism software version 5.03 (GraphPad, La Jolla, CA) using the Wilcoxon test for matched pairs or the Mann-Whitney non-parametric *U* test for unpaired samples. Differences in dose-response to IFN $\gamma$  stimulation in ASCs versus BM-MSCs were tested with a 2-way ANOVA using Bonferroni's post-hoc multiple comparisons tests. In all cases, a cutoff value of  $p<0.05$  was used to reach statistical significance.

## RESULTS

### *ASC and BM-MSC display tissue-specific molecular imprinting*

To investigate the net impact of tissue source on cultured MSC properties while minimizing inter-individual variability, MSCs were produced in the same culture medium from paired adipose tissue and bone marrow samples collected from 14 healthy individuals. At the end of the first passage (P1), all MSC batches fulfilled the identity criteria including lack of residual hematopoietic and endothelial cells, homogeneous expression of CD90, CD105 and CD73 (Figure S3A). As previously reported CD34 was not expressed on BM-MSCs whereas it could be detected on 17.5 % [0.5-30.7%] of ASCs ( $n=14$ ). All subsequent experiments were performed at the end of P2 to limit the additional variability associated with large-scale expansion, and closely mimic clinical grade-MSCs used in successful clinical trials.

We first performed an unbiased transcriptomic analysis using Affymetrix microarrays. Principal Component Analysis including all normalized unique genes (20507 genes) adequately segregated ASCs from BM-MSCs (Figure 1A). Interestingly, ASC GEP showed a higher heterogeneity than BM-MSC GEP, extending a previous report obtained on a limited number of unpaired allogeneic samples [12]. These data were confirmed by a Pearson correlation analysis in which paired ASCs and BM-MSCs

were essentially segregated with a higher level of similarities between BM-MSCs than ASCs (Figure 1B). To better compare the impact of tissue origin *versus* inter-individual variability, we further calculated the Euclidian distance between each BM-MSC and its paired ASC and compared it to the Euclidian distance between each BM-MSC and all the other BM-MSCs (Figure 1C). BM-MSCs were significantly closer to allogeneic BM-MSCs than to autologous ASCs confirming that MSC tissue source impacted MSC transcriptomic heterogeneity to a greater extent than inter-individual variability.

We next applied a WGCNA to identify transcriptional modules of co-expressed genes and evaluate whether they were related to MSC tissue source. First, the sample clustering based on Euclidian distance obtained with the WGCNA package (Figure S4A) is in accordance with our previous observations, showing a separation between ASCs and BM-MSCs and a higher heterogeneity of the ASCs population. The coexpression network was constructed by Pearson correlation considering a soft-thresholding power  $\beta$  of 8 (Figure S4B). Following dynamic tree cut, the gene clustering dendrogram identified 12 distinct gene modules including the grey module corresponding to unassigned gene (Figure 1D). After the modules were generated, we evaluated their relationship with MSC tissue of origin by using a Wilcoxon Signed-Rank test to determine whether the module eigengenes, defined as the principal component of each module and summarizing the gene expression profile of these modules, were significantly different in ASCs versus BM-MSCs (Figure 1E). Three modules were significantly associated with the MSC tissue source: Purple module (264 genes,  $P= 1.346e-06$ ), Yellow module (459 genes,  $P= 1.92e-07$ ), and Blue module ( $P= 1.92e-07$ ) (Figure 1E and S4C). Heatmap representation of these gene modules revealed that, conversely to the Purple module, the gene expression profiles of the Yellow and Blue modules perfectly segregated ASCs and BM-MSCs (Figure S4D). In order to draw a functional profile of these 2 modules, we extracted two genelists per module, one corresponding to the genes overexpressed in ASCs and one to the genes overexpressed in BM-MSCs, and analyzed them with IPA (Figure 1F-G). Interestingly, both Yellow and Blue modules revealed a strong enrichment for immune-related pathways in ASCs. Altogether, our two unsupervised analysis methods clearly indicate that ASCs and BM-MSCs display strongly different transcriptomic profiles that could be functionally relevant for their clinical application.

1  
2  
3 *Differentially regulated functional pathways in BM-MSCs versus ASCs*

4  
5 Comparison of the GEP of the 28 paired BM-MSCs and ASCs revealed 3291  
6 differentially expressed unique genes (adjusted P value <0.05 using Benjamini-  
7 Hochberg method, Figure 2A-B), including 208 genes up-regulated more than 2-fold  
8 in BM-MSCs and 263 genes up-regulated more than 2-fold in ASCs ( $\log_2 FC > 1$  or <-  
9 1, Table S1).

10  
11 As expected, BM-MSC signature was strongly enriched for genes involved in  
12 osteogenic and chondrogenic differentiation programs and in the function of  
13 osteoblasts and chondrocytes. These include the osteoblastic marker *BGLAP*, the  
14 chondrocytic marker *ACAN*, the transcription factors *RUNX3*, *RUNX2*, *DLX5*, *DLX6*,  
15 and *SOX9*, the regulator of bone formation *NRP3*, the modulators of pyrophosphate  
16 metabolism *ANKH* and *ENPP1*, or *TNFRSF19*, described as a positive regulator of  
17 MSC differentiation into osteoblasts while decreasing adipogenesis [26]. Similarly,  
18 RhoA signaling, identified as one of the most significant BM-MSC specific pathway  
19 using IPA (Figure 2C), has been proposed as a key driver of mechanotransduction in  
20 osteoblasts [27]. Canonical Wnt signaling is also essential for osteoblast  
21 differentiation and several members of the Wnt pathway were overexpressed in BM-  
22 MSCs, whereas ASCs overexpressed some of the main Wnt inhibitors such as  
23 *SFRP1* or *DKK1* (Figure 2C and Table S1). BM-MSCs exhibited a higher capacity to  
24 differentiate into chondroblasts *in vitro* compared to ASCs whereas osteoblastic  
25 differentiation was similar (Figure S5A-C). Conversely, ASCs displayed activation of  
26 molecular pathways related to cholesterol biosynthesis and *CD36*, the most strongly  
27 upregulated ASC gene, is a marker of human adipocyte precursors [28]. Moreover,  
28 ASCs displayed a higher capacity to differentiate into adipocytes *in vitro* (Figure  
29 S5D). Altogether, these data definitively confirm that *in vitro* cultured MSCs retain the  
30 main tissue-specific features of their anatomic origin.

31  
32 Interestingly, cultured BM-MSC overexpressed genes associated with pericytic BM  
33 niche, including a gene set associated with vascular smooth muscle contractility and  
34 pericyte identity (*CSPG4*, *ACTA2*, *MCAM*, *ITGA7*, *NOTCH3*, *MYH9*, and *MYH11*)  
35 [29,30] but also extracellular matrix components, including *FNDC1*, *ACAN*, *COL4A1*,  
36 *COL4A2*, *HAPLN1*, and *SRGN*; members of the TGF $\beta$  family (*GDF5*, *GDF6*,  
37 *TGFB2*); and numerous integrins (*ITGA3*, *ITGA7*, *ITGA8*, *ITGA11*, *ITGB2*) (Table  
38 S1). Overexpression of the pericytic marker CD146/MCAM was confirmed at the  
39 protein level (Figure S3B). Conversely, ASC-specific GEP revealed pathways related  
40 to

1  
2  
3 to inflammatory and immune response (Figures 2C). In agreement, numerous  
4 immune-related genes were found differentially expressed between ASCs and BM-  
5 MSCs (Table 1).  
6  
7

8 In order to determine whether these differences reflected features of native MSCs or  
9 represented a culture artifact, we sorted CD45<sup>neg</sup>CD235a<sup>neg</sup>CD11b<sup>neg</sup>  
10 CD31<sup>neg</sup>CD73<sup>pos</sup>CD271<sup>pos</sup> BM mononuclear cells, corresponding to nBM-MSCs, and  
11 CD45<sup>neg</sup>CD235a<sup>neg</sup>CD11b<sup>neg</sup>CD31<sup>neg</sup>CD34<sup>pos</sup>CD146<sup>neg</sup> cells from adipose tissue  
12 stromal vascular fraction, corresponding to nASCs (Figure S1) and analyzed the  
13 expression of 10 genes previously found differentially expressed on their cultured  
14 counterpart [31,32]. Interestingly, we demonstrated that nASCs significantly  
15 overexpressed *PTGS1*, involved in the production of the immunosuppressive  
16 molecule PGE2, the complement system members C3 and *CD55*, the adhesion  
17 molecular *ICAM1*, and the CXCR2 ligands *CXCL1* and *CXCL2*. Similarly, nBM-MSCs  
18 significantly overexpressed *VCAM1*, antigen presentation molecules *CD74* and *HLA-*  
19 *DRA*, and the chemokine *CXCL16* (Figure 3). These data clearly argue for a strong  
20 imprinting of the tissue of origin on the immune properties of cultured MSCs. We thus  
21 decided to further examine the functional consequences of these molecular  
22 differences on tissue-specific MSC immune properties.  
23  
24

25  
26  
27  
28  
29 *BM-MSCs and ASCs differentially trigger immune cell adhesion and recruitment*

30 VCAM-1 was the second most strongly upregulated gene in BM-MSCs. At the protein  
31 level VCAM-1 was consistently detected only on BM-MSCs but not on paired ASC  
32 counterparts and we further validated this finding on independent MSC batches  
33 (Figure 4A-B). Interestingly, nBM-MSCs systematically but variably expressed  
34 VCAM-1 whereas nASCs were virtually VCAM-1 negative (Figure 4C). VCAM-1 plays  
35 a major role in the anti-apoptotic activity of stromal cells towards immune cells, in  
36 particular immature and mature B and T cells expressing the VCAM-1 ligand VLA-4.  
37 Moreover, VCAM-1/VLA-4 interaction was proposed years ago as a main  
38 determinant of the interaction between pericytes and lymphocytes [33]. We thus  
39 wondered whether cultured MSCs could differentially support B and T-cell survival  
40 depending on their tissue origin. Strikingly, BM-MSCs protected B and T cells from  
41 spontaneous apoptosis *in vitro* significantly better than their paired ASC counterparts  
42 (Figure 4D). In addition, efficient inhibition of VCAM-1 expression in BM-MSCs by  
43 siRNA reduced their capacity to trigger B-cell adhesion (Figure 4E).  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

Apart from adhesion molecules, chemokines also orchestrate the interaction between MSCs and immune cells and both CXCL1, CXCL2, and CXCL16 belonged to the most strongly differentially expressed genes between cultured and native ASCs and BM-MSCs (Table 1 and Figure 3). We validated these differences at the protein level on our paired series of cultured BM-MSCs and ASCs as well as in independent MSC batches. As expected, ASCs secreted higher amounts of CXCL1, involved in the recruitment of innate myeloid cells in particular neutrophils, whereas BM-MSCs secreted higher amounts of CXCL16, the ligand for CXCR6-expressing memory T cells and monocytes (Figure 5 A-C). Moreover, we could show that, whereas BM-MSCs and ASCs produced the same amount of CXCL8/IL-8, ASCs were significantly more efficient in triggering neutrophil attraction, in agreement with their higher production of CXCL1 and CXCL2, the two other CXCR2 ligands (Figure 5D).

#### *BM-MSCs and ASCs differentially elicit immune response suppression*

The bidirectional crosstalk of infused MSCs with resident immune cells is pivotal for their clinical efficacy. The detection of humoral alloimmunization in recipients of allogeneic MSCs together with the lack of persistence of infused MSCs demonstrate that MSCs are not immune-privileged [2]. However, protecting MSCs from immune detection and prolonging their life-span *in vivo* may improve clinical outcome [34]. Cultured and native BM-MSCs were found to overexpress *HLA-DRA* and *CD74*, both involved in antigen presentation to CD4<sup>pos</sup> T cells (Table 1 and Figure 3). We could further confirm surface HLA-DR overexpression on BM-MSCs compared to ASCs in our paired MSC samples, but also on independent cultured MSC batches, and on native MSCs (Figure 6 A-C). HLA-DR is induced on MSCs upon exposition to inflammatory cues [17]. We thus tested whether the differential HLA-DR expression between ASCs and BM-MSCs was retained following stimulation by increasing doses of IFN $\gamma$ . Cultured ASCs and BM-MSCs similarly enhanced their HLA-DR expression in response to inflammatory stimuli with a maximum of MHC class II expression at 100IU/mL of IFN $\gamma$ , demonstrating their similar capacity to activate IFN $\gamma$ -dependent signaling pathway. As a consequence, the level of expression of HLA-DR remained lower on inflamed ASC than on inflamed BM-MSC (Figure 6D). These data suggested that ASCs could better escape to recognition by CD4<sup>pos</sup> T cells. In addition, their higher expression of the cell-surface complement inhibitor *CD55* (Table 1), previously shown to crucially regulate MSC sensitivity to complement-

dependent cytotoxicity [35], could favor their escape from initial immune attack *in vivo*.

We then used our previously established standardized tools to compare the capacity of paired ASCs and BM-MSCs to inhibit activated T cell and NK cell proliferation *in vitro* [17]. Strikingly, ASCs decreased significantly better T cell proliferation and BM-MSCs significantly better NK cell proliferation (Figure 6E). We and others have shown that IDO activity is the main mechanism supporting the capacity of human MSCs to suppress T cells, unlike NK cells [17]. IDO is not expressed by resting MSCs but is induced by IFN $\gamma$  produced by activated T and NK cells. We thus assessed IDO activity in ASCs and BM-MSCs licensed with increasing doses of IFN $\gamma$ . We showed that ASCs required significantly less IFN $\gamma$  to reach the maximum IDO activity than BM-MSCs (Figure 5 F-G). Thus, whereas ASCs and BM-MSCs have the same intrinsic capacity to respond to IFN $\gamma$  signaling, as highlighted by parallel curves of HLA-DR induction, ASCs express higher functional immunosuppressive enzyme IDO in response to a low dose of IFN $\gamma$ .

## DISCUSSION

Tissue origin has been proposed for a long-time as a potential determinant of clinical-grade MSC clinical efficacy. However, how intrinsic disparities between BM-MSCs and ASCs could be related to their capacity to interact with immune effectors and modulate immune response has not been extensively explored. In the present study, we demonstrated for the first time on a large series of ASCs and BM-MSCs obtained from the same donors and on purified nASCs and nBM-MSCs the strong impact of tissue origin on MSC properties. Moreover, we pinpointed that ASCs could be an interesting alternative to BM-MSCs for therapeutic applications considering their huge expression of anti-inflammatory and immunosuppressive molecules.

First, ASCs endorsed stronger IDO activity in response to low dose IFN- $\gamma$  stimulation, thereafter inhibiting more efficiently T-cell proliferation. Interestingly, ASCs display a higher proliferative capacity *in vitro* and enter senescence at a later time-point compared to BM-MSCs thus delaying the risk of proteasomal degradation of IDO that characterizes senescent MSCs [7]. In agreement, the clinical impact of culture expansion has been validated by the demonstration that late-passage MSCs were less effective than early-passage MSCs to control acute graft-versus-host-disease

[36]. Of note, the IDO<sup>hi</sup> phenotype of ASCs could be further reinforced by the direct contact with innate myeloid cells, a key step in tissue repair and regeneration. In fact the interplay between MSCs and inflammatory macrophages was recently shown to trigger IDO expression and activity in MSCs in a CD54-dependent manner [37] and ASCs overexpressed CD54/ICAM-1 compared to BM-MSCs.

Second, resting ASCs overexpressed TSG-6, involved in the early inhibition of neutrophil and macrophage activity at sites of inflammation. Kynurenic acid, a tryptophan metabolite generated by IDO, was recently shown to enhance TSG-6 expression through the activation of aryl hydrocarbon receptor (AhR), which binds to TNFAIP6 promoter [38]. This amplification loop between the two main MSC immunosuppressive mediators could contribute to the higher TSG-6 expression in ASCs primed by inflammatory stimuli. TSG-6 was proposed to directly impact the NF-κB dependent activation of macrophages by TLR ligands [39] whereas IDO has been implicated in the differentiation of monocytes into IL-10-secreting immunosuppressive macrophages [40]. It is thus tempting to speculate that, besides their strong capacity to inhibit T cells and their interest for the treatment of T cell-mediated immune disorders, ASCs would be particularly effective in modulating the inflammatory response mediated by macrophages. In addition, we revealed that ASCs recruited more efficiently neutrophils than BM-MSCs, whereas they overexpressed TSG-6, recently identified as a CXCL8-binding protein inhibiting neutrophil transendothelial migration and chemotaxis [41]. However, TSG-6 does not bind to CXCL1/CXCL2, both upregulated in ASCs, and has no effect on CXCL1-mediated neutrophil transmigration.

Finally, ASCs were virtually HLA-DR<sup>neg</sup> and retained a lower HLA-DR expression under inflammatory stimuli compared to BM-MSCs. This property could be clinically relevant in relationship with the increasing use of MSCs in allogeneic setting. However, a comparison of alloimmunization rates in homogeneous patients receiving ASCs *versus* BM-MSCs is currently lacking to conclude on the lower immunogenicity of ASCs. Interestingly, we highlighted for the first time an upregulation of components of the complement activation cascade in ASC transcriptomic profile. Complement components were recently identified as promoters of immunological tolerance through their capacity to promote development of myeloid-derived suppressor cells (MDSCs) [42]. In particular, liver stromal cells, like ASCs, produce C3, Factor B, and Factor D resulting in the formation of activation products iC3b and C3d that trigger

dendritic cell differentiation into MDSCs [43]. The role of complement activation in the immunosuppressive activity of MSCs deserves further investigations. Importantly, it has to be noted that ASCs were conversely less potent than BM-MSCs at preventing NK cell proliferation, in agreement with the lack of reversion of MSC-dependent NK-suppressive activity by IDO inhibitors [44,45]. In addition, BM-MSCs overexpressed PD-L1/CD274 and staniocalcin-2 (STC2), two suppressive molecules affecting CD8<sup>pos</sup> T cell activation and synthesis of inflammatory cytokines [44,45].

The mechanisms underlying the higher IDO activity in ASCs in response to IFN $\gamma$  are still unclear whereas IDO expression and activity has been reproducibly correlated with the capacity of human MSCs to inhibit T-cell proliferation [17,40,46]. BM-MSCs and ASCs expressed IFN $\gamma$  receptor at the same level (data not shown) and similarly upregulated HLA-DR in response to IFN $\gamma$  stimulation, indicating a functional IFN $\gamma$  signaling pathway. Of note IDO mRNA level was also reduced in primed BM-MSCs compared to primed ASCs (data not shown) suggesting a regulation at the transcriptional level. Recently, histone modifications at *IDO1* promoter region were shown to be induced upon inflammatory cytokine treatment of BM-MSCs, with a loss of H3K9me3 repressive mark and a gain of permissive acH3K9 mark [47]. Methylation of the *IDO1* promoter was also proposed as an additional level of regulation of IDO expression in breast cancer cells [48]. A deeper evaluation of epigenetic regulation of *IDO1* in ASCs versus BM-MSCs should shed new light on the regulation of this immunosuppressive mediator in the two cell subsets.

Importantly, we revealed for the first time, using purified nASCs and nBM-MSCs, that the differential immune profile of *in vitro* expanded MSCs obtained from BM and adipose tissue is essentially imprinted by their tissue of origin. Interestingly, murine ASCs were proposed to be the precursors of lymphoid stromal cells that regulate immune cell recruitment and guided trafficking inside secondary lymphoid organs and ensure antigen delivery and B cell activation and selection [49]. We highlighted here a lymphoid stroma signature, including *LTBR*, the NF- $\kappa$ B family members *IRAK1*, *IRAK3*, and *TRAF3IP2*; *IL4R*, *IL13RA2*, *CLU*, and *CSTC* in cultured human ASCs compared to BM-MSCs further confirming the relationship between *in vitro* expanded ASCs and their native counterpart and suggested that these cells are prone to interact with immune cells *in vivo*.

### CONCLUSION

Besides variations in culture procedures, immunological properties of ASCs and BM-MSCs are strongly related to their tissue of origin and in vitro expanded MSCs retain the main features of their native counterpart. In particular, ASCs overexpress several molecules associated with an increased capacity to modulate immune cells and have a transcriptomic and phenotypic profile consistent with a lower immunogenicity. This study paves the way for a better definition of potency assays based on a simultaneous evaluation of molecular and cellular targets. In addition, it could also be helpful to evaluate how MSC modifications or reprogramming could enhance their clinical potency.

### ACKNOWLEDGEMENTS

This work was supported by grants from the CHU de Toulouse (Appel d'offre local 2008), the Etablissement Français du Sang (APR 2016), the Infrastructure program EcellFRANCE (ANR-11-INSB-005), the European Center for Transplantation Sciences and Immunotherapy (IHU CESTI, ANR-10-IBHU\_0005), the French National Cancer Institute (INCa PLBIO-17-219). LV is a recipient of a fellowship from the Labex IGO and the Région Bretagne.

### DISCLOSURE OF POTENTIAL CONFLICTS OF INTEREST

The authors declare no competing financial interest.

### DATA AVAILABILITY STATEMENT

Data are available via the NCBI Gene Expression Omnibus (<https://www.ncbi.nlm.nih.gov/geo/>; accession number GSE122778). During the reviewing process the data are retained in private status and are available for reviewers only using the secure token shazuskolhcbytzb.

### REFERENCES

- Shi Y, Wang Y, Li Q, et al. Immunoregulatory mechanisms of mesenchymal stem and stromal cells in inflammatory diseases. *Nature Reviews Nephrology* 2018;14:493–507.
- Galipeau J, Sensebé L. Mesenchymal Stromal Cells: Clinical Challenges and Therapeutic Opportunities. *Cell Stem Cell* 2018;22:824–833.
- Galipeau J. The mesenchymal stromal cells dilemma--does a negative phase III trial of random donor mesenchymal stromal cells in steroid-resistant graft-

- 1  
2  
3 versus-host disease represent a death knell or a bump in the road? *Cytotherapy*  
4 2013;15:2–8.  
5 4 Sensebé L, Bourin P, Tarte K. Good manufacturing practices production of  
6 mesenchymal stem/stromal cells. *Human Gene Therapy* 2011;22:19–26.  
7 5 Mendicino M, Bailey AM, Wonnacott K, et al. MSC-based product  
8 characterization for clinical trials: an FDA perspective. *Cell Stem Cell*  
9 2014;14:141–145.  
10 6 Moll G, Alm JJ, Davies LC, et al. Do cryopreserved mesenchymal stromal cells  
11 display impaired immunomodulatory and therapeutic properties? *Stem Cells*  
12 2014;32:2430–2442.  
13 7 Loisel S, Dulong J, Ménard C, et al. Brief Report: Proteasomal Indoleamine 2,3-  
14 Dioxygenase Degradation Reduces the Immunosuppressive Potential of Clinical  
15 Grade-Mesenchymal Stromal Cells Undergoing Replicative Senescence. *Stem  
16 Cells* 2017;35:1431–1436.  
17 8 Chinnadurai R, Copland IB, Garcia MA, et al. Cryopreserved Mesenchymal  
18 Stromal Cells Are Susceptible to T-Cell Mediated Apoptosis Which Is Partly  
19 Rescued by IFNy Licensing. *Stem Cells* 2016;34:2429–2442.  
20 9 Cho K-A, Park M, Kim Y-H, et al. RNA sequencing reveals a transcriptomic  
21 portrait of human mesenchymal stem cells from bone marrow, adipose tissue,  
22 and palatine tonsils. *Sci Rep* 2017;7:17114.  
23 10 de Almeida DC, Ferreira MRP, Franzen J, et al. Epigenetic Classification of  
24 Human Mesenchymal Stromal Cells. *Stem Cell Reports* 2016;6:168–175.  
25 11 Jansen BJH, Gilissen C, Roelofs H, et al. Functional differences between  
26 mesenchymal stem cell populations are reflected by their transcriptome. *Stem  
27 Cells and Development* 2010;19:481–490.  
28 12 Torensma R, Prins H-J, Schrama E, et al. The impact of cell source, culture  
29 methodology, culture location, and individual donors on gene expression profiles  
30 of bone marrow-derived and adipose-derived stromal cells. *Stem Cells and  
31 Development* 2013;22:1086–1096.  
32 13 Lee SJ, Yi T, Ahn SH, et al. Comparative study on metabolite level in tissue-  
33 specific human mesenchymal stem cells by an ultra-performance liquid  
34 chromatography quadrupole time of flight mass spectrometry. *Analytica Chimica  
35 Acta* 2018;1024:112–122.  
36 14 Reinisch A, Etchart N, Thomas D, et al. Epigenetic and in vivo comparison of  
37 diverse MSC sources reveals an endochondral signature for human  
38 hematopoietic niche formation. *Blood* 2015;125:249–260.  
39 15 Mattar P, Bieback K. Comparing the Immunomodulatory Properties of Bone  
40 Marrow, Adipose Tissue, and Birth-Associated Tissue Mesenchymal Stromal  
41 Cells. *Front Immunol* 2015;6:560.  
42 16 Ménard C, Tarte K. Immunoregulatory properties of clinical grade mesenchymal  
43 stromal cells: evidence, uncertainties, and clinical application. *Stem Cell  
44 Research & Therapy* 2013;4:64.  
45 17 Ménard C, Pacelli L, Bassi G, et al. Clinical-grade mesenchymal stromal cells  
46 produced under various good manufacturing practice processes differ in their  
47 immunomodulatory properties: standardization of immune quality controls. *Stem  
48 Cells and Development* 2013;22:1789–1801.  
49 18 Melief SM, Zwaginga JJ, Fibbe WE, et al. Adipose tissue-derived multipotent  
50 stromal cells have a higher immunomodulatory capacity than their bone marrow-  
51 derived counterparts. *Stem Cells Translational Medicine* 2013;2:455–463.  
52  
53  
54  
55  
56  
57  
58  
59  
60

- 1  
2  
3 19 Ribeiro A, Laranjeira P, Mendes S, et al. Mesenchymal stem cells from umbilical  
4 cord matrix, adipose tissue and bone marrow exhibit different capability to  
5 suppress peripheral blood B, natural killer and T cells. *Stem Cell Research &*  
6 *Therapy* 2013;4:125.
- 7 20 Valencia J, Blanco B, Yáñez R, et al. Comparative analysis of the  
8 immunomodulatory capacities of human bone marrow- and adipose tissue-  
9 derived mesenchymal stromal cells from the same donor. *Cyotherapy*  
10 2016;18:1297–1311.
- 11 21 Bourin P, Peyrafitte J-A, Fleury-Cappelesso S. A first approach for the  
12 production of human adipose tissue-derived stromal cells for therapeutic use.  
13 *Methods Mol Biol* 2011;702:331–343.
- 14 22 Langfelder P, Horvath S. WGCNA: an R package for weighted correlation  
15 network analysis. *BMC Bioinformatics* 2008;9:559.
- 16 23 Pandey S, Mourcin F, Marchand T, et al. IL-4/CXCL12 loop is a key regulator of  
17 lymphoid stroma function in follicular lymphoma. *Blood* 2017:blood–2016–08–  
18 737239.
- 19 24 Grégoire M, Guilloton F, Pangault C, et al. Neutrophils trigger a NF-κB  
20 dependent polarization of tumor-supportive stromal cells in germinal center B-  
21 cell lymphomas. *Oncotarget* 2015;6:16471–16487.
- 22 25 Tattevin P, Monnier D, Tribut O, et al. Enhanced indoleamine 2,3-dioxygenase  
23 activity in patients with severe sepsis and septic shock. *J Infect Dis*  
24 2010;201:956–966.
- 25 26 Qiu W, Hu Y, Andersen TE, et al. Tumor necrosis factor receptor superfamily  
26 member 19 (TNFRSF19) regulates differentiation fate of human mesenchymal  
27 (stromal) stem cells through canonical Wnt signaling and C/EBP. *J Biol Chem*  
28 2010;285:14438–14449.
- 29 27 Nobis M, Herrmann D, Warren SC, et al. A RhoA-FRET Biosensor Mouse for  
30 Intravital Imaging in Normal Tissue Homeostasis and Disease Contexts. *Cell Reports*  
31 2017;21:274–288.
- 32 28 Gao H, Volat F, Sandhow L, et al. CD36 Is a Marker of Human Adipocyte  
33 Progenitors with Pronounced Adipogenic and Triglyceride Accumulation  
34 Potential. *Stem Cells* 2017;35:1799–1814.
- 35 29 Armulik A, Genové G, Betsholtz C. Pericytes: developmental, physiological, and  
36 pathological perspectives, problems, and promises. *Developmental Cell*  
37 2011;21:193–215.
- 38 30 Astarita J, Lukacs-Kornek V, Tayalia P, et al. Transcriptional profiling of stroma  
39 from inflamed and resting lymph nodes defines immunological hallmarks. *Nat Immunol*  
40 2012;13:499–510.
- 41 31 Li H, Ghazanfari R, Zacharaki D, et al. Isolation and characterization of primary  
42 bone marrow mesenchymal stromal cells. *Annals of the New York Academy of Sciences*  
43 2016;1370:109–118.
- 44 32 Maumus M, Peyrafitte J-A, D'Angelo R, et al. Native human adipose stromal  
45 cells: localization, morphology and phenotype. *International Journal of Obesity*  
46 2011;35:1141–1153.
- 47 33 Navarro R, Compte M, Álvarez-Vallina L, et al. Immune Regulation by Pericytes:  
48 Modulating Innate and Adaptive Immunity. *Front Immunol* 2016;7:480.
- 49 34 Ankrum JA, Ong JF, Karp JM. Mesenchymal stem cells: immune evasive, not  
50 immune privileged. *Nature Biotechnology* 2014;32:252–260.
- 51 35 Li Y, Lin F. Mesenchymal stem cells are injured by complement after their  
52 contact with serum. *Blood* 2012;120:3436–3443.

- 1  
2  
3 36 Bahr von L, Sundberg B, Lönnies L, et al. Long-term complications, immunologic  
4 effects, and role of passage for outcome in mesenchymal stromal cell therapy.  
5 Biology of Blood and Marrow Transplantation : Journal of the American Society  
6 for Blood and Marrow Transplantation 2012;18:557–564.  
7  
8 37 Espagnolle N, Balguerie A, Arnaud E, et al. CD54-Mediated Interaction with Pro-  
9 inflammatory Macrophages Increases the Immunosuppressive Function of  
10 Human Mesenchymal Stromal Cells. Stem Cell Reports 2017;8:961–976.  
11  
12 38 Wang G, Cao K, Liu K, et al. Kynurenic acid, an IDO metabolite, controls TSG-6-  
13 mediated immunosuppression of human mesenchymal stem cells. Cell Death  
14 and Differentiation 2018;25:1209–1223.  
15  
16 39 Choi H, Lee RH, Bazhanov N, et al. Anti-inflammatory protein TSG-6 secreted  
17 by activated MSCs attenuates zymosan-induced mouse peritonitis by decreasing  
18 TLR2/NF- $\kappa$ B signaling in resident macrophages. Blood 2011;118:330–338.  
19  
20 40 François M, Romieu-Mourez R, Li M, et al. Human MSC suppression correlates  
21 with cytokine induction of indoleamine 2,3-dioxygenase and bystander M2  
22 macrophage differentiation. Molecular Therapy : the Journal of the American  
23 Society of Gene Therapy 2012;20:187–195.  
24  
25 41 Dyer DP, Thomson JM, Hermant A, et al. TSG-6 inhibits neutrophil migration via  
26 direct interaction with the chemokine CXCL8. J Immunol 2014;192:2177–2185.  
27  
28 42 Luque A, Serrano I, Aran JM. Complement components as promoters of  
29 immunological tolerance in dendritic cells. Semin Cell Dev Biol 2017.  
30  
31 43 Hsieh C-C, Chou H-S, Yang H-R, et al. The role of complement component 3  
32 (C3) in differentiation of myeloid-derived suppressor cells. Blood  
33 2013;121:1760–1768.  
34  
35 44 Davies LC, Heldring N, Kadri N, et al. Mesenchymal Stromal Cell Secretion of  
36 Programmed Death-1 Ligands Regulates T Cell Mediated Immunosuppression.  
37 Stem Cells 2017;35:766–776.  
38  
39 45 Chen X, Liu Q, Huang W, et al. Stanniocalcin-2 contributes to mesenchymal  
40 stromal cells attenuating murine contact hypersensitivity mainly via reducing  
41 CD8+ Tc1 cells. Cell Death & Disease 2018;9:548.  
42  
43 46 Chinnadurai R, Rajan D, Qayed M, et al. Potency Analysis of Mesenchymal  
44 Stromal Cells Using a Combinatorial Assay Matrix Approach. Cell Reports  
45 2018;22:2504–2517.  
46  
47 47 Rovira Gonzalez YI, Lynch PJ, Thompson EE, et al. In vitro cytokine licensing  
48 induces persistent permissive chromatin at the Indoleamine 2,3-dioxygenase  
49 promoter. Cytotherapy 2016;18:1114–1128.  
50  
51 48 Dewi DL, Mohapatra SR, Blanco Cabañas S, et al. Suppression of indoleamine-  
52 2,3-dioxygenase 1 expression by promoter hypermethylation in ER-positive  
53 breast cancer. Oncoimmunology 2017;6:e1274477.  
54  
55 49 Bénézech C, Mader E, Desanti G, et al. Lymphotoxin- $\beta$ ; Receptor Signaling  
56 through NF- $\kappa$ B2-RelB Pathway Reprograms Adipocyte Precursors as  
57 Lymph Node Stromal Cells. Immunity 2012;1–14.  
58  
59  
60

**FIGURE LEGENDS****Figure 1. Paired ASC and BM-MSC transcriptomic analysis reveal tissue-specific signatures.**

(A) Principal component analysis of data resulting from the gene expression profile analysis of 14 paired BM-MSC and ASC samples obtained from the same donors.

(B) Hierarchical clustering of correlation matrix of paired ASC and BM-MSC gene expression profile using the Pearson's correlation coefficients.

(C) Euclidian distance between each BM-MSC and its paired ASC *versus* the mean distance between a given BM-MSC and the geometric mean of the other BM-MSCs.

(D-G) WGCNA analysis. Gene clustering dendrogram and module delimitation based on topological overlap, with different colors representing different co-expression gene modules (D). The relationship between the module eigengenes and the traits (ASC *versus* BM-MSC) was then evaluated based on Wilcoxon rank test and was represented as a heatmap color-coded accordingly to the -LOG10(FDR) (E). The genes upregulated in ASCs *versus* BM-MSCs in the module Blue (F) and Yellow (G) were analyzed using Ingenuity Pathway Analysis. Shown are the top twenty pathways in ASCs (dark blue and dark orange) and BM-MSCs (light blue and light orange) according to the p-value.

**Figure 2. Paired ASC and BM-MSC differential gene expression pattern highlights tissue-specific functional pathways.**

(A) Venn diagram of the genes differentially expressed between paired BM-MSC and ASC (n=14).

(B) Hierarchical clustering of paired ASCs and BM-MSCs performed on the 3291 differentially expressed genes. The relative level of gene expression is depicted according to the shown color scale.

(C) Ingenuity Pathway Analysis of the up- and down-regulated genes. Shown are the top twenty pathways in ASCs (top, red bars) and BM-MSCs (bottom, blue bars) according to the p-value.

1  
2  
**Figure 3. Immune gene expression profile is imprinted by the tissue of origin in**  
3 **mesenchymal stromal cells.**

4  
5  
6 Expression of various immune-related genes identified as differentially expressed  
7 between paired cultured ASCs and BM-MSCs using Affymetrix microarrays were  
8 assessed by Q-PCR on sorted native ASCs (nASCs, n=10) and native BM-MSCs  
9 (nBM-MSCs, n=7). \*\*p<0.01, \*\*\*p<0.001.  
10  
11  
12  
13  
14

15 **Figure 4. ASCs and BM-MSCs differentially mediate immune cell adhesion and**  
16 **survival**

17  
18 (A-C) VCAM-1 expression was assessed by flow cytometry on 7 paired cultured MSC  
19 samples (A), on an independent series of BM-MSCs and ASCs (n=10 each) (B), and  
20 on native BM-MSCs (nBM-MSCs) and ASCs (nASCs) (C, n=6 each).  
21  
22  
23

24 (D) The ability of MSC to support immune cells survival was assessed in a coculture  
25 assay with resting T and B cells. Survival of CD45<sup>pos</sup> lymphocytes was evaluated by  
26 activated caspase-3 staining (n=7 independent experiments, each time with different  
27 paired MSC samples).  
28  
29

30 (E) Purified B cells were labeled with CFSE and incubated for 2h on BM-MSC  
31 confluent cell monolayer. BM-MSCs have been transduced 48h before by VCAM-1  
32 targeting siRNA or control siRNA. Adhesion percentage was calculated by comparing  
33 the residual fluorescence after adhesion with the fluorescence of the input (n=7  
34 independent experiments). \*p<0.05, \*\*p<0.01, \*\*\*p<0.001.  
35  
36  
37  
38  
39  
40

41 **Figure 5. ASCs and BM-MSCs have a distinct capacity to attract immune cells.**

42 (A) CXCL1 and CXCL16 concentrations were quantified in MSC supernatants by  
43 ELISA and normalized by the number of cultured MSCs (n=6 paired MSC samples).  
44 (B-C) CXCL1 and CXCL16 expression was quantified by Q-PCR (B) and ELISA (C)  
45 in an independent series of BM-MSCs and ASCs (n=10 each).  
46  
47  
48

49 (D). Neutrophil migration towards MSC conditioned medium was quantified by flow  
50 cytometry. The percentage of neutrophil migration is calculated as the number of  
51 DAPI<sup>neg</sup>CD66b<sup>pos</sup>CD16<sup>pos</sup> viable neutrophils migrating in response to cell supernatant  
52 divided by their initial number (n=10 independent experiments). \*p<0.05, \*\*p<0.01  
53  
54  
55  
56  
57

58 **Figure 6. ASCs and BM-MSCs display different immunomodulatory properties.**

59 (A-C) HLA-DR expression was assessed by flow cytometry on 7 paired cultured MSC  
60

1  
2 samples (A), on an independent series of BM-MSCs and ASCs (n=10 each) (B), and  
3 on native BM-MSCs (nBM-MSCs) and ASCs (nASCs) (C, n=6 each).  
4  
5

6 (D) Paired MSCs were exposed for 40 hours to increasing concentrations of IFN $\gamma$   
7 before assessment of HLA-DR expression by flow cytometry. Data are represented  
8 as median  $\pm$  standard deviation for each IFN $\gamma$  concentration tested (n= 7 paired  
9 ASCs and BM-MSCs).  
10  
11

12 (E) MSCs were cocultured with CFSE-labelled T and NK cells stimulated with anti-  
13 CD3/anti-CD28 or IL-2; respectively. Inhibition of immune cell proliferation was  
14 assessed by the CFSE dilution assay after normalization to 100% for the proliferation  
15 obtained without MSCs (n=7 independent experiments with paired MSCs).  
16  
17

18 (F) IDO activity was calculated as the ratio of kynurenin and tryptophan  
19 concentrations measured in the supernatant of MSCs 40h after exposure to  
20 increasing doses of IFN $\gamma$ . Data are represented as median  $\pm$  standard deviation for  
21 each IFN $\gamma$  concentration (n= 7 paired ASCs and BM-MSCs).  
22  
23

24 (G) Half-maximal effective concentrations (EC50) of IFN $\gamma$  to trigger IDO activity is  
25 depicted for each of the 7 paired MSC. \*p<0.05, \*\*p<0.01  
26  
27

28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

1  
 2  
**Table 1: Immune-related genes differentially expressed in BM-MSC vs ASC**  
 3 (Adjusted p-value < 0.05, | log2 FC | >1)  
 4  
 5  
 6

7 Upregulated 8 in	Gene Symbol	Log2 Fold 9 Change*	Adjusted 10 p value**
11 <b>ASC</b>	<i>PTGS1</i>	-3.26	6.82E-08
	<i>DPP4</i>	-3.15	2.30E-05
	<i>C3</i>	-3.03	1.35E-04
	<i>IL13RA2</i>	-2.42	7.92E-04
	<i>IL1B</i>	-2.38	1.91E-05
	<i>CD55</i>	-2.37	3.47E-08
	<i>TGFBR3</i>	-2.18	2.62E-05
	<i>IL20RB</i>	-1.97	4.65E-05
	<i>CFB</i>	-1.92	1.68E-03
	<i>TNFAIP6</i>	-1.91	2.76E-03
	<i>CXCL2</i>	-1.81	2.51E-04
	<i>ICAM1</i>	-1.80	5.98E-06
	<i>ITGA4</i>	-1.71	1.88E-05
	<i>PTGIS</i>	-1.69	6.77E-05
32 <b>BM-MSC</b>	<i>C2</i>	-1.59	1.38E-04
	<i>CXCL1</i>	-1.38	8.02E-04
	<i>CFD</i>	-1.27	1.19E-02
	<i>IL1R1</i>	-1.19	1.53E-03
	<i>VCAM1</i>	5.30	1.32E-05
	<i>ITGA3</i>	2.87	4.44E-06
	<i>TGFB2</i>	2.33	1.48E-05
	<i>ITGA8</i>	2.08	3.81E-04
	<i>CFH</i>	1.97	1.04E-04
	<i>ITGB2</i>	1.91	1.54E-04
	<i>CD74</i>	1.82	1.03E-03
	<i>STC2</i>	1.70	1.02E-03
	<i>CXCL16</i>	1.38	3.36E-05
	<i>ITGA11</i>	1.25	2.21E-04
	<i>PDCD1LG2</i>	1.20	2.06E-03
	<i>ITGA10</i>	1.14	4.90E-04
	<i>HLA-DRA</i>	1.05	3.32E-02

48  
 49 \* Log2 fold change of expression in BM-MSC/ASC  
 50  
 51  
 52  
 53  
 54  
 55  
 56  
 57  
 58  
 59  
 60




Figure 1. Paired ASC and BM-MSC transcriptomic analysis reveal tissue-specific signatures




Figure 2. Paired ASC and BM-MSC differential gene expression pattern highlights tissue-specific functional pathways




Figure 3. Immune gene expression profile is imprinted by the tissue of origin in mesenchymal stromal cells




Figure 4. ASCs and BM-MSCs differentially mediate immune cell adhesion and survival




Figure 5. ASCs and BM-MSCs have a distinct capacity to attract immune cells




Figure 6. ASCs and BM-MSCs display different immunomodulatory properties

BMMSC\_ASC

**Table S1.** List of genes differentially expressed between the 14 paired ASCs and

Gene Symbol	Log2 Fold Change in BM-MSCs/ASCs	Adjusted p-value	MSC UP
<b>CD36</b>	-5.39628285714286	1.26103666462117e-09	up in ASC
<b>PI16</b>	-5.27575142857143	1.03004749104242e-06	up in ASC
<b>PLA2G2A</b>	-5.04802285714286	9.77289232825313e-08	up in ASC
<b>H19</b>	-4.61801714285715	4.6886286214047e-07	up in ASC
<b>GPRC5B</b>	-4.57441142857143	1.17122636107078e-06	up in ASC
<b>GPR133</b>	-4.01120571428572	2.18913217476832e-08	up in ASC
<b>SLC39A8</b>	-3.75501357142857	2.8716212039366e-06	up in ASC
<b>TNXB</b>	-3.73648571428572	8.2012136729535e-06	up in ASC
<b>STMN2</b>	-3.62314	1.75506349745616e-06	up in ASC
<b>TNXA</b>	-3.56838714285714	8.96929695490821e-06	up in ASC
<b>EPB41L3</b>	-3.51376928571428	1.26103666462117e-09	up in ASC
<b>MME</b>	-3.44466857142857	2.62046956033406e-06	up in ASC
<b>XPNPEP2</b>	-3.44329285714286	4.10364620847664e-06	up in ASC
<b>WNT2</b>	-3.40413785714286	3.08771061875667e-06	up in ASC
<b>LAMA2</b>	-3.40401214285714	2.29972822779566e-08	up in ASC
<b>ASPN</b>	-3.39677928571429	1.44727324428933e-05	up in ASC
<b>PDGFD</b>	-3.36804928571429	2.85456411094559e-07	up in ASC
<b>RDH10</b>	-3.356935	9.77289232825313e-08	up in ASC
<b>FBLN2</b>	-3.32924285714286	1.37564733157726e-08	up in ASC
<b>CLDN11</b>	-3.269055	3.19243724052105e-06	up in ASC
<b>PTGS1</b>	-3.26222428571429	6.81727166269545e-08	up in ASC
<b>KCND2</b>	-3.21856357142857	7.03930984117721e-09	up in ASC
<b>DPP4</b>	-3.15317142857143	2.2994374240621e-05	up in ASC
<b>ABCA9</b>	-3.14905571428571	2.83015888096207e-06	up in ASC
<b>GALNT12</b>	-3.06164785714286	1.96031155309297e-07	up in ASC
<b>C3</b>	-3.02685928571429	0.00013492877808721	up in ASC
<b>SEMA3D</b>	-2.94961285714286	3.78225806068477e-08	up in ASC
<b>APOD</b>	-2.91169357142857	0.000406399699006292	up in ASC
<b>TSHZ2</b>	-2.86797714285714	1.11550852145582e-07	up in ASC
<b>KIAA1324L</b>	-2.82837285714286	1.75506349745616e-06	up in ASC
<b>F3</b>	-2.71826071428571	0.000308130773383987	up in ASC
<b>CNTN3</b>	-2.67346357142857	1.28869201419704e-07	up in ASC
<b>EMILIN2</b>	-2.61508357142857	1.25658060343769e-08	up in ASC
<b>ZNF521</b>	-2.551075	2.29972822779566e-08	up in ASC
<b>ABCC9</b>	-2.5272	1.04392523338981e-08	up in ASC
<b>MYO1D</b>	-2.49271285714286	1.44622544363504e-05	up in ASC
<b>PDE1A</b>	-2.48733142857143	6.25013537905141e-06	up in ASC
<b>S100A4</b>	-2.47065071428572	3.47999629393266e-05	up in ASC
<b>IL13RA2</b>	-2.42184428571429	0.000791786686951753	up in ASC
<b>CPXM1</b>	-2.40989285714286	0.00314508521563751	up in ASC
<b>ABCA6</b>	-2.40214285714286	0.000126337287155299	up in ASC
<b>IL1B</b>	-2.37757428571429	1.90974235155188e-05	up in ASC
<b>CD55</b>	-2.36392928571429	3.47170557523732e-08	up in ASC
<b>ID1</b>	-2.36306928571429	0.000161273813888733	up in ASC
<b>GREM1</b>	-2.36245	8.35389015227316e-06	up in ASC
<b>SERPINB7</b>	-2.34500071428572	1.04448029216193e-05	up in ASC
<b>DPT</b>	-2.33759214285714	3.6938466013939e-05	up in ASC
<b>MFAP4</b>	-2.28227142857143	4.6886286214047e-07	up in ASC
<b>DKK1</b>	-2.26754142857143	1.53331986280973e-05	up in ASC
<b>ADH1B</b>	-2.24181642857143	0.00339491797194586	up in ASC

1			
2			
3		BMMSC_ASC	
4	<b>CTSC</b>	-2.221765	5.59754314021959e-05 up in ASC
5	<b>EBF2</b>	-2.21005785714286	3.796963591276e-06 up in ASC
6	<b>OSR2</b>	-2.19482	2.10038928041017e-05 up in ASC
7	<b>TGFBR3</b>	-2.17924642857143	2.61789704482416e-05 up in ASC
8	<b>FBN2</b>	-2.13828642857143	6.23680347656646e-05 up in ASC
9	<b>DOK5</b>	-2.06989857142857	1.79299948754593e-09 up in ASC
10	<b>OAF</b>	-2.06282928571429	7.06674371309446e-07 up in ASC
11	<b>SERPINB2</b>	-2.04807	0.0119171825653769 up in ASC
12	<b>IRAK3</b>	-2.03372642857143	1.15596657192217e-07 up in ASC
13	<b>SGCG</b>	-2.026655	6.95966055199295e-06 up in ASC
14	<b>DOCK11</b>	-2.02324785714286	1.61139979222825e-07 up in ASC
15	<b>ADM</b>	-2.00021857142857	9.77289232825313e-08 up in ASC
16	<b>TNFSF10</b>	-1.99981214285714	0.00357070555160344 up in ASC
17	<b>PRKG1</b>	-1.99889142857143	1.58747414007594e-06 up in ASC
18	<b>MOXD1</b>	-1.99142071428571	7.26818450303749e-06 up in ASC
19	<b>CPE</b>	-1.99060285714286	0.000113288397327595 up in ASC
20	<b>SPON2</b>	-1.971635	2.14875276215247e-05 up in ASC
21	<b>IL20RB</b>	-1.96724285714286	4.64805716132334e-05 up in ASC
22	<b>CFB</b>	-1.921035	0.00168433791522452 up in ASC
23	<b>GPR126</b>	-1.9176	3.63637572798295e-06 up in ASC
24	<b>TNFAIP6</b>	-1.91547785714286	0.0027659270565856 up in ASC
25	<b>IFIT1</b>	-1.901135	6.02241078396148e-07 up in ASC
26	<b>F2R</b>	-1.87842142857143	7.05854557149622e-05 up in ASC
27	<b>TEK</b>	-1.86582285714286	3.33524831905485e-06 up in ASC
28	<b>PTPRD</b>	-1.85494357142857	3.29051970739611e-05 up in ASC
29	<b>SCARA5</b>	-1.85043285714286	0.0186622970935895 up in ASC
30	<b>POSTN</b>	-1.84631285714286	0.00030668789310526 up in ASC
31	<b>RHOJ</b>	-1.844265	2.88601813824584e-06 up in ASC
32	<b>ZIC1</b>	-1.84351928571429	1.33842155925639e-06 up in ASC
33	<b>ATF5</b>	-1.83963214285714	0.000297753612062491 up in ASC
34	<b>ACSL5</b>	-1.83381142857143	1.00514292945606e-06 up in ASC
35	<b>COL15A1</b>	-1.82358785714286	0.00107344142801358 up in ASC
36	<b>FIGF</b>	-1.82035214285714	0.00201474203275271 up in ASC
37	<b>CXCL2</b>	-1.80986071428572	0.000251960328806198 up in ASC
38	<b>ICAM1</b>	-1.80035857142857	5.9803806225385e-06 up in ASC
39	<b>PKDCC</b>	-1.79568571428572	1.54763428467267e-06 up in ASC
40	<b>CTSK</b>	-1.79133571428571	0.0189532306699643 up in ASC
41	<b>IFIT2</b>	-1.77792857142857	4.6886286214047e-07 up in ASC
42	<b>PCOLCE2</b>	-1.76440714285714	2.66848642741027e-05 up in ASC
43	<b>EPHA4</b>	-1.75133214285714	3.07913461936299e-06 up in ASC
44	<b>HSPB6</b>	-1.74759357142857	2.88601813824584e-06 up in ASC
45	<b>PAMR1</b>	-1.74615357142857	0.000124553321842221 up in ASC
46	<b>NCALD</b>	-1.74206142857143	5.4824453937803e-07 up in ASC
47	<b>LRRN4CL</b>	-1.72323428571429	0.00225333626801982 up in ASC
48	<b>ITGA4</b>	-1.71371	1.87619924774387e-05 up in ASC
49	<b>ASPA</b>	-1.70771785714286	0.000785561269799801 up in ASC
50	<b>ACVRL1</b>	-1.69122642857143	1.31546824288047e-07 up in ASC
51	<b>PTGIS</b>	-1.68928214285714	6.76958788516782e-05 up in ASC
52	<b>LIPA</b>	-1.68868142857143	4.80744331380847e-10 up in ASC
53	<b>RGS2</b>	-1.684525	2.86323135544697e-05 up in ASC
54	<b>SEMA3A</b>	-1.66923285714286	0.000134780409366874 up in ASC
55	<b>CDON</b>	-1.66421357142857	0.00467506230354824 up in ASC
56	<b>ARHGAP26</b>	-1.65325142857143	2.97377242759402e-05 up in ASC
57	<b>GPX3</b>	-1.64621571428571	0.00209003357551985 up in ASC
58	<b>FGL2</b>	-1.64006	0.00235683796604514 up in ASC
59	<b>PBX1</b>	-1.62944642857143	2.92384956030814e-07 up in ASC

		BMMSC_ASC	
1	<b>LOC339524</b>	-1.62433642857143	0.000391720034173944
2	<b>PSG5</b>	-1.61398142857143	0.00300644751152753
3	<b>GFPT2</b>	-1.61295928571429	1.56265247396999e-05
4	<b>C2</b>	-1.58976428571429	0.000137700255618607
5	<b>SMPDL3A</b>	-1.58728785714286	2.79970809065727e-05
6	<b>FLRT2</b>	-1.58281928571429	0.00030668789310526
7	<b>TENM3</b>	-1.58228428571429	9.98464834618136e-06
8	<b>HTRA3</b>	-1.57382357142857	0.000316448168010351
9	<b>PEG10</b>	-1.56203571428572	9.84604015356814e-05
10	<b>GIPC2</b>	-1.54454142857143	1.05626099810779e-06
11	<b>KIAA1549L</b>	-1.53977071428572	2.05009365053441e-07
12	<b>ZFPM2</b>	-1.52431357142857	8.1665966516004e-08
13	<b>ARHGAP20</b>	-1.52078642857143	7.76225492495605e-05
14	<b>ANGPTL2</b>	-1.51916642857143	0.00341821176148763
15	<b>ARHGAP29</b>	-1.51498142857143	1.17618277387232e-05
16	<b>SPON1</b>	-1.50645142857143	0.000767298838210192
17	<b>CELF2</b>	-1.50124857142857	6.35123331690089e-06
18	<b>EVI2B</b>	-1.484125	0.0143901032983557
19	<b>VEPH1</b>	-1.4835	0.000166982573691603
20	<b>PCBP3</b>	-1.47792428571429	3.47999629393266e-05
21	<b>IFIT3</b>	-1.47732928571429	1.33842155925639e-06
22	<b>DNM1</b>	-1.47236714285714	0.000158201606827228
23	<b>TCF4</b>	-1.46823285714286	3.91386431324889e-06
24	<b>MEDAG</b>	-1.464005	6.65366196341341e-06
25	<b>ADAMTS15</b>	-1.46199928571429	0.00304439256689202
26	<b>TRH</b>	-1.46115642857143	0.023030330812122
27	<b>KLF4</b>	-1.45841214285714	3.32416849762155e-05
28	<b>SECTM1</b>	-1.44671857142857	0.00209213005562063
29	<b>MGST1</b>	-1.43439928571429	8.42201919563482e-07
30	<b>SLC9A9</b>	-1.42685785714286	0.00444858805578067
31	<b>TFPI2</b>	-1.42205357142857	0.0168593936925093
32	<b>LRRC32</b>	-1.42012357142857	3.64201970780097e-05
33	<b>CCND2</b>	-1.41416571428571	0.000420799761546126
34	<b>MXRA5</b>	-1.40950357142857	0.00120193423648645
35	<b>MARCH3</b>	-1.40412285714286	2.12851047678775e-05
36	<b>AHNAK2</b>	-1.39889214285714	0.000310668234846609
37	<b>SFRP4</b>	-1.38748428571429	0.0225320484785374
38	<b>CLEC2B</b>	-1.38481357142857	6.56101249621041e-06
39	<b>F10</b>	-1.38451857142857	2.55594421981416e-05
40	<b>PODN</b>	-1.38393	0.00337126544826341
41	<b>CXCL1</b>	-1.37765357142857	0.000802193688014944
42	<b>PLIN2</b>	-1.37593357142857	1.17797632235701e-05
43	<b>ID2</b>	-1.37419214285714	0.000183680377673424
44	<b>THBD</b>	-1.36934071428571	0.000159906358442312
45	<b>CLU</b>	-1.36279	0.0175734059366226
46	<b>OSBPL8</b>	-1.35395857142857	3.80858413188587e-06
47	<b>NFIA</b>	-1.35223142857143	1.81278949263881e-07
48	<b>GRK5</b>	-1.34969285714286	3.53951702319286e-05
49	<b>FAM65B</b>	-1.34871071428571	6.95966055199295e-06
50	<b>KCNK2</b>	-1.34283142857143	0.000852881322897029
51	<b>GALNT13</b>	-1.33216642857143	0.00111449894692863
52	<b>SRPX</b>	-1.32827428571429	0.00463350202833022
53	<b>PRICKLE2</b>	-1.32824357142857	2.11721681581043e-05
54	<b>MAPK13</b>	-1.32702642857143	2.61789704482416e-05
55	<b>RARRES2</b>	-1.32418	0.000895373294033379
56	<b>COLEC12</b>	-1.32155071428571	0.0200164526282781

1		BMMSC_ASC	
2			
3	<b>DEPTOR</b>	-1.32026714285714	0.00429349876065289
4	<b>FZD4</b>	-1.31703928571429	3.796963591276e-06
5	<b>AK5</b>	-1.31637285714286	0.000338524550853082
6	<b>TMTC2</b>	-1.31420357142857	1.33842155925639e-06
7	<b>RRAD</b>	-1.31402214285714	0.00411497153405644
8	<b>MOCOS</b>	-1.31183	0.00158976457051268
9	<b>LACC1</b>	-1.30328428571429	0.00636863920011217
10	<b>CLIC2</b>	-1.30238928571429	0.00576026679966089
11	<b>TRIM2</b>	-1.29363928571429	4.25347650122244e-07
12	<b>GPC6</b>	-1.29324571428571	0.00508142877612552
13	<b>ARHGAP24</b>	-1.29259428571429	4.44052009987685e-06
14	<b>EGFL6</b>	-1.28036642857143	0.0129923696546639
15	<b>ROR2</b>	-1.27628285714286	0.00110238536779823
16	<b>AMPD3</b>	-1.27544357142857	6.31158950324403e-05
17	<b>CFD</b>	-1.275355	0.0119529190824003
18	<b>MX2</b>	-1.27440357142857	0.000698056075478424
19	<b>CAMK2N1</b>	-1.27436714285714	0.000150652042610323
20	<b>SCG5</b>	-1.26718642857143	4.2794887985272e-06
21	<b>LOC645166</b>	-1.25779928571429	0.00360745255372438
22	<b>C3orf55</b>	-1.25538357142857	9.64780694930967e-06
23	<b>SERPINF1</b>	-1.24908142857143	0.00382782446731462
24	<b>ANGPTL1</b>	-1.23418214285714	6.06209050171406e-06
25	<b>FBLN5</b>	-1.23321142857143	5.47960662067932e-06
26	<b>AOX1</b>	-1.22856428571429	0.00263911930251506
27	<b>COMP</b>	-1.22608	0.0141486015383082
28	<b>AKR1C2</b>	-1.22188857142857	0.00904377516591698
29	<b>TBX15</b>	-1.21733071428571	5.27815346972667e-05
30	<b>NAMPT</b>	-1.207455	3.35911866897314e-05
31	<b>GAST</b>	-1.20567428571429	2.08176589790215e-06
32	<b>NPAS2</b>	-1.20261928571429	9.84604015356814e-05
33	<b>GEM</b>	-1.20101357142857	0.0157817924522544
34	<b>PTGFR</b>	-1.19577071428572	0.00212117150073337
35	<b>IER2</b>	-1.19513571428571	1.75506349745616e-06
36	<b>F2RL2</b>	-1.193875	0.0356790500107969
37	<b>IL1R1</b>	-1.18695071428571	0.0015306603301956
38	<b>THR8</b>	-1.18645571428571	3.9636765605298e-06
39	<b>SVEP1</b>	-1.18337142857143	8.43676532030909e-05
40	<b>MIR503HG</b>	-1.17227357142857	0.00135558724071762
41	<b>PSG7</b>	-1.17137571428572	0.00173338884031492
42	<b>C15orf61</b>	-1.16708857142857	5.71641243781892e-05
43	<b>RASSF2</b>	-1.16608928571429	0.000608300216502543
44	<b>INMT</b>	-1.16605785714286	2.44423017385249e-05
45	<b>MANBA</b>	-1.16306071428572	6.80203539321826e-05
46	<b>RUNX1T1</b>	-1.15477357142857	5.74478450390971e-07
47	<b>PLAGL1</b>	-1.14891214285714	7.06674371309446e-07
48	<b>NFKBIA</b>	-1.14818928571429	0.001742920808594
49	<b>TMEM204</b>	-1.14308	1.8894135359589e-06
50	<b>TMEM45A</b>	-1.14005928571429	0.000135218031091024
51	<b>MEIS2</b>	-1.13789642857143	1.00682781892392e-05
52	<b>ENOX1</b>	-1.137465	3.80858413188587e-06
53	<b>OSR1</b>	-1.13548	0.00241997927228252
54	<b>SLC2A5</b>	-1.13180071428572	0.0169597720229562
55	<b>HES1</b>	-1.13136857142857	0.00713826341207731
56	<b>PIP4K2A</b>	-1.13095357142857	2.67978378583122e-06
57	<b>FAM102B</b>	-1.13091285714286	0.00111769731971507
58	<b>FMO1</b>	-1.12941642857143	0.00371307856752801
59			up in ASC
60			

1			
2			
3		BMMSC_ASC	
4	<b>RGCC</b>	-1.12515142857143	0.00419533479888641
5	<b>SIM1</b>	-1.11521142857143	1.77180881571643e-05
6	<b>LMO3</b>	-1.11031214285714	0.000485884284810957
7	<b>BMPER</b>	-1.10576214285714	0.000866190470747666
8	<b>NFIB</b>	-1.10122642857143	1.68171082946714e-05
9	<b>MSC</b>	-1.09927357142857	0.00121651658037076
10	<b>ALDH1A3</b>	-1.09628071428571	0.00139636960677253
11	<b>PROCR</b>	-1.09604928571429	0.000357804537994485
12	<b>NHSL1</b>	-1.09603785714286	4.44052009987685e-06
13	<b>BEX4</b>	-1.09491928571429	4.19788179757301e-05
14	<b>ZFP36</b>	-1.09331642857143	0.000683725904637757
15	<b>SASH1</b>	-1.086715	4.74076823567839e-05
16	<b>PLTP</b>	-1.08029	0.0226853006335641
17	<b>GCH1</b>	-1.07657571428571	1.90974235155188e-05
18	<b>ELFN1</b>	-1.07568857142857	0.0027550643934945
19	<b>PIK3IP1</b>	-1.07495214285714	0.00135667504797265
20	<b>SNORA28</b>	-1.07391785714286	0.00388133684981159
21	<b>XG</b>	-1.07342	4.46711794036344e-05
22	<b>HS3ST3B1</b>	-1.06624571428571	0.000485884284810957
23	<b>MYH2</b>	-1.06468	0.00440697293341994
24	<b>TMEM154</b>	-1.05942785714286	9.87566057255049e-05
25	<b>FAIM2</b>	-1.05938785714286	0.00284463316885691
26	<b>SBSN</b>	-1.05538785714286	0.0127986526252902
27	<b>L3MBTL3</b>	-1.05494571428571	7.82592542956559e-06
28	<b>ADA</b>	-1.05387142857143	0.000118029239081963
29	<b>MYC</b>	-1.05103357142857	7.75696584646664e-05
30	<b>LPXN</b>	-1.04811785714286	0.00122609709067739
31	<b>SLC24A6</b>	-1.04281571428571	6.79684602311985e-06
32	<b>SOD3</b>	-1.04280714285714	3.26674233006005e-05
33	<b>TLE1</b>	-1.03763785714286	3.88859486398234e-05
34	<b>LAMA4</b>	-1.03398714285714	0.00325694578976244
35	<b>PRR15</b>	-1.03013071428571	0.000301531013463812
36	<b>ETS2</b>	-1.02898214285714	2.55594421981416e-05
37	<b>MFAP5</b>	-1.0253	0.000154319142814572
38	<b>TRIM25</b>	-1.02495571428571	5.47960662067932e-06
39	<b>PTGFRN</b>	-1.02395142857143	0.000889992470573248
40	<b>DIRC1</b>	-1.01967071428572	0.00282330774672993
41	<b>GADD45B</b>	-1.015865	0.00121651658037076
42	<b>SFRP1</b>	-1.010615	0.0282146185132338
43	<b>SNORD113</b>	-1.01042285714286	0.000137459691744442
44	<b>DES</b>	-1.01016357142857	0.0254621695276201
45	<b>JUNB</b>	-1.01014642857143	0.000625487566427813
46	<b>REV3L</b>	-1.00990142857143	0.000104263170701882
47	<b>SRGAP1</b>	-1.005335	1.15138592609975e-07
48	<b>SOCS3</b>	-1.00406071428571	0.00429919629650449
49	<b>PHF17</b>	-1.00386357142857	0.000229204648061181
50	<b>SPOCK1</b>	-0.999282142857144	5.27815346972667e-05
51	<b>LDLR</b>	-0.993447857142858	0.00288501234358149
52	<b>INSIG1</b>	-0.990853571428573	0.00432142473979418
53	<b>GLI3</b>	-0.985524285714287	0.00375453468492691
54	<b>KLF3</b>	-0.974468571428572	6.35123331690089e-06
55	<b>CD34</b>	-0.971577142857143	0.0240334277837186
56	<b>SIRPA</b>	-0.96962642857143	1.44727324428933e-05
57	<b>CLGN</b>	-0.966683571428572	0.000492165099917803
58	<b>ROBO1</b>	-0.965389285714287	0.000111267602501226
59	<b>CYB5A</b>	-0.9566300000000001	0.000377186981080561

1			
2			
3		BMMSC_ASC	
4	<b>SGK1</b>	-0.9543400000000001	0.0084239290349614
5	<b>MAP3K8</b>	-0.947565	0.00013654502941457
6	<b>NDFIP2</b>	-0.936962142857144	9.64780694930967e-06
7	<b>GPC3</b>	-0.935747857142858	0.00418763717628713
8	<b>FAM20A</b>	-0.934345714285715	0.00390993756376946
9	<b>CTSL1</b>	-0.931207142857144	0.00206177535811103
10	<b>BCHE</b>	-0.93097	0.00473740453377519
11	<b>ADCY3</b>	-0.929613571428573	0.00278263550999211
12	<b>SH2D4A</b>	-0.927810714285715	0.00107801728742291
13	<b>TMEM88</b>	-0.927721428571428	0.000390529970720185
14	<b>ARHGEF3</b>	-0.926652857142857	0.0350111233512884
15	<b>SGCE</b>	-0.926214285714286	3.22349412313321e-05
16	<b>ADAM10</b>	-0.923468571428573	2.65168638048625e-05
17	<b>NID1</b>	-0.918957142857143	0.000170814122408773
18	<b>C1S</b>	-0.918635714285715	0.00465826723231851
19	<b>OTUD1</b>	-0.918528571428572	0.000257715381029091
20	<b>CDC42EP2</b>	-0.916729285714286	4.55247073535214e-05
21	<b>RECK</b>	-0.916612857142858	3.98217501371235e-07
22	<b>ITM2A</b>	-0.916428571428572	0.00415687081597606
23	<b>GUCY1A2</b>	-0.91572	0.00458966500417532
24	<b>PLCL2</b>	-0.914480000000001	4.91862480103249e-05
25	<b>PCDH18</b>	-0.912065714285716	0.00278105558784855
26	<b>KIAA1467</b>	-0.91032	2.97237266610654e-05
27	<b>CXCR7</b>	-0.908408571428572	0.000347012161417609
28	<b>ZEB1</b>	-0.906569285714286	1.8380152091048e-05
29	<b>ST3GAL5</b>	-0.906432142857144	0.00049745386951473
30	<b>DAAM1</b>	-0.906320714285715	2.61789704482416e-05
31	<b>KPNA2</b>	-0.905060000000001	0.00273237578664008
32	<b>ECM1</b>	-0.899725714285715	0.000168298464484601
33	<b>SAT1</b>	-0.898322857142858	1.79799737053389e-05
34	<b>IFI27</b>	-0.894330714285716	0.00829206582493307
35	<b>CLEC14A</b>	-0.890364285714286	0.00847103659450832
36	<b>HOXC8</b>	-0.889992857142858	0.000440528346536435
37	<b>JAK1</b>	-0.889912142857144	1.16758851055226e-06
38	<b>SLC43A3</b>	-0.883415714285715	0.00644683994043272
39	<b>KIT</b>	-0.882863571428572	0.00135558724071762
40	<b>MIR24-2</b>	-0.881687857142857	0.0101794499031067
41	<b>TCF7L2</b>	-0.876175714285716	2.75921547795808e-05
42	<b>CARHSP1</b>	-0.874939285714286	0.000106877560351733
43	<b>SPHK1</b>	-0.873981428571429	0.00414769256749449
44	<b>CYP19A1</b>	-0.873141428571429	0.00279324216576266
45	<b>NPR1</b>	-0.870380714285715	0.000461789159245446
46	<b>ANPEP</b>	-0.866792857142857	0.000151199374564883
47	<b>USP53</b>	-0.865159285714287	0.0425569918211469
48	<b>CNKS2R2</b>	-0.864987142857144	0.000339703441639803
49	<b>MSMO1</b>	-0.864757142857144	0.000479149725060495
50	<b>ATF3</b>	-0.863776428571429	0.000434196843099853
51	<b>TMTC1</b>	-0.859984285714285	0.0036679769691224
52	<b>SLC38A1</b>	-0.859203571428573	0.0270101981357826
53	<b>CCDC51</b>	-0.859092857142858	0.000517565035325577
54	<b>COL3A1</b>	-0.858592857142858	1.61780393520458e-05
55	<b>ZC3H12A</b>	-0.855157857142858	0.00231335735480305
56	<b>PPAPDC1A</b>	-0.854443571428571	0.0381024121156307
57	<b>FIBIN</b>	-0.849595000000001	0.00344008470852958
58	<b>MYH10</b>	-0.846805000000001	0.0160372528643194
59	<b>CTSH</b>	-0.842566428571428	0.0106333151746371

1			BMMSC_ASC
2			
3	<b>DFNA5</b>	-0.842207857142858	0.00444913155171649
4	<b>SNORD114</b>	-0.836414285714286	5.71641243781892e-05
5	<b>SH3D19</b>	-0.835042142857144	1.0458338387964e-05
6	<b>FMOD</b>	-0.833417857142858	0.0018188763886145
7	<b>KRT8</b>	-0.833065714285714	0.0335262458182951
8	<b>KCND3</b>	-0.829983571428572	0.00178907206009697
9	<b>PRRX1</b>	-0.82925	0.000382218083776076
10	<b>PLA2G5</b>	-0.828751428571429	0.0145561484496372
11	<b>EMX2</b>	-0.826877857142857	2.32492601502069e-05
12	<b>AASS</b>	-0.8231900000000001	3.23813628673418e-06
13	<b>HSD17B14</b>	-0.8217150000000001	0.000193274448452493
14	<b>PTPRB</b>	-0.821146428571429	0.0283039078510412
15	<b>KLHL2</b>	-0.819451428571429	0.000205620485214877
16	<b>TSPAN5</b>	-0.818452142857143	0.00114286734964582
17	<b>GFRA1</b>	-0.816273571428573	0.0407165300005877
18	<b>NFKBIZ</b>	-0.814296428571428	0.00107344142801358
19	<b>PRDM1</b>	-0.813992142857143	0.00495549178883003
20	<b>SLC27A3</b>	-0.813442857142858	0.00963214385229256
21	<b>ADRA2A</b>	-0.810297857142857	3.29051970739611e-05
22	<b>IGSF10</b>	-0.807753571428572	0.0099403412718357
23	<b>APOL3</b>	-0.807668571428572	0.00664101947815907
24	<b>ADAM12</b>	-0.806783571428571	0.00122798608706184
25	<b>ZNF436</b>	-0.805299285714287	0.0441171029905364
26	<b>FAM198B</b>	-0.803661428571428	0.000158201606827228
27	<b>FOXN3</b>	-0.799961428571429	0.000137459691744442
28	<b>ADH1C</b>	-0.798897142857144	0.00833252706928246
29	<b>CCDC69</b>	-0.793531428571429	0.0304518424229819
30	<b>PERP</b>	-0.792833571428572	0.000616003340334583
31	<b>LSAMP</b>	-0.789148571428572	0.0289402583280397
32	<b>IPO5</b>	-0.789137857142858	1.41596952745788e-05
33	<b>PHACTR2</b>	-0.786019285714286	2.86048590483382e-05
34	<b>FAM101B</b>	-0.7835650000000001	0.0225675315918725
35	<b>VAT1</b>	-0.7827950000000001	1.68710413163349e-06
36	<b>C11orf96</b>	-0.782291428571429	0.00367024510184901
37	<b>HSD3B7</b>	-0.782177142857144	9.25845776300144e-05
38	<b>BHMT2</b>	-0.781144285714285	0.000362235997173565
39	<b>SKP2</b>	-0.780715	0.000143034483437358
40	<b>SCRN1</b>	-0.780112857142859	1.18281486234288e-05
41	<b>HSPB8</b>	-0.7771200000000001	0.000484989746379345
42	<b>TRANK1</b>	-0.775358571428572	0.00391376164621777
43	<b>FUT8</b>	-0.774903571428572	7.19411261139464e-05
44	<b>SERPING1</b>	-0.774674285714287	0.033526031831002
45	<b>NMI</b>	-0.773333571428572	0.000175913033770113
46	<b>PNRC1</b>	-0.772888571428572	0.00113599885890731
47	<b>IER3</b>	-0.771386428571428	0.0103151475376783
48	<b>ABHD4</b>	-0.766545	0.00197130175459773
49	<b>PSMG3</b>	-0.765033571428572	7.23354355064945e-05
50	<b>MCL1</b>	-0.762521428571429	7.21040666792476e-05
51	<b>DRAM1</b>	-0.761510714285715	0.00458966500417532
52	<b>APOL1</b>	-0.761117142857143	0.016842276104443
53	<b>ADH1A</b>	-0.756088571428571	0.0256703975488116
54	<b>RARRES1</b>	-0.756040714285715	0.00774553968400783
55	<b>XPC</b>	-0.754557142857143	0.000113288397327595
56	<b>STARD4</b>	-0.753906428571429	0.00224721823904455
57	<b>CACNB4</b>	-0.752360714285715	0.00326969738670461
58	<b>HMOX1</b>	-0.749974285714286	0.0026897427596087

1			
2			
3		BMMSC_ASC	
4	<b>CSF1</b>	-0.748986428571429	0.0055798608551632
5	<b>PDE3A</b>	-0.748474285714286	0.000198044803490766
6	<b>COBLL1</b>	-0.746702857142858	0.00547559070139257
7	<b>CARD6</b>	-0.746403571428572	0.000235391093579411
8	<b>C1R</b>	-0.7456300000000002	0.0219111495572216
9	<b>AIF1L</b>	-0.744080714285714	0.0170718916416179
10	<b>TNNT3</b>	-0.739762857142858	0.00742677144156541
11	<b>BIN1</b>	-0.738621428571429	0.00066034755453085
12	<b>MBNL2</b>	-0.73739142857143	0.00010773540112537
13	<b>ADAMTSL4</b>	-0.737198571428571	0.0178736971169606
14	<b>MAN2A1</b>	-0.733675714285715	0.000114196972093364
15	<b>KLF11</b>	-0.733177142857143	0.00126843896241062
16	<b>BOC</b>	-0.731488571428572	0.00385847197066384
17	<b>LRCH2</b>	-0.727957857142858	0.000137459691744442
18	<b>FGF9</b>	-0.726094285714286	0.0101713139565908
19	<b>ELTD1</b>	-0.725905	0.0226465048823655
20	<b>CCNL1</b>	-0.725256428571429	0.00127966042212544
21	<b>MAP2K5</b>	-0.72512642857143	0.00254923272225159
22	<b>SNAI2</b>	-0.720611428571429	0.00161853131829757
23	<b>CDCA7L</b>	-0.718425714285715	0.00627749774439156
24	<b>ZHX2</b>	-0.716500000000001	0.000100181812338611
25	<b>MGLL</b>	-0.714730714285715	0.00162506331761174
26	<b>SSTR1</b>	-0.713652857142857	1.90974235155188e-05
27	<b>RBBP8</b>	-0.713322142857144	0.000398552874429969
28	<b>SH3PXD2A</b>	-0.711953571428572	0.00341821176148763
29	<b>ISLR</b>	-0.709980714285714	0.00121651658037076
30	<b>CHN1</b>	-0.709606428571428	0.00481750107259376
31	<b>EIF4A3</b>	-0.708889285714287	0.000190388144896192
32	<b>IFI16</b>	-0.708222142857144	0.0026897427596087
33	<b>BMP6</b>	-0.706452142857143	0.0122200870119739
34	<b>KCNJ15</b>	-0.705764285714285	0.000947318504779624
35	<b>SERPINB9</b>	-0.705062142857143	5.73797748218996e-06
36	<b>SFRP2</b>	-0.704841428571429	0.0229153745994362
37	<b>IRF1</b>	-0.703852142857143	0.00444444799464359
38	<b>EDA2R</b>	-0.703845714285715	0.0022568887228799
39	<b>SWAP70</b>	-0.702938571428572	2.86323135544697e-05
40	<b>C1QTNF1</b>	-0.700822857142858	2.26732653623845e-05
41	<b>TMEM97</b>	-0.698642142857143	0.000866726656201762
42	<b>FUCA2</b>	-0.698586428571429	0.000135574978448793
43	<b>ULBP1</b>	-0.698342142857143	0.00119030881716711
44	<b>CSTF2T</b>	-0.698306428571429	0.000307396048150495
45	<b>NRK</b>	-0.697354285714286	0.00909890616091105
46	<b>FADS1</b>	-0.696461428571429	0.00847950427380798
47	<b>CUTC</b>	-0.693000714285715	0.00175385002741226
48	<b>SLC35F2</b>	-0.692292142857143	0.020742290758758
49	<b>PGRMC2</b>	-0.690785000000001	1.42844158128008e-06
50	<b>FOSB</b>	-0.68824642857143	0.0238042470862579
51	<b>IGFBP3</b>	-0.687407142857145	0.00182136975168594
52	<b>HS3ST3A1</b>	-0.683715	0.00121651658037076
53	<b>DENND2A</b>	-0.683390714285715	0.00953178212004114
54	<b>ABCA1</b>	-0.683236428571429	0.0190782198252027
55	<b>PGM5P2</b>	-0.68304	0.00193780181337267
56	<b>RNF168</b>	-0.681337857142858	9.71537436461977e-05
57	<b>MBP</b>	-0.681227857142858	0.000186034753698367
58	<b>RMND5A</b>	-0.679972857142858	0.00219661985066172
59	<b>EPB41L4A-</b>	-0.678097857142857	0.00914340653538892

		BMMSC_ASC	
1	<b>MIR503</b>	-0.676767142857143	0.00445065210586196
2	<b>SYT15</b>	-0.676263571428572	0.0254701408836453
3	<b>GNG11</b>	-0.675125000000001	0.0121668122529901
4	<b>SOS1</b>	-0.673019285714286	0.00534505475016872
5	<b>MIR21</b>	-0.671251428571429	0.0153315316539811
6	<b>SEMA3C</b>	-0.670643571428572	0.012724010482248
7	<b>IL6ST</b>	-0.669120714285716	0.0298967636701939
8	<b>PTER</b>	-0.668640000000001	0.00305007878036109
9	<b>SLCO2A1</b>	-0.667917142857143	0.00265235114298247
10	<b>ANO4</b>	-0.667643571428572	0.00206294650374361
11	<b>NFIL3</b>	-0.667324285714287	0.00258353652704136
12	<b>HTR2B</b>	-0.667008571428572	0.00733970920405063
13	<b>TGFBR2</b>	-0.66458	0.00834921587139266
14	<b>TMEM119</b>	-0.662847857142858	0.0308293473074558
15	<b>SPRY2</b>	-0.661184285714286	0.0477565268886327
16	<b>PTK2B</b>	-0.661022142857143	0.0026897427596087
17	<b>YBX3</b>	-0.660727857142858	8.12262785939326e-05
18	<b>SDC1</b>	-0.660637857142857	0.00868503356742502
19	<b>PLK3</b>	-0.660484285714286	0.000192736413843794
20	<b>PMP22</b>	-0.659962142857144	0.00574989231827327
21	<b>SNORD30</b>	-0.658609285714286	0.00239804259397576
22	<b>ADH5</b>	-0.657465000000002	7.71101023418462e-05
23	<b>IL4R</b>	-0.656755714285714	0.000683628295080331
24	<b>FILIP1L</b>	-0.654342142857143	4.32180316997851e-05
25	<b>ACSL1</b>	-0.653098571428572	0.00320973736567577
26	<b>FAM3C</b>	-0.650892857142859	0.00165847608204676
27	<b>SNORD3B-</b>	-0.650120714285715	0.00260724588108077
28	<b>MAN1A1</b>	-0.648732857142857	0.00176912916974571
29	<b>GNPDA1</b>	-0.648415714285715	0.00342940930694623
30	<b>ZFP36L1</b>	-0.647085714285715	0.00998249132146325
31	<b>GLCE</b>	-0.646947142857143	0.00124487330440862
32	<b>SLC25A45</b>	-0.646781428571429	0.0275647181000382
33	<b>BNIP3</b>	-0.646628571428572	0.0152215581959305
34	<b>DEK</b>	-0.646510000000001	0.0102554241990857
35	<b>WDR34</b>	-0.646155714285715	0.00453813314828098
36	<b>CCNY</b>	-0.643145000000001	0.0226243234082296
37	<b>FAM216A</b>	-0.643108571428572	0.00271097638743778
38	<b>ABT2</b>	-0.642894285714286	0.00112782140679367
39	<b>IMP4</b>	-0.642878571428571	0.0119102758273784
40	<b>NPRL4</b>	-0.641799285714287	2.58951044866272e-05
41	<b>SLC2A11</b>	-0.641000000000001	0.00022257406508676
42	<b>MED7</b>	-0.638832857142858	0.000493132791570083
43	<b>RPS27A</b>	-0.636632142857143	0.000401215262982397
44	<b>SEMA3E</b>	-0.636332857142857	0.0189242747772483
45	<b>YTHDF4</b>	-0.636280714285715	1.47921786988246e-05
46	<b>NOC4L</b>	-0.635524285714286	0.00329942230646591
47	<b>EED</b>	-0.633875000000001	0.00833397013298927
48	<b>SLC29A4</b>	-0.632715714285715	0.000706609716370389
49	<b>SMARCD3</b>	-0.631077142857143	0.00971265142405427
50	<b>MAPK4</b>	-0.629994285714286	0.00453813314828098
51	<b>UNKL</b>	-0.629390714285715	0.000712469461069069
52	<b>CEP77</b>	-0.625836428571428	8.43138524229563e-05
53	<b>CDK8</b>	-0.625102142857143	0.0251152581801879
54	<b>OAZ2</b>	-0.625053571428572	0.00458966500417532
55	<b>GTF2H3</b>	-0.624985714285715	0.00656139667427301
56	<b>ERCC9</b>	-0.623535	6.65366196341341e-06

1			BMMSC_ASC	
2				
3	<b>PITPNA</b>	-0.622493571428572	0.0371694317178692	up in ASC
4	<b>C10orf91</b>	-0.622219285714286	0.0421078197890687	up in ASC
5	<b>TTC9</b>	-0.621470714285714	0.00121637028038571	up in ASC
6	<b>EMX2</b>	-0.620993571428571	0.0066501429333459	up in ASC
7	<b>RNA5SP37</b>	-0.620462142857144	0.0118843287264657	up in ASC
8	<b>RPL12P12</b>	-0.619923571428572	0.00010134584458299	up in ASC
9	<b>LSMT</b>	-0.619669285714287	3.80858413188587e-06	up in ASC
10	<b>COG3</b>	-0.617917142857143	0.00380342359620407	up in ASC
11	<b>RP11-112J1</b>	-0.617730714285716	0.00029974431835561	up in ASC
12	<b>SAMD4</b>	-0.61676	0.00127861369623913	up in ASC
13	<b>C1orf159</b>	-0.616699285714286	0.00674310652251098	up in ASC
14	<b>RPL7AP67</b>	-0.614457142857143	0.00200549129119987	up in ASC
15	<b>DHX9</b>	-0.611620714285715	0.00397479893872269	up in ASC
16	<b>RPP39</b>	-0.611410714285714	0.000126390753820724	up in ASC
17	<b>WIP13</b>	-0.609136428571429	0.00127966042212544	up in ASC
18	<b>oct-05</b>	-0.607883571428572	1.50700455805087e-05	up in ASC
19	<b>RIOK4</b>	-0.607607142857143	5.00329068023274e-05	up in ASC
20	<b>ESF2</b>	-0.606896428571429	0.0473181160510266	up in ASC
21	<b>ZNF599</b>	-0.6043400000000001	0.00432762178147008	up in ASC
22	<b>PSPC2</b>	-0.603501428571429	0.0324340741201738	up in ASC
23	<b>ABHD17C</b>	-0.603103571428572	2.41552719598921e-05	up in ASC
24	<b>HOXD11</b>	-0.602840714285715	0.000986064097921161	up in ASC
25	<b>BAG6</b>	-0.602364285714286	0.0425569918211469	up in ASC
26	<b>CBFA2T3</b>	-0.601194285714287	0.000537693698032812	up in ASC
27	<b>BUD32</b>	-0.600253571428572	0.00114286734964582	up in ASC
28	<b>RPF3</b>	-0.599535	0.000434196843099853	up in ASC
29	<b>LIMS2</b>	-0.598173571428572	0.00636863920011217	up in ASC
30	<b>UBA53</b>	-0.598017142857144	0.00198797649424914	up in ASC
31	<b>ARHGAP18</b>	-0.594673571428572	0.00100097480294896	up in ASC
32	<b>CCNK</b>	-0.594211428571429	0.00121651658037076	up in ASC
33	<b>PAPOLA</b>	-0.592312857142856	0.0181986929230837	up in ASC
34	<b>USP37</b>	-0.592254285714287	0.0300970570803012	up in ASC
35	<b>WNT5</b>	-0.591270714285715	0.0170718916416179	up in ASC
36	<b>NSUN5P3</b>	-0.5902900000000001	0.00320666203761047	up in ASC
37	<b>USP33</b>	-0.589946428571429	0.0173734589062516	up in ASC
38	<b>RPL9</b>	-0.589636428571429	0.00198472866954807	up in ASC
39	<b>TRMT6</b>	-0.589027142857144	0.000852881322897029	up in ASC
40	<b>BRD3</b>	-0.588542142857144	0.0013504137111674	up in ASC
41	<b>TXNRD4</b>	-0.587065	0.000224925277590328	up in ASC
42	<b>RNA5SP49</b>	-0.586914285714286	0.0201686302019454	up in ASC
43	<b>MOB1A</b>	-0.586892857142857	7.96948346358303e-05	up in ASC
44	<b>DACT4</b>	-0.5867250000000001	0.00192913293536683	up in ASC
45	<b>PON4</b>	-0.585823571428572	0.000133872005032341	up in ASC
46	<b>ZMYM5</b>	-0.585621428571429	0.000328671235743391	up in ASC
47	<b>RRP2</b>	-0.584753571428571	0.00100317948242807	up in ASC
48	<b>TMEM70</b>	-0.583385714285715	0.00458966500417532	up in ASC
49	<b>AK4</b>	-0.5830300000000001	0.0249708780555469	up in ASC
50	<b>CCL12</b>	-0.582463571428572	0.0274467060919603	up in ASC
51	<b>TRPV4</b>	-0.581207142857145	0.000684901173382374	up in ASC
52	<b>EFCAB15</b>	-0.580117857142857	0.000641796777170839	up in ASC
53	<b>GBP5</b>	-0.579850714285714	0.0078456540691582	up in ASC
54	<b>LOC388693</b>	-0.578826428571429	0.000167076087202395	up in ASC
55	<b>ENGASE</b>	-0.578353571428572	0.000540783729089533	up in ASC
56	<b>HSPE2</b>	-0.577522142857143	0.0104510067619933	up in ASC
57	<b>SLC25A47</b>	-0.574206428571429	0.000357804537994485	up in ASC
58	<b>KAT6</b>	-0.573688571428573	0.00260998610674053	up in ASC

1			BMMSC_ASC
2			
3	<b>ANGEL3</b>	-0.573343571428573	0.00171961172294284
4	<b>RAB7A</b>	-0.5726900000000001	0.0152215581959305
5	<b>RPS15</b>	-0.570753571428572	0.00146903392147145
6	<b>METTL21C</b>	-0.569757142857144	0.000195640920997823
7	<b>ZNF8</b>	-0.569755714285714	0.0054121208157348
8	<b>B3GNT9</b>	-0.569240714285715	0.00110556736160901
9	<b>MON3</b>	-0.568297142857143	0.0089847717365267
10	<b>RGPD12</b>	-0.567957142857144	0.00246909560662667
11	<b>RGPD10</b>	-0.566076428571428	0.000696293932645706
12	<b>SF3B2</b>	-0.565712142857144	0.00237982687485825
13	<b>RPS4X</b>	-0.565353571428572	0.000148219087712147
14	<b>RPL25</b>	-0.564825714285715	7.96395294262589e-05
15	<b>RGPD6</b>	-0.564100714285715	0.000866614627279061
16	<b>RTL2</b>	-0.562857857142858	0.005663846023241
17	<b>HTR7P2</b>	-0.562668571428572	1.18281486234288e-05
18	<b>CCAR2</b>	-0.562367142857142	0.00121651658037076
19	<b>GRTP2</b>	-0.561792142857144	0.00128194857388494
20	<b>TMEM231</b>	-0.561383571428572	0.000388447707724664
21	<b>PLA2G1B</b>	-0.560844285714286	0.0115529952096526
22	<b>FAM71E3</b>	-0.559697142857143	0.000260629310071654
23	<b>RPL37AP9</b>	-0.559003571428572	8.28628166082901e-05
24	<b>MTX2</b>	-0.55687	0.0245989195234138
25	<b>RPL15</b>	-0.556823571428573	0.00158298705327752
26	<b>TMEM249</b>	-0.556449285714287	0.00297131719118137
27	<b>ITGA10</b>	-0.555223571428572	0.00545833495491513
28	<b>RPL7</b>	-0.553547857142857	0.00774553968400783
29	<b>RPS14P4</b>	-0.553122142857143	0.00327498536463103
30	<b>ZIC5</b>	-0.553010714285714	0.0103816179616917
31	<b>FRMPD2</b>	-0.552523571428572	0.00337542145080027
32	<b>ZNF17</b>	-0.552249285714287	0.00188922248544383
33	<b>EEF1G</b>	-0.552130000000001	0.00167730973928547
34	<b>YBX2</b>	-0.551634285714287	2.73819461657227e-06
35	<b>ZBTB48</b>	-0.551186428571429	0.00765506062046628
36	<b>IL28</b>	-0.550059285714287	0.00112763725547581
37	<b>KCNQ4</b>	-0.549326428571429	5.2852660272206e-05
38	<b>MNX2</b>	-0.548979285714287	0.00276739694267737
39	<b>CARD9</b>	-0.54851	0.037411357395803
40	<b>VANGL2</b>	-0.548004285714286	0.00201129097251646
41	<b>GAK</b>	-0.547811428571429	0.00196831997389207
42	<b>MIR99A</b>	-0.547565	0.00804802120719685
43	<b>PRPH3</b>	-0.547491428571428	0.00119011919438459
44	<b>RPL13A</b>	-0.546657857142858	5.00329068023274e-05
45	<b>NUPR1L</b>	-0.54662	0.00273044091138283
46	<b>OGFR</b>	-0.544569285714287	0.00148360270464355
47	<b>RPL35A</b>	-0.544516428571429	0.0138215139618864
48	<b>GFOD2</b>	-0.544461428571429	0.0095773319593475
49	<b>NECAB3</b>	-0.543871428571429	0.00418763717628713
50	<b>CISH</b>	-0.543585714285715	0.0112309486009592
51	<b>THOC3</b>	-0.543221428571429	0.00207800466691073
52	<b>HOXD4</b>	-0.542565714285715	0.000434196843099851
53	<b>RPS26</b>	-0.542364285714287	0.0188060552186376
54	<b>RTN2</b>	-0.542320714285715	0.00201474203275271
55	<b>GLIS3-AS2</b>	-0.539802857142857	0.00122532249927663
56	<b>RNF126</b>	-0.539383571428572	0.0047090882666233
57	<b>PTRH3</b>	-0.538775000000001	0.0317203754335784
58	<b>TMEM184A</b>	-0.538775	0.0042167576757356
59			up in ASC
60			

1			
2	BMMSC_ASC		
3	<b>FLJ41734</b>	-0.537518571428572	0.00409937974062103
4	<b>CCL26</b>	-0.537438571428572	0.0128976396194731
5	<b>CDH10</b>	-0.537412857142857	0.0259613146347305
6	<b>DNM3OS</b>	-0.537372857142858	0.0211957074150466
7	<b>MGST2</b>	-0.536786428571429	0.00833397013298927
8	<b>TNFAIP2</b>	-0.536719285714286	0.0232131959101442
9	<b>BDKRB2</b>	-0.536522142857144	0.0356367560811707
10	<b>SNX5</b>	-0.536148571428572	0.000516932687560987
11	<b>FAM20B</b>	-0.535906428571429	0.00117366232408914
12	<b>RIN3</b>	-0.535418571428571	0.000465827420958766
13	<b>DAB2</b>	-0.534364285714286	0.000663217402820691
14	<b>C15orf41</b>	-0.533490000000001	0.000698412833708087
15	<b>SREBF1</b>	-0.53296142857143	4.8365780991385e-05
16	<b>SDPR</b>	-0.531912857142858	0.00284463316885691
17	<b>BCAT1</b>	-0.530595714285716	0.00203978466148026
18	<b>CD248</b>	-0.529127857142858	0.0264690233163255
19	<b>SFT2D2</b>	-0.527933571428572	0.000116005212100215
20	<b>TCEAL7</b>	-0.526655	0.000193274448452493
21	<b>RPL13</b>	-0.526186428571428	0.0097646876917619
22	<b>SAMD4B</b>	-0.526047142857143	0.000162698868049197
23	<b>RPL22L1</b>	-0.52561	0.00608349874218169
24	<b>TP53INP1</b>	-0.524402142857144	0.0487565358120482
25	<b>RNF122</b>	-0.524199285714286	0.0315009370033968
26	<b>CREG1</b>	-0.523721428571429	0.0406743072234904
27	<b>CD302</b>	-0.522605	0.034683554558478
28	<b>CYB5R2</b>	-0.521252857142858	0.00408502006672916
29	<b>SNORD60</b>	-0.517368571428572	0.0037259214163808
30	<b>SNX33</b>	-0.516493571428572	0.00100097480294896
31	<b>HOXA11</b>	-0.515203571428572	0.000302047626783463
32	<b>RASSF8</b>	-0.514973571428571	0.000223836070752165
33	<b>CXCL6</b>	-0.514919285714286	0.0310689900372974
34	<b>C7orf41</b>	-0.514915714285714	0.00418763717628713
35	<b>MN1</b>	-0.514718571428572	1.82364780542637e-05
36	<b>FRRS1</b>	-0.514475714285714	0.0323920631753154
37	<b>ADH5P4</b>	-0.513829285714286	9.0299566556475e-05
38	<b>GLUL</b>	-0.513261428571429	0.00284468739042783
39	<b>SNORA52</b>	-0.512692857142858	0.000826577038190874
40	<b>C6orf48</b>	-0.512459285714287	0.0117402303408192
41	<b>NDST2</b>	-0.512014999999999	0.00403087420565018
42	<b>IQCK</b>	-0.512007142857143	0.00199902825020069
43	<b>TMEM135</b>	-0.511853571428572	0.0111479753331791
44	<b>H1FX</b>	-0.511752142857143	0.00210158707798652
45	<b>PTGIR</b>	-0.511645714285716	0.0361392949730698
46	<b>PPP5C</b>	-0.511526428571428	0.000235391093579411
47	<b>RPL3</b>	-0.510951428571429	0.00237149082293455
48	<b>HIST1H1D</b>	-0.510889285714286	0.000810109568073059
49	<b>EEF1A1</b>	-0.5106	0.00112782140679367
50	<b>NHEJ1</b>	-0.509913571428571	0.000619594539280747
51	<b>SNORA71A</b>	-0.509742857142857	0.00758110565304133
52	<b>KLHL15</b>	-0.508815714285715	0.0109870694006908
53	<b>GCLM</b>	-0.506892142857144	0.00518580467067252
54	<b>GYPE</b>	-0.506640000000001	0.000440528346536435
55	<b>SLC50A1</b>	-0.506549285714287	3.56187134101598e-05
56	<b>SNORD78</b>	-0.506409285714286	0.0157720763369693
57	<b>MOSPD1</b>	-0.505337857142858	0.00567108851080292
58	<b>HOXC10</b>	-0.50512	0.0211530546534399

1			BMMSC_ASC
2			
3	<b>TIMP2</b>	-0.504535714285715	0.000404239078387572
4	<b>SNORD114</b>	-0.503637857142857	0.0090872754698336
5	<b>GSTM5</b>	-0.503325000000001	0.0390639230515828
6	<b>DUSP1</b>	-0.502964285714287	0.00808995525648081
7	<b>ZNF385D</b>	-0.502710714285714	0.00121651658037076
8	<b>TSPYL2</b>	-0.502366428571429	0.00458966500417532
9	<b>KDSR</b>	-0.501750714285715	0.00570988434838434
10	<b>NBLA00301</b>	-0.501550714285714	0.000104263170701882
11	<b>ALPK2</b>	-0.501117857142858	0.0154334349501094
12	<b>MAFF</b>	-0.500727857142857	0.00845940951470165
13	<b>APP</b>	-0.499557142857141	0.000308130773383987
14	<b>CCRL1</b>	-0.498695714285714	0.00338103278032422
15	<b>C17orf58</b>	-0.497965000000001	0.00218270263318747
16	<b>ZFAND1</b>	-0.497125714285714	0.00098192870762003
17	<b>RPL31</b>	-0.496442857142859	7.71101023418462e-05
18	<b>COLGALT1</b>	-0.496360714285715	1.46668489885875e-05
19	<b>GLIPR2</b>	-0.495604285714286	0.0130902364422134
20	<b>CMIP</b>	-0.495094285714287	0.0437287308899432
21	<b>SORCS2</b>	-0.495015714285715	0.00229236010310513
22	<b>BZW2</b>	-0.494956428571429	0.00263911930251506
23	<b>GGA2</b>	-0.494342857142857	0.00652274838102399
24	<b>PDZRN3</b>	-0.494210000000001	0.0137782154637771
25	<b>LPCAT1</b>	-0.494193571428571	0.00045661929834942
26	<b>TBC1D8</b>	-0.494015714285715	0.0130358342246756
27	<b>IDI1</b>	-0.493961428571429	0.00135558724071762
28	<b>LY6E</b>	-0.493945714285717	0.00674310652251098
29	<b>GDF10</b>	-0.493737142857143	0.000658728501926127
30	<b>DBN1</b>	-0.492648571428573	0.000436047276410951
31	<b>SNORD44</b>	-0.491158571428571	0.00196719000200083
32	<b>TMEM243</b>	-0.490570714285714	0.00110556736160901
33	<b>ARL15</b>	-0.490145000000001	0.00458966500417532
34	<b>SESN1</b>	-0.489743571428572	0.000290857268496844
35	<b>SNORA45</b>	-0.489190714285714	0.00151797020548578
36	<b>VDR</b>	-0.487942857142859	0.00833397013298927
37	<b>GGA3</b>	-0.487698571428573	0.0010786794814715
38	<b>DHCR7</b>	-0.487440714285715	0.0319785966965354
39	<b>SPG20</b>	-0.487292142857143	0.000669980402860183
40	<b>ARHGAP10</b>	-0.486642142857143	0.00161574314983173
41	<b>WTAP</b>	-0.48644642857143	0.004103845845851
42	<b>DNMBP</b>	-0.485984285714286	0.0157720763369693
43	<b>PLS3</b>	-0.484504285714287	3.88859486398234e-05
44	<b>FKBP9L</b>	-0.484309285714287	0.000514165397337291
45	<b>SNORD52</b>	-0.483947857142858	0.00122609709067739
46	<b>WDR74</b>	-0.483490714285716	0.000293673836984265
47	<b>CILP</b>	-0.483147142857143	0.0130902364422134
48	<b>SNRPA1</b>	-0.483144285714286	0.0185910633943269
49	<b>GPR124</b>	-0.482591428571429	0.00110363802170553
50	<b>NRBF2</b>	-0.481417857142857	0.0215671992134689
51	<b>PPIF</b>	-0.480609285714287	0.0084208598470791
52	<b>CERS4</b>	-0.479375714285715	0.00913045492730955
53	<b>FMN2</b>	-0.478875714285715	0.0333486835312394
54	<b>TBX3</b>	-0.478703571428571	0.00798154990775891
55	<b>GLRX</b>	-0.478298571428572	0.000847821713590714
56	<b>PTPRH</b>	-0.477514285714286	0.00028291619957344
57	<b>METRNL</b>	-0.477412857142857	0.00541786804669668
58	<b>LOC375295</b>	-0.476834285714286	0.00357040871237621
59			up in ASC

1			
2	BMMSC_ASC		
3	<b>ZNF217</b>	-0.476285714285714	0.00234680583185279
4	<b>PLEKHM1</b>	-0.475863571428572	0.0129386296718319
5	<b>BNC2</b>	-0.475743571428572	0.0036322474849844
6	<b>BMPR1B</b>	-0.475497857142857	0.000443361011307528
7	<b>RAB3IL1</b>	-0.472769285714285	0.00166440799190051
8	<b>PHLPP1</b>	-0.47275	0.000339703441639803
9	<b>IL17RA</b>	-0.472745	0.000584670333541106
10	<b>HIST1H2BK</b>	-0.472642142857144	0.0157720763369693
11	<b>SLC16A7</b>	-0.472422857142858	0.00204009636932772
12	<b>ATP2B1</b>	-0.471780714285715	0.00204009636932772
13	<b>RPP40</b>	-0.471042142857144	0.00717103571232023
14	<b>LGI2</b>	-0.470999285714286	0.0191269418073309
15	<b>RALA</b>	-0.470487142857144	0.000193274448452493
16	<b>RPS2</b>	-0.470452142857144	0.0139159381031764
17	<b>ZNF704</b>	-0.469007857142858	0.00411830042179962
18	<b>RNF24</b>	-0.46817	0.000212122343144771
19	<b>TBC1D16</b>	-0.467629285714287	0.000339703441639803
20	<b>SNORD48</b>	-0.467139285714286	0.00678311091099278
21	<b>FAM156A</b>	-0.466372857142858	0.00933667638032123
22	<b>GABBR2</b>	-0.465812857142857	0.026754514714899
23	<b>DOK6</b>	-0.465423571428572	0.00501099367408984
24	<b>NAA38</b>	-0.465230714285714	0.000223822720338192
25	<b>HECTD3</b>	-0.464201428571429	0.00209379523776157
26	<b>GCNT4</b>	-0.464152857142857	0.00983417542313268
27	<b>TAF4B</b>	-0.463972142857144	0.00300071747588125
28	<b>NEDD1</b>	-0.463443571428572	0.00980219842604108
29	<b>AP2A2</b>	-0.463252857142858	0.000568967442170377
30	<b>CDC42EP4</b>	-0.462591428571429	0.0375143227861486
31	<b>EGR1</b>	-0.46206	0.0189169917810225
32	<b>MIR23A</b>	-0.461943571428571	0.0258531654726607
33	<b>RNF149</b>	-0.461822142857144	0.00273237578664008
34	<b>PARP12</b>	-0.461777857142858	0.000431093144840651
35	<b>SAMD12</b>	-0.461525714285715	0.00100317948242807
36	<b>CYP11A1</b>	-0.460935714285715	0.000318811648973876
37	<b>SNORA3</b>	-0.46024142857143	0.0222037620514824
38	<b>OTUD3</b>	-0.459894285714286	0.018961962160769
39	<b>TOB1</b>	-0.458457857142857	0.000718425289560903
40	<b>AVIL</b>	-0.457805000000001	0.00421203330791112
41	<b>BNC1</b>	-0.457613571428572	0.00953178212004114
42	<b>MGME1</b>	-0.457273571428571	0.0335176766176023
43	<b>RPS7</b>	-0.456142857142858	0.000169082822225541
44	<b>SYPL2</b>	-0.456125714285714	0.00545932988763361
45	<b>IFT80</b>	-0.455800000000001	0.0166603279709136
46	<b>EIF2AK3</b>	-0.455765714285715	0.00628132918292547
47	<b>ZBTB44</b>	-0.455177142857143	0.00451119292208765
48	<b>SNORD74</b>	-0.454783571428571	0.00948539671324635
49	<b>SPRED2</b>	-0.453719285714286	0.00127966042212544
50	<b>NCAM2</b>	-0.453654285714286	0.0124034532734058
51	<b>SHISA3</b>	-0.451716428571429	0.0463221088593153
52	<b>CTNS</b>	-0.451392142857143	0.00973082100801025
53	<b>IRS2</b>	-0.451240714285715	0.00038165103121691
54	<b>SCARNA6</b>	-0.451202857142858	0.0219259957152549
55	<b>ATP11A</b>	-0.450345000000001	0.00858291750295332
56	<b>STARD5</b>	-0.450222857142857	0.012592878083495
57	<b>HDAC9</b>	-0.450081428571429	0.00408502006672916
58	<b>WNK4</b>	-0.449587857142857	0.0107949750540894
59			up in ASC
60			up in ASC

1		BMMSC_ASC	
2			
3	<b>RP11-220D1</b>	-0.449022142857143	0.00127712745024818
4	<b>NEU1</b>	-0.448801428571429	0.0136784770981578
5	<b>RPL7</b>	-0.448757142857142	2.97463259180235e-05
6	<b>SNORD21B</b>	-0.44809	0.000928891634773552
7	<b>ELOVL5</b>	-0.446663571428571	1.02377495923698e-05
8	<b>STXBP2</b>	-0.446335714285715	0.0368662065903842
9	<b>LMO4</b>	-0.44549642857143	0.0190212651377584
10	<b>SNORA48</b>	-0.4449800000000001	0.00976921493655814
11	<b>RASA3</b>	-0.444354285714286	0.00573571523003409
12	<b>MARCH4</b>	-0.443271428571428	0.0489181461345124
13	<b>MTMR9LP</b>	-0.442913571428572	0.0174142717878346
14	<b>GZF1</b>	-0.44291	0.003664216246458
15	<b>CALHM2</b>	-0.442827857142857	0.0159484046718616
16	<b>SNORD45C</b>	-0.442735	0.00219971224335867
17	<b>LTV1</b>	-0.44194	0.00371307856752801
18	<b>FAP</b>	-0.441900714285715	0.00973082100801025
19	<b>CCDC25</b>	-0.44128142857143	0.000197664600369663
20	<b>AC079250.1</b>	-0.441065714285716	0.00213416011125945
21	<b>EPHX2</b>	-0.440837857142858	0.00387226174470941
22	<b>UST</b>	-0.440743571428571	0.0367333107897084
23	<b>SCARB1</b>	-0.439709285714286	0.00175385002741226
24	<b>KIAA0930</b>	-0.439686428571429	0.0395781583844152
25	<b>PLCD3</b>	-0.439113571428571	0.0191209394688005
26	<b>TNKS1BP1</b>	-0.438686428571429	0.000891659546861583
27	<b>PLAC9</b>	-0.438070714285715	0.006355957084687
28	<b>NR3C2</b>	-0.437472857142858	0.00235758751529767
29	<b>CHN2</b>	-0.436210714285714	0.00386551450267089
30	<b>HRH1</b>	-0.435785	0.0155549927854685
31	<b>PTCH1</b>	-0.435468571428572	0.00103431675590565
32	<b>RHOU</b>	-0.434789285714286	0.0098608640051637
33	<b>FOXO4</b>	-0.434384285714286	0.00168978603220034
34	<b>SLC35F6</b>	-0.433515	0.0211957074150466
35	<b>ZNF438</b>	-0.432503571428572	0.00050444394351372
36	<b>SHOX2</b>	-0.431888571428572	0.00159307343430661
37	<b>HOXC9</b>	-0.43168	0.000709806287164691
38	<b>RP11-282K1</b>	-0.431664285714286	0.00158976457051268
39	<b>TSHZ3</b>	-0.431262857142857	0.00229235945639376
40	<b>EMP1</b>	-0.431064285714286	0.00391841350221032
41	<b>CCDC71L</b>	-0.430924285714286	0.000167076087202395
42	<b>NGF</b>	-0.430587142857142	0.0252704250296195
43	<b>ZNF589</b>	-0.430583571428572	0.0038062314802441
44	<b>MGC45800</b>	-0.430040000000001	0.0182205175295526
45	<b>CASP1</b>	-0.428971428571429	0.0412048655284296
46	<b>GLE1</b>	-0.428395714285715	0.00116359223470375
47	<b>ZBTB2</b>	-0.428281428571428	0.0124339402688526
48	<b>SRD5A3</b>	-0.428126428571429	0.000488028832580771
49	<b>POLH</b>	-0.427652857142857	0.012911815124733
50	<b>STAG1</b>	-0.427583571428572	0.00898186207818286
51	<b>CTB-13H5.1</b>	-0.427450000000001	3.61980527058617e-05
52	<b>DGAT2</b>	-0.427254285714286	0.00319979694347413
53	<b>DNAJB1</b>	-0.426962857142858	0.00135667504797265
54	<b>SNORA71C</b>	-0.425935	0.000235391093579411
55	<b>ATG14</b>	-0.424718571428572	0.0200164526282781
56	<b>SIAE</b>	-0.424659285714286	0.0315484212786347
57	<b>MIR1304</b>	-0.423447857142858	0.000974791167809839
58	<b>MAP7D3</b>	-0.423429285714286	0.00160715322505849
59			
60			

1			
2	BMMSC_ASC		
3	<b>NABP1</b>	-0.42289142857143	0.00025771538102909
4	<b>FTL</b>	-0.421992857142859	0.00761986018322436
5	<b>TYMP</b>	-0.421258571428572	0.00368138821320979
6	<b>PLEKHM1P</b>	-0.420708571428572	0.0302328663461681
7	<b>RSL1D1</b>	-0.420485000000001	0.00101945558139798
8	<b>HMGCR</b>	-0.420083571428571	0.0277539090361897
9	<b>CCDC109B</b>	-0.419822142857144	0.013024502721665
10	<b>IRX1</b>	-0.419605	0.00122443385532409
11	<b>SMC6</b>	-0.419340714285715	0.00212363372298484
12	<b>METAP1</b>	-0.419270714285715	0.00382782446731462
13	<b>UBL3</b>	-0.419219285714287	0.0075557840103614
14	<b>PRDM2</b>	-0.418543571428572	0.00045661929834942
15	<b>HENMT1</b>	-0.418538571428572	0.00661517459006755
16	<b>AAED1</b>	-0.418329285714286	0.0289992478504998
17	<b>ARSK</b>	-0.417640000000001	0.000693999662745003
18	<b>NCOA3</b>	-0.417383571428573	0.00108608585979432
19	<b>PEPD</b>	-0.417307142857146	0.00352969464613078
20	<b>RARS2</b>	-0.415801428571429	0.000263840495474619
21	<b>TRIP10</b>	-0.415047857142857	0.000560577373540289
22	<b>C14orf159</b>	-0.415022857142858	0.0242216786685107
23	<b>RBMS3</b>	-0.41460142857143	0.000696293932645706
24	<b>MKI67IP</b>	-0.413862857142858	0.00365833071769013
25	<b>GPR153</b>	-0.413751428571429	6.23680347656646e-05
26	<b>ARHGAP12</b>	-0.413708571428573	0.0104399546597129
27	<b>ADAM32</b>	-0.413182857142858	0.0107404994061401
28	<b>SDCCAG8</b>	-0.412905714285714	0.00382471131282411
29	<b>WNT11</b>	-0.412462857142858	0.00255473889174359
30	<b>NXF1</b>	-0.411813571428571	0.00161405670104878
31	<b>DIEXF</b>	-0.411327142857143	0.0261116030313631
32	<b>USP33</b>	-0.411170000000001	0.00182858305469359
33	<b>PCNX</b>	-0.410276428571429	0.0037259214163808
34	<b>LGMN</b>	-0.410106428571429	0.048900064329054
35	<b>CCNG1</b>	-0.409223571428572	0.0386127567747805
36	<b>ADAM17</b>	-0.408741428571429	0.012414293635248
37	<b>SLIT2</b>	-0.408544285714286	0.0413330144619879
38	<b>APOL4</b>	-0.408202142857142	0.0385411419644529
39	<b>PCDH9</b>	-0.407981428571429	0.00221752789040131
40	<b>PLXNB1</b>	-0.407405714285714	0.00553326730602939
41	<b>HAND2</b>	-0.407130714285715	0.000156031273515044
42	<b>ST3GAL1</b>	-0.406832857142858	0.0447687173673908
43	<b>SNORD14E</b>	-0.406673571428573	0.0315484212786347
44	<b>UTP18</b>	-0.406618571428571	0.00208430969134667
45	<b>GLTSCR2</b>	-0.406495714285716	0.0168717555356745
46	<b>ATXN3</b>	-0.405766428571429	0.00621872693424244
47	<b>HS6ST1</b>	-0.405650714285714	0.0372827184638498
48	<b>HIST1H4F</b>	-0.405065714285715	0.0166334801782176
49	<b>PNRC2</b>	-0.404810000000002	0.00713826341207731
50	<b>PCID2</b>	-0.404300714285715	0.0046832803463579
51	<b>FOXL1</b>	-0.404203571428571	0.00827782772792641
52	<b>CHMP1B</b>	-0.403586428571429	0.0333376489265947
53	<b>ST7</b>	-0.403287857142858	0.0128243741864222
54	<b>GLB1L</b>	-0.402921428571428	0.0143901032983557
55	<b>RP11-592N:</b>	-0.402617857142858	0.00341241370181886
56	<b>FJX1</b>	-0.401926428571428	0.000665806234389226
57	<b>LAMC1</b>	-0.401871428571429	0.00627624178706735
58	<b>KAT2A</b>	-0.401358571428572	0.0232117783549907

1			BMMSC_ASC
2			
3	<b>KTI12</b>	-0.40068	0.024482306021902
4	<b>EIF2S3</b>	-0.400452857142858	0.0250123135635774
5	<b>IGFBP6</b>	-0.399584285714287	0.0450360536357845
6	<b>HIST1H3F</b>	-0.399322857142858	0.0210564112264796
7	<b>UBE2D1</b>	-0.398875	0.0244002701617865
8	<b>GLRXP3</b>	-0.398642857142857	7.71101023418462e-05
9	<b>ANKRD49</b>	-0.3982650000000001	0.0098608640051637
10	<b>DYRK3</b>	-0.397690714285714	0.00214686082393148
11	<b>SMPD2</b>	-0.397534285714286	0.00273237578664008
12	<b>AC007969.E</b>	-0.397246428571429	0.0112100161042608
13	<b>NECAP2</b>	-0.397245714285715	0.000100181812338611
14	<b>SNORD36B</b>	-0.397202142857143	0.0056275050733253
15	<b>SMG6</b>	-0.396544285714286	0.000308130773383987
16	<b>OPHN1</b>	-0.396351428571429	0.00157777179966645
17	<b>TMEM30B</b>	-0.396258571428571	0.00627327635743431
18	<b>WARS2</b>	-0.395676428571429	0.0208384787817212
19	<b>F11R</b>	-0.395652857142857	0.00550663430775415
20	<b>UROD</b>	-0.3946700000000001	0.0221511122179343
21	<b>PLEKHO2</b>	-0.394512142857143	0.00947053704723665
22	<b>FGF16</b>	-0.394197857142857	0.00383997174697746
23	<b>ADAT2</b>	-0.393917142857143	0.00517501233427287
24	<b>AKAP13</b>	-0.393902142857143	0.00150655422916622
25	<b>ARPC1B</b>	-0.393843571428572	0.00045661929834942
26	<b>SNORA68</b>	-0.393299285714286	0.00802396076800502
27	<b>RPS29</b>	-0.393215714285715	0.00739180426352538
28	<b>NT5C3A</b>	-0.393175714285715	0.0144934797852069
29	<b>GSTO1</b>	-0.393114285714286	0.0118016019275632
30	<b>CCDC136</b>	-0.390849285714285	0.00721472894963908
31	<b>RNF2</b>	-0.389712142857143	0.00075245888275224
32	<b>RPS10</b>	-0.389542857142858	0.000696293932645706
33	<b>GABARAPI</b>	-0.389264285714286	0.0208384787817212
34	<b>TEX10</b>	-0.38851142857143	0.00158718732350969
35	<b>ROR1</b>	-0.387298571428572	0.0190119284898866
36	<b>KCNJ8</b>	-0.386791428571429	0.00172213143662966
37	<b>CDK5RAP3</b>	-0.386325714285715	0.0232131959101442
38	<b>TMEM220</b>	-0.385757142857143	0.0181986929230837
39	<b>A4GALT</b>	-0.385464285714286	0.0157720763369693
40	<b>PGRMC1</b>	-0.385462857142858	0.00166890176724774
41	<b>KNOP1</b>	-0.385407142857144	0.00537509013877366
42	<b>RP11-12M9</b>	-0.385107142857143	0.00189458998177717
43	<b>FAR2</b>	-0.384822857142857	0.0131092841878587
44	<b>RPS24</b>	-0.3841400000000001	0.00545477954521995
45	<b>TAX1BP1</b>	-0.382942857142857	0.001524458888441
46	<b>CDKN1A</b>	-0.382232142857142	0.00291069367040199
47	<b>KLHDC2</b>	-0.381885714285715	0.00647722744587384
48	<b>CD164</b>	-0.381057142857143	0.00185661479850662
49	<b>C15orf59</b>	-0.380812857142857	0.0404677645750834
50	<b>ANXA4</b>	-0.380633571428571	0.00466685610914082
51	<b>MMP14</b>	-0.380244285714287	0.00672387763353373
52	<b>DENN2D</b>	-0.379748571428572	0.000405787504052133
53	<b>TIMP4</b>	-0.379107142857143	0.00121651658037076
54	<b>EIF3E</b>	-0.378948571428571	0.0373165580526206
55	<b>RCC1</b>	-0.378947142857143	0.00217655459560312
56	<b>ASB13</b>	-0.378729285714286	0.00326272495091352
57	<b>HIST1H2BH</b>	-0.3780650000000001	0.0390429138418638
58	<b>KATNAL1</b>	-0.377725	0.00365743927505536
59			up in ASC
60			up in ASC

1			
2			
3		BMMSC_ASC	
4	<b>PHYKPL</b>	-0.37614642857143	0.00618884123681942
5	<b>ST3GAL4</b>	-0.376131428571428	0.000154149646771794
6	<b>ATG7</b>	-0.3760950000000001	0.00404661567425995
7	<b>AXIN2</b>	-0.375748571428572	0.0101794499031067
8	<b>WDR67</b>	-0.375284285714286	0.0259585644605135
9	<b>WDR75</b>	-0.37525642857143	0.00861908399866451
10	<b>CADPS2</b>	-0.37522	0.0389446635880373
11	<b>HEATR1</b>	-0.375207857142857	0.00273237578664008
12	<b>ZNF215</b>	-0.375132142857143	0.00779083116796678
13	<b>KHDRBS3</b>	-0.375053571428572	0.00901061670040579
14	<b>NUDT5</b>	-0.374852857142858	0.000819354135559343
15	<b>MOC3</b>	-0.374567142857144	0.0371679972906374
16	<b>CECR1</b>	-0.374412857142857	0.0235969505380006
17	<b>OXNAD1</b>	-0.374321428571429	0.00696476332076913
18	<b>C2orf88</b>	-0.374237142857143	0.00245700907096856
19	<b>RNF212</b>	-0.374002857142858	0.0157376946264464
20	<b>RPL35P5</b>	-0.373475	0.0150544609181704
21	<b>IER5</b>	-0.3729550000000001	0.00299283236506915
22	<b>PRKG2</b>	-0.372644285714286	0.0294752699962034
23	<b>MTMR10</b>	-0.372383571428572	0.0191077685744263
24	<b>AC144530.1</b>	-0.372081428571429	0.00403944151747112
25	<b>RPL7A</b>	-0.371300714285714	0.00329942230646591
26	<b>NKIRAS1</b>	-0.371070714285715	0.0036679769691224
27	<b>TIMM13</b>	-0.370978571428571	0.00229513707764353
28	<b>KCNS2</b>	-0.37086	0.0157720763369693
29	<b>COL4A3BP</b>	-0.37048	0.00946143766674552
30	<b>SCO1</b>	-0.370169285714287	0.0239765506303464
31	<b>RPS5</b>	-0.370102142857144	0.0120169937237247
32	<b>ACAD10</b>	-0.369846428571429	0.00198824819835885
33	<b>RABGEF1</b>	-0.369715714285716	0.000327781448556441
34	<b>FAM156B</b>	-0.369439285714287	0.00966016605202553
35	<b>TRAK1</b>	-0.369057142857143	0.000958452141646348
36	<b>FOS</b>	-0.368842857142857	0.0376468812026216
37	<b>FAM102A</b>	-0.368734285714286	0.00520041326528301
38	<b>MAB21L1</b>	-0.368677857142858	0.0298365058294026
39	<b>ELF1</b>	-0.36833642857143	0.0288873660613564
40	<b>FAM174B</b>	-0.368298571428572	0.00396097253555887
41	<b>USP44</b>	-0.368207857142858	0.00164162049071859
42	<b>VRK3</b>	-0.367997142857143	0.00905080625645202
43	<b>RPS13</b>	-0.367700000000002	0.00301983250420121
44	<b>SNORD38A</b>	-0.36757142857143	0.00365290963828065
45	<b>CIRH1A</b>	-0.367284285714287	0.0017827507959915
46	<b>CEBPB</b>	-0.367180714285715	0.00321507790899755
47	<b>LOC100129</b>	-0.366748571428572	0.0223933710714311
48	<b>SEPSECS</b>	-0.366702142857143	0.00556770850863552
49	<b>TNFRSF10E</b>	-0.36570642857143	0.032491144568936
50	<b>RPL28</b>	-0.365626428571429	0.00102352538653188
51	<b>DDB1</b>	-0.365185714285715	0.0108089631055064
52	<b>RALGDS</b>	-0.365182142857143	0.0130857375795209
53	<b>BDH2</b>	-0.365090714285715	0.00904370287814578
54	<b>PCMTD2</b>	-0.364905714285715	0.0269486868552269
55	<b>MIR155HG</b>	-0.364504285714287	0.0237037663539496
56	<b>SCLT1</b>	-0.364402142857143	0.00376119042498576
57	<b>HEBP1</b>	-0.364089285714286	0.00864536361301904
58	<b>MTRR</b>	-0.363403571428571	0.00329942230646591
59	<b>UBE2L6</b>	-0.363162857142858	0.0117598870339456

1			
2	BMMSC_ASC		
3	<b>GNPTAB</b>	-0.361849285714286	0.0495887707018408
4	<b>UBE2E2</b>	-0.361845714285715	0.00835211924964047
5	<b>C9orf41</b>	-0.361715714285715	0.0146167419175661
6	<b>BASP1</b>	-0.361580000000001	0.0200052278169322
7	<b>GNS</b>	-0.361515714285716	0.0174679679359007
8	<b>HIST3H2A</b>	-0.361458571428572	0.00128104796259916
9	<b>TXLNG</b>	-0.361450714285715	0.00741128384530049
10	<b>TRMT1</b>	-0.360845714285715	0.00861908399866451
11	<b>SNORD8</b>	-0.360369285714286	0.021674683189354
12	<b>DUSP14</b>	-0.359880714285715	0.00432142473979418
13	<b>CTD-2375G</b>	-0.359285714285714	0.000748611644304091
14	<b>ERI1</b>	-0.359238571428572	0.0168228951340861
15	<b>KIF26B</b>	-0.357599285714286	0.0323669221650158
16	<b>LSS</b>	-0.356950714285715	0.0123650980175363
17	<b>LINC00346</b>	-0.356782142857143	0.0288873660613564
18	<b>MICB</b>	-0.356745	0.0190058598672656
19	<b>FAM96A</b>	-0.356666428571429	0.00279324216576266
20	<b>SCARNA12</b>	-0.356302142857144	0.0158828802900443
21	<b>FAM45A</b>	-0.355875	0.00254713767979444
22	<b>RPS17</b>	-0.355714285714287	0.00112782140679367
23	<b>THG1L</b>	-0.35540142857143	0.00164162049071859
24	<b>RPS15AP1</b>	-0.355316428571429	0.0109691915155838
25	<b>LAP3</b>	-0.355169285714286	0.0013744370299701
26	<b>UMPS</b>	-0.354363571428572	0.0206436724729534
27	<b>RFX2</b>	-0.354237142857143	0.0225675315918725
28	<b>ELOVL2</b>	-0.353322857142857	0.0191077685744263
29	<b>TBC1D15</b>	-0.353182142857143	0.00316418644035461
30	<b>IMPDH2</b>	-0.352237857142857	0.00601833539374287
31	<b>SNHG3</b>	-0.352028571428573	0.0456306925612349
32	<b>RPL15</b>	-0.35202142857143	0.00329942230646591
33	<b>THOC5</b>	-0.351678571428572	0.0186990660947979
34	<b>DTX3L</b>	-0.3516	0.0435501348206539
35	<b>SLC15A3</b>	-0.351194285714286	0.0224230573999274
36	<b>EVA1B</b>	-0.350522857142857	0.00247306178013014
37	<b>ULK2</b>	-0.35042	0.00242743329628017
38	<b>USP31</b>	-0.35027142857143	0.00658686104550326
39	<b>UTP14A</b>	-0.350151428571429	0.0206730566894023
40	<b>PPWD1</b>	-0.350102142857144	0.00263911930251506
41	<b>sept-07</b>	-0.34994142857143	0.00511881378273673
42	<b>ZDHHC9</b>	-0.349604285714286	0.000180009751367021
43	<b>EIF1AX</b>	-0.349393571428572	0.0116586925062304
44	<b>HSD17B7</b>	-0.349109285714286	0.030177670548646
45	<b>KLHDC8B</b>	-0.348678571428573	0.013472224005145
46	<b>MESDC1</b>	-0.348317857142858	0.00230539222148414
47	<b>JUND</b>	-0.348085714285715	0.0216607548504236
48	<b>SNORA21</b>	-0.347831428571429	0.0148937264873347
49	<b>MICALL1</b>	-0.347449285714286	0.0288798012162352
50	<b>WASF1</b>	-0.347271428571429	0.017787839562167
51	<b>CXCL5</b>	-0.347257857142858	0.000696293932645706
52	<b>GYPC</b>	-0.347235000000001	0.00360294579437489
53	<b>NOL8</b>	-0.347042857142858	0.00107447885050208
54	<b>POR</b>	-0.346817142857143	0.0144842903864698
55	<b>HTR2A</b>	-0.345921428571429	0.00714828338508801
56	<b>POLR3C</b>	-0.345435000000001	0.0193661379507066
57	<b>SETD7</b>	-0.345283571428572	0.000265272205950972
58	<b>EIF5A2</b>	-0.345205714285715	0.0160939474233649
59			
60			

1			
2	BMMSC_ASC		
3	<b>TBC1D23</b>	-0.344952857142857	0.0298849930585487
4	<b>TWIST1</b>	-0.344470714285715	0.0264730424061061
5	<b>FKBP11</b>	-0.344448571428572	0.0336826448227356
6	<b>PYCARD</b>	-0.344405000000001	0.031183162317526
7	<b>EFEMP1</b>	-0.344328571428574	0.00396097253555887
8	<b>ORC3</b>	-0.343771428571429	0.0173069547260559
9	<b>DDX18</b>	-0.343747857142858	0.013426370467616
10	<b>RRS1</b>	-0.343392142857143	0.0236286159504926
11	<b>NOVA1</b>	-0.343370000000001	0.00788604524626886
12	<b>SLC2A14</b>	-0.343198571428572	0.00398037713271115
13	<b>RPL36</b>	-0.343138571428572	0.00908635117464182
14	<b>RAB28</b>	-0.342477142857144	0.00697370772700853
15	<b>HIVEP2</b>	-0.341477142857144	0.021030367072154
16	<b>CES4A</b>	-0.341126428571429	0.000503712711818316
17	<b>CASP7</b>	-0.340642142857143	0.00347503571329343
18	<b>MIR22HG</b>	-0.340287857142858	0.0154846994894021
19	<b>ANKRD13A</b>	-0.340092142857143	0.039409121725551
20	<b>PREB</b>	-0.340081428571428	0.0362880272782415
21	<b>POLR3G</b>	-0.339918571428571	0.031141755085933
22	<b>EEF1B2P3</b>	-0.339745000000001	0.000275021081878527
23	<b>FRMPD4</b>	-0.339566428571429	0.00801848998924218
24	<b>ABCC2</b>	-0.338315714285714	0.00117366232408914
25	<b>ALDH9A1</b>	-0.337999285714286	0.00643522774526977
26	<b>AASDH</b>	-0.337917142857143	0.0307733503825357
27	<b>HNRNPF</b>	-0.337746428571428	0.0014600752400777
28	<b>COL16A1</b>	-0.337664285714286	0.0461151603632563
29	<b>COX15</b>	-0.337498571428572	0.00328174309950242
30	<b>OLFM1</b>	-0.337005	0.000675089669131371
31	<b>RPIA</b>	-0.336785714285715	0.0456228517264823
32	<b>RAP2B</b>	-0.336492142857143	0.0268939250280978
33	<b>PIGA</b>	-0.33631	0.0110285772187584
34	<b>EHMT2</b>	-0.336011428571429	0.0137782154637771
35	<b>FLJ31958</b>	-0.335887857142857	0.00528106566869528
36	<b>RPL17</b>	-0.335772857142858	0.00273237578664008
37	<b>RELB</b>	-0.335722857142857	0.00966439842965216
38	<b>RPS19</b>	-0.33552642857143	0.000433056231060463
39	<b>CXCL3</b>	-0.334505000000001	0.0409298687960667
40	<b>MAP1LC3C</b>	-0.333399285714286	0.0191077685744263
41	<b>PKD2</b>	-0.333065714285715	0.0477467457300715
42	<b>RPS4Y1</b>	-0.332834285714286	0.00746570345604612
43	<b>MFSD7</b>	-0.33277142857143	0.00997676375901625
44	<b>DDX56</b>	-0.332493571428571	0.0103112392177622
45	<b>ITSN1</b>	-0.332347857142858	0.000398552874429969
46	<b>DENN1A</b>	-0.332234285714286	0.000314616857737778
47	<b>TRAF7</b>	-0.332163571428572	0.00731390286016393
48	<b>UGP2</b>	-0.331444285714286	0.00263063338536768
49	<b>VWA8</b>	-0.331260000000001	0.00631919786286258
50	<b>GRIN2D</b>	-0.33112	0.000147030896690095
51	<b>KIFAP3</b>	-0.331076428571428	0.0338023238146807
52	<b>PPM1D</b>	-0.33081	0.00971708005147037
53	<b>SNORD104</b>	-0.330682857142857	0.00860409132904429
54	<b>WDR81</b>	-0.330433571428572	0.0111206970555047
55	<b>ALG5</b>	-0.330327857142858	0.0159787117739407
56	<b>APLN</b>	-0.330325	0.00113599885890731
57	<b>RPL18A</b>	-0.330292857142858	0.00130712470750809
58	<b>DYRK2</b>	-0.329523571428572	0.00171763338001618

1			
2	BMMSC_ASC		
3	<b>GMPS</b>	-0.329414285714286	0.0151289047998511
4	<b>SREBF2</b>	-0.32934142857143	0.0322803328873233
5	<b>SNHG1</b>	-0.329255714285714	0.00099149003881533
6	<b>C16orf74</b>	-0.328164285714286	0.00276677630545344
7	<b>NDRG1</b>	-0.327757857142858	0.01394797322584
8	<b>ZNF740</b>	-0.327582142857144	0.0288855344844347
9	<b>LTBR</b>	-0.327217857142859	0.0106074193829543
10	<b>GSC</b>	-0.327195	0.0209553527604513
11	<b>RCC2</b>	-0.326966428571429	0.00425519400212572
12	<b>LGALS9B</b>	-0.326927142857144	0.0063993791875831
13	<b>OPTN</b>	-0.326139285714287	0.00922959920258115
14	<b>SNX6</b>	-0.325970714285715	0.00435330202165516
15	<b>C12orf57</b>	-0.325432142857143	0.0114795722929732
16	<b>HIATL1</b>	-0.325254285714285	0.00740724958732341
17	<b>PDCD11</b>	-0.325106428571429	0.0292440587621902
18	<b>CD46</b>	-0.325068571428572	0.00352431954597122
19	<b>WDR12</b>	-0.325061428571429	0.0137114314450927
20	<b>PPAP2C</b>	-0.324808571428572	0.0136105603679796
21	<b>PSMA5</b>	-0.324698571428572	0.0108332417376659
22	<b>ZNF516</b>	-0.324612142857143	0.00369753466590432
23	<b>ZNHIT6</b>	-0.324610714285715	0.00254606630380399
24	<b>IL1R2</b>	-0.324354285714286	0.00650654193420812
25	<b>RNF13</b>	-0.324220714285715	0.0275879813554729
26	<b>RPL10A</b>	-0.324051428571429	0.00273237578664008
27	<b>C9orf64</b>	-0.32391857142857	0.00680973210886806
28	<b>ERMP1</b>	-0.32338	0.0387318412742024
29	<b>CDK17</b>	-0.323376428571429	0.00618865198567077
30	<b>CYP26B1</b>	-0.32332	0.039642906607688
31	<b>AP3S1</b>	-0.323052857142858	0.00194270959474704
32	<b>ZFYVE9</b>	-0.322929285714287	0.00122609709067739
33	<b>TMEM41B</b>	-0.322629285714286	0.0238042470862579
34	<b>DPM1</b>	-0.322562857142858	0.00816837483097393
35	<b>SPG21</b>	-0.322506428571429	0.0180868514516994
36	<b>AARD</b>	-0.322499285714286	0.00700076190433518
37	<b>KIAA0226L</b>	-0.322415	0.0370466754091867
38	<b>RPS3AP47</b>	-0.322135714285714	0.00404109219449077
39	<b>TNFSF9</b>	-0.321691428571429	0.0365798999819935
40	<b>NOP2</b>	-0.321489285714286	0.0381320347224147
41	<b>CDIPT</b>	-0.321307857142857	0.00290707975689247
42	<b>IGF2BP1</b>	-0.320955	0.00176756864749837
43	<b>TAOK3</b>	-0.320836428571429	0.00801027832371866
44	<b>NBPF3</b>	-0.31973	0.0177400806451341
45	<b>RP11-234A</b>	-0.319631428571429	0.00348167764703333
46	<b>ATP8B4</b>	-0.319300714285715	0.0436141555460906
47	<b>RRN3</b>	-0.319127857142859	0.0217631875247531
48	<b>NOP14</b>	-0.319109285714286	0.00429919629650449
49	<b>HLX</b>	-0.318817142857143	0.00202357316464977
50	<b>FZD2</b>	-0.318619285714287	0.0215671992134689
51	<b>TBC1D9</b>	-0.318580000000001	0.0170397998289269
52	<b>LIAS</b>	-0.318296428571429	0.0379922855210271
53	<b>MTX2</b>	-0.318225714285714	0.0042167576757356
54	<b>DSE</b>	-0.31803642857143	0.0144735700986699
55	<b>FAM118B</b>	-0.317561428571429	0.00348167764703333
56	<b>SRSF5</b>	-0.317450714285715	0.00666427932795026
57	<b>ATP6V1C1</b>	-0.317297142857144	0.0125074357261359
58	<b>ABHD14A</b>	-0.317245714285715	0.0357812149015486
59			up in ASC
60			up in ASC

1			
2			
3		BMMSC_ASC	
4	<b>ELF4</b>	-0.316777857142857	0.00801027832371866
5	<b>COX11P1</b>	-0.316117857142858	0.00121651658037076
6	<b>TRUB2</b>	-0.315941428571429	0.0202182573261374
7	<b>PANX1</b>	-0.315277857142859	0.00357537843713271
8	<b>LOC541471</b>	-0.3151500000000001	0.0496817960078824
9	<b>ARAP1</b>	-0.314502142857143	0.00690416518614109
10	<b>RCAN3</b>	-0.314486428571428	0.0380731914486323
11	<b>CTDSP2</b>	-0.314383571428572	0.0041038458845851
12	<b>RPS28</b>	-0.314171428571429	0.000532572703405276
13	<b>FBXL12</b>	-0.313406428571429	0.00120008978293938
14	<b>RAB9A</b>	-0.31331	0.0430064628327851
15	<b>HOXB9</b>	-0.313095	0.00173116400552627
16	<b>ST6GALNA</b>	-0.313094285714286	0.00068075675027914
17	<b>PIP5K1A</b>	-0.312870000000002	0.00630640995170256
18	<b>LOC440311</b>	-0.31267	0.0456737946980798
19	<b>ZNF330</b>	-0.312535714285715	0.0241931435841271
20	<b>FGGY</b>	-0.3124750000000001	0.0469993174105744
21	<b>GEMIN4</b>	-0.311966428571429	0.0235898469010332
22	<b>SAR1A</b>	-0.311842857142859	0.000166171051887181
23	<b>ABL2</b>	-0.311761428571428	0.0169098219142298
24	<b>RPL36A</b>	-0.311722857142858	0.000170120888362453
25	<b>RPL35</b>	-0.311717142857145	0.000658477954542967
26	<b>ST6GALNA</b>	-0.311717142857144	0.00225171796964724
27	<b>RAD23B</b>	-0.311569285714286	0.00272575208826679
28	<b>CSNK1G3</b>	-0.311257142857144	0.0114795722929732
29	<b>AGTRAP</b>	-0.311237142857142	0.013597484379961
30	<b>DDI2</b>	-0.310048571428572	0.0126511991088813
31	<b>GNL3</b>	-0.309900714285716	0.0193449111988887
32	<b>SHQ1</b>	-0.309547142857143	0.0157720763369693
33	<b>HMGB1P10</b>	-0.309254285714286	0.0403977009912746
34	<b>PLEKHM2</b>	-0.309088571428572	0.0320149626187307
35	<b>ZADH2</b>	-0.309061428571429	0.00621872693424244
36	<b>RPL34P34</b>	-0.308957142857144	0.00176912916974571
37	<b>ZFY</b>	-0.308930714285715	0.0157523016304055
38	<b>ANXA2R</b>	-0.308605714285715	0.00543001575728155
39	<b>ZZZ3</b>	-0.308458571428572	0.00296581692106794
40	<b>C17orf76-A</b>	-0.307884285714286	0.00776928270773058
41	<b>MAML3</b>	-0.307816428571429	0.00201704622438499
42	<b>MRE11A</b>	-0.307774285714286	0.0323459487440877
43	<b>MDM2</b>	-0.307755714285715	0.0437287308899432
44	<b>RRN3P1</b>	-0.307595714285715	0.0315484212786347
45	<b>HIBCH</b>	-0.306416428571428	0.00449487302151408
46	<b>METTL13</b>	-0.305954285714287	0.0189516544667335
47	<b>EID3</b>	-0.305902142857143	0.017502887877895
48	<b>EN1</b>	-0.305163571428572	0.000166171051887181
49	<b>PABPC1</b>	-0.304885714285715	0.00570850034905097
50	<b>UBALD2</b>	-0.304285	0.0308865936957678
51	<b>SNX29</b>	-0.304277142857144	0.0377119956651534
52	<b>ALDH7A1</b>	-0.303684285714286	0.0151670018509729
53	<b>GNPTG</b>	-0.303583571428572	0.0201215091969164
54	<b>INPP1</b>	-0.303529285714286	0.0398858215975049
55	<b>CCIN</b>	-0.303082142857143	0.0218058611467369
56	<b>ANKRD13C</b>	-0.302927142857143	0.00438693798776199
57	<b>GUSBP5</b>	-0.302688571428571	0.00220719837243044
58	<b>DNPH1</b>	-0.302015714285715	0.00114173582231566
59	<b>EIF1AXP1</b>	-0.301752142857143	0.042230144562291

1			BMMSC_ASC	
2				
3	<b>UBXN1</b>	-0.301624285714286	0.00692849769936046	up in ASC
4	<b>RAB33A</b>	-0.301323571428571	0.0282854926529285	up in ASC
5	<b>TMOD3</b>	-0.301050000000001	0.00100726377167589	up in ASC
6	<b>SRSF2</b>	-0.301001428571429	0.00948496400801254	up in ASC
7	<b>CSTB</b>	-0.300429285714287	0.00180722512949832	up in ASC
8	<b>FBXO10</b>	-0.300187857142858	0.000323211105941232	up in ASC
9	<b>RPS12</b>	-0.299365714285716	0.00362598765257541	up in ASC
10	<b>FBL</b>	-0.29903	0.0276754737506607	up in ASC
11	<b>PATL1</b>	-0.298940000000002	0.00714828338508801	up in ASC
12	<b>RP11-183G1</b>	-0.29841142857143	0.0216316587884405	up in ASC
13	<b>SBF2</b>	-0.298205714285715	0.0115118605723385	up in ASC
14	<b>CCDC84</b>	-0.29781	0.0150685069953555	up in ASC
15	<b>FCHO2</b>	-0.297447142857144	0.00739180426352538	up in ASC
16	<b>RIPK1</b>	-0.297224285714285	0.0164239650978393	up in ASC
17	<b>AC026271.E</b>	-0.297087142857143	0.0489924064328831	up in ASC
18	<b>TNIP2</b>	-0.296770000000001	0.0014095212514787	up in ASC
19	<b>FAR1</b>	-0.296334285714286	0.018892280919195	up in ASC
20	<b>EIF3G</b>	-0.295925000000001	0.00118618003970332	up in ASC
21	<b>CCNH</b>	-0.295901428571429	0.0191077685744263	up in ASC
22	<b>WDR43</b>	-0.295797142857144	0.0122200870119739	up in ASC
23	<b>HIST2H2BF</b>	-0.295680000000001	0.0331879595305748	up in ASC
24	<b>NUP98</b>	-0.295400714285715	0.00678311091099278	up in ASC
25	<b>USP8</b>	-0.29524	0.00639070911809157	up in ASC
26	<b>RP11-134K</b>	-0.294384285714287	0.00200295132033887	up in ASC
27	<b>RNU5F-1</b>	-0.294126428571429	0.0123661821861311	up in ASC
28	<b>SC5D</b>	-0.29357642857143	0.019512007174822	up in ASC
29	<b>AFAP1L1</b>	-0.293505	0.00384672158630331	up in ASC
30	<b>GAL3ST4</b>	-0.293472857142858	0.0349086684651547	up in ASC
31	<b>PIK3C3</b>	-0.293344285714287	0.00837294276325752	up in ASC
32	<b>SLC5A6</b>	-0.292792142857143	0.0322252088848307	up in ASC
33	<b>RASSF5</b>	-0.292329285714286	0.0301502798191543	up in ASC
34	<b>SFR1</b>	-0.292187142857142	0.0168676375807362	up in ASC
35	<b>RPS2P5</b>	-0.291855714285714	0.0334175938254466	up in ASC
36	<b>ABAT</b>	-0.291785000000001	0.021674683189354	up in ASC
37	<b>MARK3</b>	-0.291385	0.00238907444623354	up in ASC
38	<b>SNHG17</b>	-0.291342857142858	0.0424868763609423	up in ASC
39	<b>LRRC16A</b>	-0.291050000000001	0.0363987421097922	up in ASC
40	<b>MDGA1</b>	-0.290887857142857	0.0456306925612349	up in ASC
41	<b>SERPINB6</b>	-0.290860000000001	0.0126165612878257	up in ASC
42	<b>RBMT7</b>	-0.290821428571429	0.0273781621577513	up in ASC
43	<b>MRPS22</b>	-0.289793571428571	0.00618865198567077	up in ASC
44	<b>DIMT1</b>	-0.289551428571429	0.0142120327972097	up in ASC
45	<b>RPF2P1</b>	-0.289320000000001	0.00870987766904617	up in ASC
46	<b>C5orf22</b>	-0.289139285714286	0.0240166031398801	up in ASC
47	<b>EVC2</b>	-0.289097857142857	0.0323313683700328	up in ASC
48	<b>RPL39</b>	-0.289095000000001	0.0012568769791863	up in ASC
49	<b>PEX5</b>	-0.288939285714286	0.0434178837140929	up in ASC
50	<b>SLC13A3</b>	-0.288468571428572	0.0030138513549752	up in ASC
51	<b>TMEM65</b>	-0.288461428571429	0.0148949936828893	up in ASC
52	<b>MRPS35</b>	-0.288162142857143	0.0158930580395421	up in ASC
53	<b>REPS2</b>	-0.288133571428572	0.015452727777046	up in ASC
54	<b>MVD</b>	-0.288063571428572	0.0344773394026853	up in ASC
55	<b>SLC7A6</b>	-0.288000714285715	0.00772570225609747	up in ASC
56	<b>RPL29P11</b>	-0.287664285714287	0.00045661929834942	up in ASC
57	<b>OXA1L</b>	-0.287485714285716	0.00822511131620012	up in ASC
58	<b>BRE</b>	-0.287157142857143	0.0175579636914792	up in ASC

1			
2	BMMSC_ASC		
3	<b>CNOT2</b>	-0.287074285714287	0.00212028571470159
4	<b>FKTN</b>	-0.286915714285715	0.0428379781274285
5	<b>TOMM40</b>	-0.286599285714286	0.0206730566894023
6	<b>PAXIP1</b>	-0.2865950000000001	0.0102198186566573
7	<b>QTRTD1</b>	-0.28605	0.0279547515390941
8	<b>LOC100130</b>	-0.285904285714286	0.00980790803533816
9	<b>NUP54</b>	-0.285750714285714	0.0149573498579268
10	<b>FAM206A</b>	-0.285631428571428	0.011899278238336
11	<b>DCPS</b>	-0.285537857142858	0.00424714969885139
12	<b>ABCE1</b>	-0.285287857142857	0.0467210502040535
13	<b>POLR3B</b>	-0.285076428571429	0.0432367117948606
14	<b>EIF3D</b>	-0.28490142857143	0.0343130696543644
15	<b>MED29</b>	-0.284762857142858	0.0234961990048102
16	<b>RPL4P4</b>	-0.284542857142857	0.00145760589099212
17	<b>SUMF2</b>	-0.284497857142859	0.0127242255279427
18	<b>SNORD63</b>	-0.284362142857144	0.0327997445403627
19	<b>BMI1</b>	-0.284090714285715	0.00885223818830218
20	<b>RPL10AP6</b>	-0.283552142857144	0.0108332417376659
21	<b>ORMDL1</b>	-0.283132142857144	0.0288873660613564
22	<b>TXN</b>	-0.283090714285714	0.0207102632341839
23	<b>RPL35P1</b>	-0.283077857142859	0.0135170649708688
24	<b>TPP2</b>	-0.283024285714286	0.0203652827287247
25	<b>RPL13AP2C</b>	-0.282409285714286	0.00247827052936573
26	<b>GLB1</b>	-0.28239642857143	0.0151289047998511
27	<b>RPS3A</b>	-0.282092857142858	0.00141271212447469
28	<b>VASN</b>	-0.281883571428571	0.00367232111788413
29	<b>KSR1</b>	-0.281755714285714	0.0450711713880211
30	<b>TICAM1</b>	-0.281747142857144	0.00211757843819654
31	<b>BFAR</b>	-0.281474285714286	0.018915511347128
32	<b>GTPBP10</b>	-0.281145714285715	0.0309707321588177
33	<b>RAB13</b>	-0.280932857142857	0.00326730698295216
34	<b>C1QBP</b>	-0.280745714285715	0.036973826731298
35	<b>NUCDC1</b>	-0.280737142857143	0.0211429304571192
36	<b>IPO7</b>	-0.280329285714286	0.0408538534997166
37	<b>RPL21</b>	-0.280114285714287	0.0195241892119858
38	<b>CDK4</b>	-0.280049285714286	0.0270100973246938
39	<b>DNAJC13</b>	-0.279868571428572	0.0101271734905406
40	<b>SNORA50</b>	-0.279849285714286	0.0296774183985823
41	<b>RP4-612B1!</b>	-0.2797950000000001	0.02159100654018
42	<b>H3F3B</b>	-0.2796900000000001	0.0370466754091867
43	<b>ZBTB41</b>	-0.279417142857144	0.0418830688087131
44	<b>TBK1</b>	-0.278548571428572	0.0140501453114947
45	<b>IRF2BPL</b>	-0.2781550000000001	0.0340315413047503
46	<b>KCNA1</b>	-0.277827142857143	0.0118656676154649
47	<b>RPL23A</b>	-0.277797142857143	0.00915945724193735
48	<b>SKIV2L2</b>	-0.277706428571429	0.0228720736761699
49	<b>RPLP1</b>	-0.277635714285714	0.00064985856143593
50	<b>IFIT5</b>	-0.277629285714286	0.0181986929230837
51	<b>PRMT7</b>	-0.277215	0.0188509715193219
52	<b>RPS27</b>	-0.276778571428572	0.0171255376413854
53	<b>AFF1</b>	-0.276413571428572	0.0145953144626866
54	<b>RPL21P28</b>	-0.276357142857144	0.0180908759784573
55	<b>TMEM18</b>	-0.276097857142857	0.0172973280385884
56	<b>SNORA27</b>	-0.27603	0.00456131979416305
57	<b>SUN1</b>	-0.27598642857143	0.0307733503825357
58	<b>FBXO4</b>	-0.275700714285716	0.00903852411457578
59			up in ASC
60			up in ASC

1			BMMSC_ASC
2			
3	<b>PSMG2</b>	-0.275664285714287	0.0457501262133328
4	<b>POLR2B</b>	-0.275644285714287	0.0248012763905667
5	<b>GCC2</b>	-0.275295	0.0179368633362164
6	<b>PRPF40A</b>	-0.275243571428572	0.00149795161150176
7	<b>RPS3AP25</b>	-0.275178571428573	0.0102971866949789
8	<b>CASS4</b>	-0.274932857142858	0.00372652359137532
9	<b>RP11-254B</b>	-0.274697857142857	0.0381043937425162
10	<b>MEPCE</b>	-0.274683571428572	0.0364149190834875
11	<b>B4GALT3</b>	-0.274597142857143	0.0135753051868332
12	<b>ZDHHC17</b>	-0.274247142857143	0.0117252885234257
13	<b>ABTB1</b>	-0.274050000000001	0.0368346638248604
14	<b>FAM117B</b>	-0.273962142857142	0.0337475353340319
15	<b>GUK1</b>	-0.273602142857143	0.00391841350221032
16	<b>SLU7</b>	-0.2736	0.0200077817634509
17	<b>TAF1B</b>	-0.273013571428572	0.0229848602511532
18	<b>MNT</b>	-0.272871428571429	0.0133475776753067
19	<b>WBSCR27</b>	-0.272590714285714	0.00963524709895621
20	<b>PRMT10</b>	-0.272504285714286	0.00952430772462147
21	<b>CDC40</b>	-0.271980714285715	0.0115257138495358
22	<b>FAM83G</b>	-0.271732857142857	0.040440941511325
23	<b>RPL26</b>	-0.271525714285715	0.0092385230523788
24	<b>RP5-827C2</b>	-0.271344285714286	0.0120639223655673
25	<b>RPL29</b>	-0.271329285714287	0.000683628295080331
26	<b>CPEB3</b>	-0.271274285714286	0.0169600899181202
27	<b>TXNDC12</b>	-0.271007142857143	0.0362874138705798
28	<b>RPL23AP2</b>	-0.270842857142859	0.0101500325504452
29	<b>CLDN12</b>	-0.270383571428572	0.0132877067986746
30	<b>GTF2E1</b>	-0.269622142857143	0.0315029492830551
31	<b>G3BP1</b>	-0.269113571428571	0.00318962693576823
32	<b>ECE1</b>	-0.268750714285715	0.0425104180834217
33	<b>MIA3</b>	-0.268732142857143	0.00414769256749449
34	<b>YPEL5</b>	-0.268570714285714	0.00554258554625069
35	<b>SP3</b>	-0.268435714285714	0.0170345965702922
36	<b>BET1</b>	-0.268320000000001	0.0026897427596087
37	<b>MREG</b>	-0.267967857142857	0.00896892173907333
38	<b>AQR</b>	-0.267855000000002	0.00458966500417532
39	<b>MRPL45</b>	-0.267825714285715	0.0335472595799647
40	<b>TFB2M</b>	-0.267785	0.00788742081989586
41	<b>ABHD14A-/-</b>	-0.267765000000001	0.0441171029905364
42	<b>RMRP</b>	-0.26732142857143	0.00666427932795026
43	<b>CASP10</b>	-0.266659	0.00169199674249408
44	<b>TTC7A</b>	-0.266643	0.0372827184638498
45	<b>RRP12</b>	-0.266113571428572	0.0178932211045889
46	<b>FAM45B</b>	-0.266108571428572	0.0101794499031067
47	<b>MCMBP</b>	-0.265679285714286	0.0242216786685107
48	<b>CYP51A1</b>	-0.265622142857144	0.0334175938254466
49	<b>HIAT1</b>	-0.265538571428572	0.0335771847248301
50	<b>PTPRA</b>	-0.265345	0.020391880465546
51	<b>SLC35F5</b>	-0.265220714285716	0.0105304294297693
52	<b>PNPLA8</b>	-0.265149285714286	0.027130917251362
53	<b>NME7</b>	-0.265018571428571	0.00551648860686056
54	<b>PMS1</b>	-0.264964285714286	0.00734816450240354
55	<b>GPR89B</b>	-0.26472	0.0441041598407527
56	<b>WDFY1</b>	-0.264633571428571	0.00864536361301904
57	<b>RPS18P9</b>	-0.264622142857144	0.00453813314828098
58	<b>TRIM35</b>	-0.26462	0.0185567343785177
59			up in ASC
60			

1			
2	BMMSC_ASC		
3	<b>ITPKC</b>	-0.264443571428572	0.0169861310080627
4	<b>SLC25A28</b>	-0.264322142857144	0.0110297779337156
5	<b>PALB2</b>	-0.264229285714286	0.0244033356757334
6	<b>DAZAP2</b>	-0.264034285714287	0.0121276060200129
7	<b>FER</b>	-0.263296428571429	0.0374224307984116
8	<b>GPR108</b>	-0.263242142857143	0.0337475353340319
9	<b>RP11-244J1</b>	-0.262161428571429	0.0424868763609423
10	<b>ERP44</b>	-0.262086428571429	0.00430296014556672
11	<b>CTR9</b>	-0.261805714285714	0.00229420852356418
12	<b>ACO1</b>	-0.261760714285715	0.0375169349030304
13	<b>MTF1</b>	-0.261537142857144	0.00192491663333735
14	<b>SUPV3L1</b>	-0.26144642857143	0.0376468812026216
15	<b>AACS</b>	-0.261420714285715	0.0234286548635368
16	<b>FTSJ3</b>	-0.261219285714286	0.0242216786685107
17	<b>LGALS9C</b>	-0.260922857142857	0.0344664689810121
18	<b>EDEM2</b>	-0.260615000000001	0.0445794082431322
19	<b>TMEM30A</b>	-0.260158571428573	0.0141033025947077
20	<b>RPLP2</b>	-0.2601	0.00329942230646591
21	<b>ATP6V1B2</b>	-0.259967857142857	0.041684258384608
22	<b>FAM149B1</b>	-0.259921428571429	0.0479873584267211
23	<b>ALG8</b>	-0.25951142857143	0.0151289047998511
24	<b>ADORA2B</b>	-0.259482142857143	0.0392466103661446
25	<b>HSPA1B</b>	-0.258862857142857	0.0461825241535812
26	<b>SLC35C2</b>	-0.258757857142857	0.00722286275412118
27	<b>EIF3M</b>	-0.258023571428573	0.0200164526282781
28	<b>ECI1</b>	-0.257282857142858	0.0470190900775777
29	<b>YES1</b>	-0.257263571428572	0.00573413169537161
30	<b>WDR36</b>	-0.257073571428572	0.0397067827063034
31	<b>RPS15</b>	-0.256693571428572	0.0365016500316363
32	<b>ARGLU1</b>	-0.256532857142859	0.00888653312843051
33	<b>PRMT3</b>	-0.256526428571429	0.030177670548646
34	<b>TRIO</b>	-0.256433571428573	0.00634269536052876
35	<b>RP11-681N1</b>	-0.256395714285715	0.0059832918031556
36	<b>CCL8</b>	-0.256345	0.0385790796531759
37	<b>PDE10A</b>	-0.256138571428571	0.0261562068457994
38	<b>TMEM170A</b>	-0.25586642857143	0.018851114967248
39	<b>C17orf62</b>	-0.255802142857144	0.0107147443507141
40	<b>UXT</b>	-0.255698571428572	0.00870987766904617
41	<b>COX11</b>	-0.255483571428572	0.0228720736761699
42	<b>ATP6AP2</b>	-0.255035714285716	0.00731390286016393
43	<b>DNTTIP2</b>	-0.254940714285715	0.0302411555893783
44	<b>AGGF1</b>	-0.254819285714286	0.00415229320991653
45	<b>THAP10</b>	-0.254512857142857	0.0419653671502883
46	<b>SLC38A7</b>	-0.253882142857144	0.0185534478579405
47	<b>E2F4</b>	-0.253815714285715	0.0126881329102482
48	<b>ZBTB24</b>	-0.253025000000001	0.0110418338075698
49	<b>HABP4</b>	-0.252866428571428	0.0390429138418638
50	<b>CUL2</b>	-0.252462857142857	0.0163825208316182
51	<b>BRMS1L</b>	-0.251589285714286	0.0467210502040535
52	<b>MVP</b>	-0.251377142857145	0.00665139298835486
53	<b>ANP32B</b>	-0.251017142857143	0.0416934657343044
54	<b>RPS20</b>	-0.250542857142858	0.0373165580526206
55	<b>ABI1</b>	-0.250074285714287	0.00385542421057464
56	<b>FANCC</b>	-0.250050714285715	0.027107048363143
57	<b>CLPX</b>	-0.249535714285715	0.00412571216112278
58	<b>PCDH7</b>	-0.249325	0.00206024567259451

		BMMSC_ASC	
1	<b>FBXW7</b>	-0.248827857142858	up in ASC
2	<b>SNAPC4</b>	-0.248504285714286	up in ASC
3	<b>GSTK1</b>	-0.248365714285716	up in ASC
4	<b>TSPAN3</b>	-0.247685714285714	up in ASC
5	<b>LARP7</b>	-0.247052857142858	up in ASC
6	<b>CEBPD</b>	-0.247050714285715	up in ASC
7	<b>NOP16</b>	-0.246937857142857	up in ASC
8	<b>PIH1D1</b>	-0.246750714285715	up in ASC
9	<b>TBC1D8B</b>	-0.246415714285715	up in ASC
10	<b>DENN3</b>	-0.246307142857143	up in ASC
11	<b>CNIH</b>	-0.246248571428572	up in ASC
12	<b>RP11-466F5</b>	-0.245862142857144	up in ASC
13	<b>RP11-452G</b>	-0.245807142857144	up in ASC
14	<b>C14orf119</b>	-0.24576	up in ASC
15	<b>CCDC86</b>	-0.245602857142857	up in ASC
16	<b>AC016739.2</b>	-0.245574285714287	up in ASC
17	<b>RPS18P12</b>	-0.244905714285715	up in ASC
18	<b>ZNF76</b>	-0.244884285714286	up in ASC
19	<b>RP3-423B2</b>	-0.244871428571429	up in ASC
20	<b>RP11-555K</b>	-0.244728571428571	up in ASC
21	<b>PHB2</b>	-0.244592857142858	up in ASC
22	<b>HIATL2</b>	-0.244496428571429	up in ASC
23	<b>RBBP6</b>	-0.244363571428571	up in ASC
24	<b>RP3-375P9.</b>	-0.244219285714287	up in ASC
25	<b>STAT6</b>	-0.243818571428572	up in ASC
26	<b>ARFP1</b>	-0.243445000000001	up in ASC
27	<b>RPL34P6</b>	-0.24307142857143	up in ASC
28	<b>PRMT6</b>	-0.242887857142857	up in ASC
29	<b>PSMG1</b>	-0.242652857142858	up in ASC
30	<b>PIWIL4</b>	-0.242180714285715	up in ASC
31	<b>UBE2E1</b>	-0.242168571428572	up in ASC
32	<b>SHOC2</b>	-0.24187	up in ASC
33	<b>GPR150</b>	-0.241815714285714	up in ASC
34	<b>DERA</b>	-0.241639285714287	up in ASC
35	<b>RPS15A</b>	-0.241507142857147	up in ASC
36	<b>DNAJC1</b>	-0.240995000000001	up in ASC
37	<b>C2orf81</b>	-0.240995000000001	up in ASC
38	<b>APPBP2</b>	-0.240462142857143	up in ASC
39	<b>MUT</b>	-0.240256428571428	up in ASC
40	<b>CD81</b>	-0.240221428571429	up in ASC
41	<b>ALG2</b>	-0.240051428571428	up in ASC
42	<b>PPT2</b>	-0.239912857142858	up in ASC
43	<b>THOC6</b>	-0.239770714285716	up in ASC
44	<b>CTTN</b>	-0.238884285714286	up in ASC
45	<b>GLMN</b>	-0.238751428571429	up in ASC
46	<b>RPS16</b>	-0.238664285714288	up in ASC
47	<b>SMAD5</b>	-0.238369285714287	up in ASC
48	<b>JAGN1</b>	-0.238347142857143	up in ASC
49	<b>ORAI1</b>	-0.238145	up in ASC
50	<b>RPS2P46</b>	-0.238135714285715	up in ASC
51	<b>PRDX6</b>	-0.237535714285715	up in ASC
52	<b>ARHGEF7</b>	-0.237245714285715	up in ASC
53	<b>PEX3</b>	-0.23715	up in ASC
54	<b>LOC728613</b>	-0.23705642857143	up in ASC
55	<b>C12orf29</b>	-0.236664285714286	up in ASC
56	<b>TYW1</b>	-0.236623571428571	up in ASC

1			
2	BMMSC_ASC		
3	<b>BAZ1A</b>	-0.236525714285715	0.0181986929230837
4	<b>NR2C1</b>	-0.236094285714286	0.0222232293440269
5	<b>PAIP2</b>	-0.23602	0.0152535119113439
6	<b>LOC648987</b>	-0.234645	0.0268276801569288
7	<b>HIBADH</b>	-0.2339550000000001	0.0131248834162035
8	<b>WDR70</b>	-0.233819285714287	0.038093484874175
9	<b>RP11-587D1</b>	-0.233517142857144	0.0204540511797982
10	<b>CNNM3</b>	-0.233076428571429	0.00642254110313222
11	<b>NUDT21</b>	-0.232773571428572	0.0399410149697628
12	<b>WDR45</b>	-0.232690714285715	0.00261233068162495
13	<b>ARFGEF1</b>	-0.232567142857143	0.0114124252369195
14	<b>IKBKE</b>	-0.232504285714286	0.0192859581352109
15	<b>RPL38</b>	-0.232237142857144	0.00764614318775014
16	<b>FAM149A</b>	-0.232165	0.00268640434961783
17	<b>CAND1</b>	-0.232156428571428	0.0153817017989419
18	<b>MGAT1</b>	-0.232013571428572	0.00639070911809157
19	<b>CCDC122</b>	-0.231726428571429	0.0362055667442651
20	<b>PAF1</b>	-0.231588571428572	0.0375169349030304
21	<b>AKT2</b>	-0.231360714285715	0.0108138024038575
22	<b>F8</b>	-0.231004285714285	0.00110556736160901
23	<b>GATA2</b>	-0.230602857142858	0.0139159381031764
24	<b>RP11-40H21</b>	-0.230226428571429	0.0268105155347576
25	<b>AFG3L2</b>	-0.230170714285715	0.0193768200919162
26	<b>EI24</b>	-0.230123571428572	0.0303847156817789
27	<b>RP11-526L2</b>	-0.229850714285714	0.00079120721027091
28	<b>SNRNP40</b>	-0.229798571428572	0.0415877544110562
29	<b>RP11-280O1</b>	-0.229713571428571	0.0387487216616995
30	<b>CUL4A</b>	-0.229517857142858	0.0328893871741653
31	<b>ERICH1</b>	-0.229247142857143	0.0364060192519205
32	<b>SMARCA5</b>	-0.229076428571429	0.0258763998507471
33	<b>PILRA</b>	-0.228952142857143	0.040970692506833
34	<b>TCF21</b>	-0.228946428571429	0.0258344324996558
35	<b>WASL</b>	-0.228498571428572	0.0135561101028882
36	<b>RPS6KA3</b>	-0.228032857142857	0.0460329679516704
37	<b>SNORD83B</b>	-0.227892857142857	0.000300307301395906
38	<b>EXOC1</b>	-0.227862142857144	0.00458966500417532
39	<b>ACAD8</b>	-0.22779	0.0328420896033573
40	<b>GNB2L1</b>	-0.227735714285714	0.00761020492835783
41	<b>SETX</b>	-0.22735	0.0126881329102482
42	<b>MSRB2</b>	-0.226910000000001	0.0116470466304076
43	<b>ADTRP</b>	-0.226682142857143	0.00755669238779904
44	<b>TBC1</b>	-0.226587857142857	0.00458966500417532
45	<b>DHTKD1</b>	-0.226408571428571	0.0100532194114577
46	<b>LPPR4</b>	-0.226347857142857	0.00907215875017741
47	<b>RP11-51O6</b>	-0.226161428571429	0.0107147443507141
48	<b>ALG3</b>	-0.226116428571428	0.0236599137513358
49	<b>IL20RA</b>	-0.225855	0.00787461532071133
50	<b>PARK2</b>	-0.22556	0.00875840090479863
51	<b>MIR218-2</b>	-0.224883571428572	0.0110984242086756
52	<b>RPS18</b>	-0.224307857142858	0.000209614813817154
53	<b>PRDM4</b>	-0.224130714285714	0.0323415954713551
54	<b>SMIM10</b>	-0.224082857142858	0.00845607309166013
55	<b>CARS2</b>	-0.22396	0.044304426413412
56	<b>RPL9</b>	-0.2239000000000001	0.00700133351804711
57	<b>PIGK</b>	-0.223635714285715	0.0279547515390941
58	<b>RPL18</b>	-0.2235500000000001	0.00835102870231992
59			up in ASC
60			up in ASC

1			
2	BMMSC_ASC		
3	<b>MOSPD2</b>	-0.223382142857142	0.0456400532884335
4	<b>PRDM8</b>	-0.222413571428572	0.0220175990976081
5	<b>UBN1</b>	-0.222336428571428	0.0312382008192156
6	<b>RPL11</b>	-0.221764285714286	0.00483269048959597
7	<b>STK10</b>	-0.22166	0.0225675315918725
8	<b>KLHDC3</b>	-0.221022142857143	0.0229153745994362
9	<b>RNF135</b>	-0.220966428571429	0.03458826338127
10	<b>RPLP0</b>	-0.220778571428573	0.00175385002741226
11	<b>RP11-120J4</b>	-0.220554285714286	0.0368346638248604
12	<b>HM13</b>	-0.220064285714287	0.00845607309166013
13	<b>GGPS1</b>	-0.219912142857143	0.0177354370345024
14	<b>EEF1B2P1</b>	-0.219737857142858	0.012631266131818
15	<b>TADA2A</b>	-0.219663571428572	0.0131391191909141
16	<b>RPL13AP2E</b>	-0.219537857142858	0.0181986929230837
17	<b>FOXJ3</b>	-0.219230714285714	0.0170345965702922
18	<b>DDX3X</b>	-0.218870714285715	0.00582364737781049
19	<b>RRAS2</b>	-0.218557857142858	0.0418081597456181
20	<b>LENG8</b>	-0.218533571428572	0.0377310651407424
21	<b>RICTOR</b>	-0.218473571428572	0.0106358570751468
22	<b>POLR1C</b>	-0.218426428571429	0.00613961983001559
23	<b>COL18A1</b>	-0.218405714285715	0.0103055322233708
24	<b>RPL13AP6</b>	-0.218238571428571	0.0138215139618864
25	<b>APCDD1</b>	-0.218065	0.011470348555069
26	<b>KIAA0922</b>	-0.218060714285714	0.0348919592623793
27	<b>TAF12</b>	-0.217887142857143	0.0336071297894761
28	<b>TPRA1</b>	-0.217379285714286	0.0208551352664108
29	<b>SS18L2</b>	-0.217195000000001	0.0133272612786098
30	<b>HTRA4</b>	-0.216893571428572	0.00948537038478154
31	<b>GLT8D1</b>	-0.216848571428572	0.0387378054840323
32	<b>ANKS6</b>	-0.216691428571429	0.0295499354583782
33	<b>RBM47</b>	-0.216335714285715	0.0282652344031053
34	<b>SPNS1</b>	-0.216135	0.0332779637055182
35	<b>KHSRP</b>	-0.215407142857144	0.00532728101671223
36	<b>PDCD7</b>	-0.215329285714286	0.0343938149274367
37	<b>RP11-395L1</b>	-0.215201428571429	0.0338224971803694
38	<b>SEC23IP</b>	-0.215057142857143	0.0301559009490689
39	<b>IL1RL2</b>	-0.215026428571428	0.039635928638004
40	<b>TBC1D20</b>	-0.214989285714287	0.0135126180492853
41	<b>ANXA7</b>	-0.214901428571428	0.0466063570294331
42	<b>EIF3K</b>	-0.214205	0.0323670220472134
43	<b>HDAC5</b>	-0.214003571428572	0.0351061047067924
44	<b>RPL30</b>	-0.213814285714287	0.00495549178883003
45	<b>VPS4B</b>	-0.213447857142857	0.00720150944017274
46	<b>DAZAP2P1</b>	-0.213055	0.0266972595493774
47	<b>SNORA33</b>	-0.212897857142858	0.0481965890482851
48	<b>FAM86JP</b>	-0.212861428571429	0.0127962312441215
49	<b>LZTFL1</b>	-0.212855000000001	0.0140501453114947
50	<b>TRIL</b>	-0.212793571428572	0.00948270306789558
51	<b>NACA</b>	-0.212721428571428	0.0144934797852069
52	<b>CCDC80</b>	-0.212007142857144	0.0190199564229925
53	<b>ODF3B</b>	-0.211965714285714	0.00720182494860917
54	<b>YBX1P1</b>	-0.211676428571429	0.0232676957765339
55	<b>SPTLC1</b>	-0.211504285714286	0.0249708780555469
56	<b>ARID5B</b>	-0.211242142857144	0.0348569010478935
57	<b>RPS17P2</b>	-0.210766428571429	0.00400473729648524
58	<b>SNX13</b>	-0.210643571428571	0.0409365287617977
59			up in ASC
60			up in ASC

1			
2	BMMSC_ASC		
3	<b>IRAK1</b>	-0.210305714285715	0.0198507472158529
4	<b>GOLPH3</b>	-0.210146428571429	0.0256887976682981
5	<b>TPD52L2</b>	-0.20897	0.0402383200550994
6	<b>ATP5D</b>	-0.208932142857144	0.0371273254832112
7	<b>PRPF19</b>	-0.208902142857144	0.0310448943081137
8	<b>RPL27</b>	-0.208080714285715	0.0166287807582517
9	<b>ZFC3H1</b>	-0.208007142857144	0.0385695907745447
10	<b>HEATR2</b>	-0.208005714285714	0.0411062585358743
11	<b>GOLGA7</b>	-0.207705	0.0244620428805445
12	<b>TAF9</b>	-0.207475714285716	0.0400614781575792
13	<b>LARP4B</b>	-0.207475714285715	0.0348317748099509
14	<b>RASL11B</b>	-0.207206428571429	0.00695291959697313
15	<b>HSPBAP1</b>	-0.207042857142857	0.0179400759862037
16	<b>TOR3A</b>	-0.206950714285715	0.0451910675276248
17	<b>NMT1</b>	-0.206572142857144	0.0450508266057608
18	<b>PTPN2</b>	-0.205889285714286	0.0335472595799647
19	<b>RPSA</b>	-0.205764285714286	0.0484178400396258
20	<b>SDHA</b>	-0.2057349999999999	0.0225253700764328
21	<b>PSTPIP2</b>	-0.205732857142858	0.0303847156817789
22	<b>TIMM10B</b>	-0.205177857142858	0.0477870724205494
23	<b>MBOAT7</b>	-0.203756428571429	0.0161459295813901
24	<b>ZFAND2A</b>	-0.20366642857143	0.0363858368416125
25	<b>URI1</b>	-0.203635	0.0425370227988454
26	<b>RBM19</b>	-0.203401428571429	0.0150532345671258
27	<b>CCDC149</b>	-0.2033800000000001	0.0086503844661955
28	<b>BLCAP</b>	-0.203127857142858	0.0432172177919832
29	<b>RPS3</b>	-0.202942857142861	0.00542596888225983
30	<b>TM2D3</b>	-0.202682857142857	0.00717771167830246
31	<b>SLC12A2</b>	-0.2022100000000001	0.0429470530942502
32	<b>CDC123</b>	-0.202115	0.010251425612789
33	<b>MITD1</b>	-0.202098571428572	0.02241668439177
34	<b>ZCCHC9</b>	-0.201751428571428	0.0264730424061061
35	<b>C18orf8</b>	-0.201306428571429	0.00776866225374795
36	<b>RPS6</b>	-0.200742857142857	0.00265374754367811
37	<b>BAG3</b>	-0.200525	0.0464712612373986
38	<b>DNPEP</b>	-0.200302857142858	0.0451910675276248
39	<b>CCDC117</b>	-0.200266428571429	0.0319785966965354
40	<b>RPL12L3</b>	-0.200185714285716	0.0117822786939927
41	<b>SLITRK1</b>	-0.199707857142858	0.0397090098928317
42	<b>TRPV1</b>	-0.1995550000000001	0.0450508266057608
43	<b>CNBP</b>	-0.19952642857143	0.00437206141030078
44	<b>EIF4EBP2</b>	-0.199402857142857	0.0062278301690373
45	<b>EIF3H</b>	-0.199342857142857	0.00340088045487306
46	<b>QRICH1</b>	-0.199190714285715	0.0193633722124513
47	<b>DCAF12</b>	-0.198712857142858	0.0484178400396258
48	<b>SMU1</b>	-0.198095714285716	0.0258344324996558
49	<b>HOXD9</b>	-0.198041428571429	0.00656139667427301
50	<b>PLD6</b>	-0.197757857142858	0.0148310586648493
51	<b>RPL37</b>	-0.197567142857143	0.0229153745994362
52	<b>RPL5</b>	-0.197435714285715	0.0128403935382358
53	<b>TNFSF4</b>	-0.196847857142857	0.027873839492384
54	<b>ZDHHC1</b>	-0.19651	0.0426896098363111
55	<b>AC009413.2</b>	-0.196003571428572	0.022353799683482
56	<b>TCEB2</b>	-0.195892857142857	0.0367333107897084
57	<b>GIT2</b>	-0.195250714285716	0.00158298705327752
58	<b>RP11-123J1</b>	-0.195138571428572	0.0461736152471563
59			up in ASC

1			BMMSC_ASC	
2	<b>RASAL2</b>	-0.195035714285715	0.0458165926364533	up in ASC
3	<b>WHAMM</b>	-0.194664285714286	0.0248182489253573	up in ASC
4	<b>LINC00634</b>	-0.194650714285714	0.00369106112936845	up in ASC
5	<b>RPS21</b>	-0.194562857142857	0.0336417380735438	up in ASC
6	<b>STAP2</b>	-0.194448571428572	0.0282599870332801	up in ASC
7	<b>WDR53</b>	-0.193947142857143	0.0341729063381163	up in ASC
8	<b>FBXO18</b>	-0.193356428571429	0.0342573309768692	up in ASC
9	<b>STX16</b>	-0.19315142857143	0.0437313562340784	up in ASC
10	<b>CIZ1</b>	-0.192884285714287	0.0364983153939159	up in ASC
11	<b>IK</b>	-0.192630714285714	0.0368346638248604	up in ASC
12	<b>C7orf43</b>	-0.192472142857143	0.0425569918211469	up in ASC
13	<b>FOXN2</b>	-0.192398571428572	0.0177354370345024	up in ASC
14	<b>POT1</b>	-0.192188571428572	0.0030258778093305	up in ASC
15	<b>SLC25A44</b>	-0.192101428571429	0.029561267226691	up in ASC
16	<b>BNIP2</b>	-0.192090714285715	0.0216207416701801	up in ASC
17	<b>DEK</b>	-0.1915700000000001	0.0457989207072279	up in ASC
18	<b>WDR33</b>	-0.19136642857143	0.0372920170395952	up in ASC
19	<b>CCNY</b>	-0.191137857142858	0.0333232404247083	up in ASC
20	<b>FAM216A</b>	-0.191085714285714	0.0392476608101247	up in ASC
21	<b>ABT1</b>	-0.190947142857144	0.0383685509352384	up in ASC
22	<b>IMP3</b>	-0.190891428571429	0.0169600899181202	up in ASC
23	<b>NPRL3</b>	-0.190126428571429	0.0266613484476898	up in ASC
24	<b>SLC2A10</b>	-0.189972857142858	0.0301253951293067	up in ASC
25	<b>MED6</b>	-0.188653571428572	0.036973826731298	up in ASC
26	<b>RPS27A</b>	-0.188311428571428	0.0371679972906374	up in ASC
27	<b>SEMA3E</b>	-0.187977857142858	0.0110916872845344	up in ASC
28	<b>YTHDF3</b>	-0.1877400000000001	0.0133246599303458	up in ASC
29	<b>NOC4L</b>	-0.187670714285715	0.040970692506833	up in ASC
30	<b>EED</b>	-0.187583571428573	0.044989993518261	up in ASC
31	<b>SLC29A3</b>	-0.187159285714286	0.0432995959035011	up in ASC
32	<b>SMARCD2</b>	-0.186815714285715	0.0120313990289935	up in ASC
33	<b>MAPK3</b>	-0.186467857142858	0.039266937908079	up in ASC
34	<b>UNKL</b>	-0.186201428571429	0.0441041598407527	up in ASC
35	<b>CEP76</b>	-0.185545	0.0326096627205847	up in ASC
36	<b>CDK7</b>	-0.1851750000000001	0.0226243234082296	up in ASC
37	<b>OAZ1</b>	-0.184621428571429	0.0482931636973317	up in ASC
38	<b>GTF2H2</b>	-0.184264285714287	0.0334175938254466	up in ASC
39	<b>ERCC8</b>	-0.183773571428572	0.0253725126295598	up in ASC
40	<b>PITPNA</b>	-0.183472142857145	0.00728056976610704	up in ASC
41	<b>C10orf90</b>	-0.183120714285714	0.00372746507027756	up in ASC
42	<b>TTC8</b>	-0.183086428571429	0.0325135395879156	up in ASC
43	<b>EMX1</b>	-0.182857142857143	0.0492214212403851	up in ASC
44	<b>RNA5SP37</b>	-0.182701428571429	0.00776821566785756	up in ASC
45	<b>RPL12P11</b>	-0.182436428571429	0.0295371391184769	up in ASC
46	<b>LSM6</b>	-0.182423571428572	0.0320008694772362	up in ASC
47	<b>COG2</b>	-0.182179285714286	0.00652274838102399	up in ASC
48	<b>RP11-112J1</b>	-0.181905	0.0370423411866876	up in ASC
49	<b>SAMD3</b>	-0.181711428571429	0.0461151603632563	up in ASC
50	<b>C1orf158</b>	-0.181698571428572	0.038249393876447	up in ASC
51	<b>RPL7AP66</b>	-0.18137142857143	0.038853484266658	up in ASC
52	<b>DHX8</b>	-0.181224285714286	0.0297053928836429	up in ASC
53	<b>RPP38</b>	-0.180686428571429	0.0489924064328831	up in ASC
54	<b>WIPI2</b>	-0.180537142857144	0.0133226502917277	up in ASC
55	<b>sept-05</b>	-0.180514285714286	0.00342403166796068	up in ASC
56	<b>RIOK3</b>	-0.180479285714286	0.0376926492108056	up in ASC
57	<b>ESF1</b>	-0.180302142857144	0.0468833583015	up in ASC

1			
2	BMMSC_ASC		
3	<b>ZNF598</b>	-0.180085714285714	0.00845607309166013
4	<b>PSPC1</b>	-0.180063571428571	0.041684258384608
5	<b>ABHD17C</b>	-0.179800000000001	0.0438922001315494
6	<b>HOXD10</b>	-0.179778571428572	0.0153303970562539
7	<b>BAG5</b>	-0.179772857142857	0.0361392949730698
8	<b>CBFA2T2</b>	-0.179575714285714	0.0339039400313124
9	<b>BUD31</b>	-0.179215000000001	0.043017702273509
10	<b>RPF2</b>	-0.177585714285715	0.0435004406332897
11	<b>LIMS1</b>	-0.177445	0.0273781621577513
12	<b>UBA52</b>	-0.17665	0.00412485539084079
13	<b>ARHGAP17</b>	-0.175660714285715	0.00545833495491513
14	<b>CCNK</b>	-0.174451428571429	0.033428675731611
15	<b>PAPOLA</b>	-0.174433571428572	0.0285244003203384
16	<b>USP36</b>	-0.174314285714286	0.0211957074150466
17	<b>WNT4</b>	-0.174056428571429	0.0377976057589813
18	<b>NSUN5P2</b>	-0.173943571428572	0.039642906607688
19	<b>USP32</b>	-0.173462857142857	0.0279547515390941
20	<b>RPL8</b>	-0.173385714285715	0.0127242255279427
21	<b>TRMT5</b>	-0.173130000000001	0.0148568805356016
22	<b>BRD2</b>	-0.172032857142857	0.04453219646803
23	<b>TXNRD3</b>	-0.171726428571429	0.0276685548444033
24	<b>RNA5P49</b>	-0.171641428571429	0.0107769303014141
25	<b>MOB1A</b>	-0.170855	0.0173945876461881
26	<b>DACT3</b>	-0.170149285714286	0.0327449658429818
27	<b>PON3</b>	-0.170077857142858	0.0232131959101442
28	<b>ZMYM4</b>	-0.170052857142858	0.0269360316450895
29	<b>RRP1</b>	-0.169072142857143	0.0435501348206539
30	<b>TMEM69</b>	-0.169060714285715	0.0452478854879227
31	<b>AK3</b>	-0.16846642857143	0.0279547515390941
32	<b>CCL11</b>	-0.167872857142857	0.012088219902363
33	<b>TRPV3</b>	-0.167810714285715	0.03458826338127
34	<b>EFCAB14</b>	-0.167773571428572	0.0161613389946427
35	<b>GBP4</b>	-0.167592857142857	0.0304956540680026
36	<b>LOC388692</b>	-0.167367857142858	0.0217144872116809
37	<b>ENGASE</b>	-0.166704285714286	0.00466918452558048
38	<b>HSPE1</b>	-0.166520714285715	0.0465210839729608
39	<b>SLC25A46</b>	-0.165192142857143	0.0255981511551822
40	<b>KAT5</b>	-0.164100000000001	0.0222232293440269
41	<b>ANGEL2</b>	-0.163814285714287	0.0335176766176023
42	<b>RAB7A</b>	-0.163685714285716	0.0378081070228048
43	<b>RPS14</b>	-0.1635	0.0412246731711496
44	<b>METTL21C</b>	-0.162496428571429	0.0483220867807559
45	<b>ZNF7</b>	-0.162199285714286	0.0340802944108148
46	<b>B3GNT8</b>	-0.161696428571429	0.0349843197225274
47	<b>MON2</b>	-0.160758571428572	0.0461825876782381
48	<b>RGPD8</b>	-0.160270714285715	0.0250647227054823
49	<b>RGPD6</b>	-0.159944285714287	0.0288268061674221
50	<b>SF3B1</b>	-0.158627142857143	0.0263873364988731
51	<b>RPS4X</b>	-0.157607142857144	0.0261640373943468
52	<b>RPL24</b>	-0.157564285714288	0.0181986929230837
53	<b>RGPD5</b>	-0.157501428571428	0.0348070262650936
54	<b>RTL1</b>	-0.157425714285715	0.0191010189837611
55	<b>HTR7P1</b>	-0.157220714285714	0.0203443933362514
56	<b>CCAR1</b>	-0.156857857142857	0.0456228517264823
57	<b>GRTP1</b>	-0.156775	0.0377527416650066
58	<b>TMEM230</b>	-0.156583571428572	0.0144735700986699
59			up in ASC
60			up in ASC

1			
2	BMMSC_ASC		
3	<b>PLA2G1B</b>	-0.156332857142857	0.0381024121156307
4	<b>FAM71E2</b>	-0.154024285714286	0.0428890859963928
5	<b>RPL37AP8</b>	-0.153583571428572	0.026949835379325
6	<b>MTX1</b>	-0.153553571428572	0.0230041168303101
7	<b>RPL14</b>	-0.153195	0.0239851104934871
8	<b>TMEM248</b>	-0.152865000000001	0.038756477901894
9	<b>ITGA9</b>	-0.152749285714286	0.0474193965013027
10	<b>RPL6</b>	-0.151785714285716	0.0368346638248604
11	<b>RPS14P3</b>	-0.151631428571429	0.0309593106800611
12	<b>ZIC4</b>	-0.151535	0.0109711421967453
13	<b>FRMPD1</b>	-0.150854285714286	0.021030367072154
14	<b>ZNF16</b>	-0.150330714285715	0.0132482333821939
15	<b>EEF1G</b>	-0.148935714285714	0.00736722206210153
16	<b>YBX1</b>	-0.148542857142858	0.0337853715122364
17	<b>ZBTB47</b>	-0.147678571428573	0.0451023206751895
18	<b>IL27</b>	-0.146028571428572	0.018961962160769
19	<b>KCNQ3</b>	-0.146002857142857	0.0464752017132234
20	<b>MNX1</b>	-0.145657857142857	0.0346255425185747
21	<b>CARD8</b>	-0.144855714285715	0.0424401348575133
22	<b>VANGL1</b>	-0.144077857142857	0.0247593248767307
23	<b>GAK</b>	-0.143410714285715	0.0290346670148301
24	<b>MIR99A</b>	-0.142846428571429	0.0178932211045889
25	<b>PRPH2</b>	-0.142524285714286	0.0461736152471563
26	<b>RPL13A</b>	-0.141007142857145	0.0122439414398256
27	<b>NUPR1L</b>	-0.139736428571429	0.047629141561158
28	<b>OGFR</b>	-0.138018571428572	0.0416876980353706
29	<b>RPL35A</b>	-0.137435714285713	0.0286918965538694
30	<b>GFOD1</b>	-0.136969285714286	0.0118983780254195
31	<b>NECAB2</b>	-0.136707857142857	0.0370023899847295
32	<b>CISH</b>	-0.136312142857144	0.0469708130649822
33	<b>THOC2</b>	-0.133073571428572	0.0423785520394863
34	<b>HOXD3</b>	-0.131308571428572	0.0441182005098631
35	<b>RPS25</b>	-0.129021428571431	0.0231277583166076
36	<b>RTN1</b>	-0.126105714285714	0.0208384787817212
37	<b>GLIS3-AS1</b>	-0.125458571428571	0.0281145860804434
38	<b>RNF125</b>	-0.123245714285715	0.0249113462444168
39	<b>PTRH2</b>	-0.122993571428572	0.0482102827196066
40	<b>TMEM184A</b>	-0.116203571428572	0.0213672854184024
41	<b>FLJ41733</b>	-0.110957857142858	0.039702200055723
42	<b>CCL25</b>	-0.110342142857143	0.0411940463085207
43	<b>PKD2L1</b>	0.100322857142857	0.0439238352622611
44	<b>OR51C1P</b>	0.103027857142857	0.0249033365665276
45	<b>GNAT2</b>	0.106885	0.0400422191881557
46	<b>PALD1</b>	0.108422142857142	0.04688626885593
47	<b>MUSK</b>	0.110039999999999	0.0284923132088132
48	<b>MYL6B</b>	0.113922142857142	0.0308320785026333
49	<b>CLSTN2</b>	0.117654285714286	0.00959197702155991
50	<b>PAQR6</b>	0.117952857142857	0.0437313562340784
51	<b>LOC645769</b>	0.120010714285714	0.0404666704724701
52	<b>CAPS2</b>	0.123838571428571	0.0477562444803826
53	<b>LY6G6D</b>	0.124266428571428	0.039642906607688
54	<b>FAM184A</b>	0.124702142857143	0.0437287308899432
55	<b>PABPC1L2I</b>	0.126253571428572	0.0389164889018211
56	<b>ZMYND15</b>	0.129109285714285	0.0248702526031994
57	<b>ISG20</b>	0.130132857142857	0.0117861144733411
58	<b>TMEM190</b>	0.130137142857143	0.02159100654018

			BMMSC_ASC
1			
2			
3	<b>NLRP3</b>	0.130675714285714	0.0368346638248604
4	<b>AQP4-AS1</b>	0.131617857142857	0.0348230731297044
5	<b>ADAM20</b>	0.133894285714285	0.0482931636973317
6	<b>ITGB1BP2</b>	0.134111428571429	0.0419898860693788
7	<b>CSNK1E</b>	0.134439285714286	0.0387228214478465
8	<b>MYF5</b>	0.134487857142857	0.0173785276508233
9	<b>SFI1</b>	0.137727857142856	0.0323313683700328
10	<b>CLMN</b>	0.137800714285714	0.0438085219399627
11	<b>ZNF180</b>	0.138465	0.0267074244531016
12	<b>CLHC1</b>	0.138499285714285	0.0435709218726492
13	<b>KRT35</b>	0.138629285714285	0.0291426664226109
14	<b>GBF1</b>	0.138781428571428	0.0489262484916971
15	<b>MTERFD2</b>	0.138862142857143	0.0349001222525958
16	<b>PBX3</b>	0.138989285714286	0.0378293215179679
17	<b>FAM222A</b>	0.140060714285714	0.00867421689107413
18	<b>SLC24A5</b>	0.142218571428571	0.0140501453114947
19	<b>LST1</b>	0.142847142857143	0.0265271122696968
20	<b>ZNF630</b>	0.143340714285714	0.020392442533915
21	<b>ALS2CR12</b>	0.143645714285714	0.0233597142309361
22	<b>HAVCR2</b>	0.14377	0.0342573309768692
23	<b>ZBTB7B</b>	0.144174285714285	0.0249708780555469
24	<b>OR52E2</b>	0.144930714285714	0.0291779642217186
25	<b>UBQLN4</b>	0.146913571428571	0.0448753559468533
26	<b>AP2B1</b>	0.146922142857142	0.0315484212786347
27	<b>FLJ42875</b>	0.14787	0.0325135395879156
28	<b>MORF4L1</b>	0.148095714285714	0.0461151603632563
29	<b>REP15</b>	0.148631428571429	0.0375169349030304
30	<b>CYP2G2P</b>	0.148664285714286	0.0341176930478046
31	<b>CSTL1</b>	0.149114285714285	0.0219441559574063
32	<b>CAPZA2</b>	0.152199285714286	0.0292201808965366
33	<b>AGPAT1</b>	0.1525499999999999	0.0325903973505337
34	<b>CHD7</b>	0.153213571428571	0.017077424383336
35	<b>PPARD</b>	0.153270714285713	0.0470190900775777
36	<b>BCAS2</b>	0.154047857142856	0.0486654324164401
37	<b>RAET1E</b>	0.156082857142857	0.0334175938254466
38	<b>BACH2</b>	0.15644	0.0154750715321468
39	<b>MAP2</b>	0.157067857142857	0.0257921911108264
40	<b>ZNF471</b>	0.157763571428572	0.0263392947128221
41	<b>TSPAN7</b>	0.157878571428571	0.0214517684005722
42	<b>CIB2</b>	0.158096428571428	0.0434695231820755
43	<b>KIAA1522</b>	0.159111428571429	0.0173069547260559
44	<b>AP1G1</b>	0.159900714285715	0.02073236714347
45	<b>LRRC73</b>	0.159920714285714	0.0432515427935826
46	<b>TFEB</b>	0.160312142857142	0.0267074244531016
47	<b>MIR194-2</b>	0.160897857142856	0.0495719884225965
48	<b>RASSF7</b>	0.161017857142857	0.0417390296908199
49	<b>FUND1</b>	0.1612	0.00898186207818286
50	<b>DLK2</b>	0.162058571428571	0.0168749511310201
51	<b>SNAPC3</b>	0.162201428571428	0.0480084205792174
52	<b>TCEAL1</b>	0.162441428571428	0.0349820154964407
53	<b>PTPN1</b>	0.162466428571428	0.0495416876105872
54	<b>EFHC2</b>	0.162679285714286	0.0118032937941775
55	<b>HLA-DMB</b>	0.163917142857142	0.00866022137454577
56	<b>PRKAR1A</b>	0.164071428571429	0.0305445361658585
57	<b>ARHGEF18</b>	0.164152857142857	0.0134330455880556
58	<b>EGFLAM</b>	0.164327857142857	0.0350910872325999
59			up in BM-MSC

		BMMSC_ASC	
1	<b>LINC00888</b>	0.164409285714285	0.0241810004668387
2	<b>RGL3</b>	0.164567142857142	0.00478272877722067
3	<b>AMDHD1</b>	0.165522142857143	0.00522010777310032
4	<b>HR</b>	0.165671428571428	0.00700260777531879
5	<b>TP53BP1</b>	0.166139285714284	0.0458701424320511
6	<b>KISS1</b>	0.166199285714286	0.0231315042280108
7	<b>TNFSF12</b>	0.166387857142857	0.039635928638004
8	<b>NINL</b>	0.16651	0.0276644678657781
9	<b>PMM1</b>	0.1667399999999999	0.0441171029905364
10	<b>HK1</b>	0.166962142857143	0.0185567343785177
11	<b>ZNF785</b>	0.167397857142857	0.0200052278169322
12	<b>SH2B3</b>	0.167854285714285	0.0298088982527505
13	<b>HDAC6</b>	0.169376428571428	0.0290456116145228
14	<b>BPI</b>	0.169511428571429	0.00634058374361168
15	<b>C5orf15</b>	0.169571428571428	0.0300044942980838
16	<b>ERLIN2</b>	0.170061428571428	0.00837294276325752
17	<b>ENDOV</b>	0.170644285714285	0.0210802867583693
18	<b>RNA5SP51!</b>	0.170654285714286	0.0122916823711811
19	<b>MYCNOS</b>	0.170927142857143	0.0425569918211469
20	<b>KPNA6</b>	0.170987142857143	0.0371679972906374
21	<b>EGF</b>	0.171286428571428	0.0201598247078257
22	<b>HHEX</b>	0.171709285714285	0.0225425481760816
23	<b>ANKFN1</b>	0.171752142857142	0.0496817960078824
24	<b>CNN2P8</b>	0.17187	0.0111479753331791
25	<b>C3orf18</b>	0.171927857142856	0.0195668283283126
26	<b>LY6G5C</b>	0.172066428571429	0.0348428222753632
27	<b>MIR451A</b>	0.17243	0.00498310025817771
28	<b>ZNF821</b>	0.172657857142857	0.0314749713866446
29	<b>METTL5</b>	0.173012142857142	0.0211957074150466
30	<b>ASH1L</b>	0.173660714285714	0.0346484270742655
31	<b>ARMC2</b>	0.174132857142857	0.0175084941503084
32	<b>GJA5</b>	0.174632857142857	0.0252475600141448
33	<b>LURAP1</b>	0.174976428571428	0.0289523211335781
34	<b>LEF1</b>	0.175013571428571	0.00744061217766068
35	<b>DNAJC5</b>	0.175896428571428	0.0307733503825357
36	<b>HOXA-AS2</b>	0.176780714285714	0.049603141949242
37	<b>TBX4</b>	0.177192857142857	0.0481965890482851
38	<b>ARRDC2</b>	0.177841428571428	0.0429667996928981
39	<b>FUT5</b>	0.177917857142857	0.0454197493236905
40	<b>GARNL3</b>	0.1781699999999999	0.020525634119514
41	<b>TTC3</b>	0.17847	0.040586715436905
42	<b>OR10A3</b>	0.178698571428571	0.0404419589424041
43	<b>USP47</b>	0.179346428571428	0.0339900101414627
44	<b>TM4SF4</b>	0.179537142857142	0.0396132360193916
45	<b>NKX2-6</b>	0.179758571428571	0.00132978165178963
46	<b>PPFIA4</b>	0.179841428571429	0.0163021298925452
47	<b>RHBDF2</b>	0.180051428571428	0.0140898871628091
48	<b>OR2G2</b>	0.1806199999999999	0.015593141274926
49	<b>RP11-569H</b>	0.181377142857142	0.0179368633362164
50	<b>TSPAN1</b>	0.181436428571428	0.0233494554443433
51	<b>TMIE</b>	0.181712142857143	0.0426289207726899
52	<b>PADI1</b>	0.182015	0.0148868799510703
53	<b>SBDS</b>	0.182215714285713	0.042159494145034
54	<b>CCDC24</b>	0.182715	0.0376649260724992
55	<b>CCDC170</b>	0.183041428571429	0.0288873660613564
56	<b>HECTD2</b>	0.184528571428572	0.0232131959101442

			BMMSC_ASC
1	<b>FNDC3A</b>	0.184795714285714	0.0478351001341122 up in BM-MSC
2	<b>RP11-722P'</b>	0.185067142857143	0.0230622175879246 up in BM-MSC
3	<b>RXRA</b>	0.185399285714286	0.0310689900372974 up in BM-MSC
4	<b>INSRR</b>	0.187254285714286	0.0400422191881557 up in BM-MSC
5	<b>HOXA3</b>	0.187386428571428	0.0225857680069905 up in BM-MSC
6	<b>ARHGEF12</b>	0.188178571428571	0.0302411555893783 up in BM-MSC
7	<b>ZG16B</b>	0.188690714285714	0.0368346638248604 up in BM-MSC
8	<b>WDR6</b>	0.189272857142856	0.0170718916416179 up in BM-MSC
9	<b>TMEM38A</b>	0.189865714285713	0.00953178212004114 up in BM-MSC
10	<b>FAM199X</b>	0.190087857142857	0.0346044737659649 up in BM-MSC
11	<b>TADA3</b>	0.190272142857142	0.0161764801062343 up in BM-MSC
12	<b>MGRN1</b>	0.190922142857143	0.0107584580430642 up in BM-MSC
13	<b>CDKL3</b>	0.191204285714285	0.0333376489265947 up in BM-MSC
14	<b>TMSB10</b>	0.191464285714285	0.0414587895136727 up in BM-MSC
15	<b>NLRC5</b>	0.191632142857143	0.0427936226728051 up in BM-MSC
16	<b>sept-04</b>	0.192260714285714	0.0335472595799647 up in BM-MSC
17	<b>KCTD21</b>	0.192294999999999	0.0359893363362009 up in BM-MSC
18	<b>ZNF614</b>	0.192381428571428	0.0461736152471563 up in BM-MSC
19	<b>HIVEP3</b>	0.192922857142857	0.0036679769691224 up in BM-MSC
20	<b>STARD8</b>	0.193159285714285	0.0390429138418638 up in BM-MSC
21	<b>TMEM123</b>	0.193244285714286	0.0453209803829892 up in BM-MSC
22	<b>ADO</b>	0.193535714285714	0.0106446525814341 up in BM-MSC
23	<b>APOPT1</b>	0.193596428571428	0.0179947780914844 up in BM-MSC
24	<b>C20orf197</b>	0.193657857142857	0.0330123486132873 up in BM-MSC
25	<b>SFXN3</b>	0.194248571428571	0.00931500691795241 up in BM-MSC
26	<b>SOX9</b>	0.194323571428571	0.0474840042308644 up in BM-MSC
27	<b>CELSR2</b>	0.194492857142857	0.0108509550925371 up in BM-MSC
28	<b>WDR66</b>	0.194810714285714	0.0208384787817212 up in BM-MSC
29	<b>ADRBK1</b>	0.194874285714286	0.0289992478504998 up in BM-MSC
30	<b>ANKRD13D</b>	0.195384285714285	0.0102971866949789 up in BM-MSC
31	<b>TMEM251</b>	0.195864285714286	0.00870987766904617 up in BM-MSC
32	<b>LMF1</b>	0.197135714285715	0.0394888133399266 up in BM-MSC
33	<b>SLC35A4</b>	0.197334999999999	0.00652274838102399 up in BM-MSC
34	<b>SLC25A11</b>	0.197764285714285	0.00689306914885167 up in BM-MSC
35	<b>SPAG7</b>	0.198119285714285	0.00953178212004114 up in BM-MSC
36	<b>KIF3A</b>	0.198747142857142	0.0148949936828893 up in BM-MSC
37	<b>RNF121</b>	0.198758571428571	0.0472897480071694 up in BM-MSC
38	<b>LRSAM1</b>	0.199166428571428	0.0231389776968823 up in BM-MSC
39	<b>PCGF2</b>	0.199928571428572	0.0389496053775391 up in BM-MSC
40	<b>ZNF185</b>	0.200121428571428	0.0395172208736788 up in BM-MSC
41	<b>SNTG2</b>	0.200232857142857	0.0074110709875678 up in BM-MSC
42	<b>MORN3</b>	0.200520714285714	0.025401905890791 up in BM-MSC
43	<b>NDUFB8</b>	0.200672142857142	0.0193290472613344 up in BM-MSC
44	<b>TIA1</b>	0.200839285714284	0.0413545255912889 up in BM-MSC
45	<b>MED20</b>	0.200875714285715	0.0164608303797235 up in BM-MSC
46	<b>CTBP1-AS2</b>	0.201209285714286	0.0481965890482851 up in BM-MSC
47	<b>C12orf39</b>	0.201371428571428	0.0279081131457571 up in BM-MSC
48	<b>MPP4</b>	0.201878571428571	0.0183469392573988 up in BM-MSC
49	<b>ALDH5A1</b>	0.201959285714286	0.00250713407152973 up in BM-MSC
50	<b>CC2D1B</b>	0.201985714285714	0.00725241034059665 up in BM-MSC
51	<b>TMEM179</b>	0.201998571428571	0.0398858215975049 up in BM-MSC
52	<b>SSR4P1</b>	0.202127857142857	0.0171769544833529 up in BM-MSC
53	<b>OLFM4</b>	0.202158571428572	0.0382827417012446 up in BM-MSC
54	<b>ADSSL1</b>	0.202168571428571	0.0240166031398801 up in BM-MSC
55	<b>POM121L1F</b>	0.202587857142857	0.0111745076430825 up in BM-MSC
56	<b>ZC3H7A</b>	0.202937142857142	0.0447687173673908 up in BM-MSC

		BMMSC_ASC	
1	<b>SNAPIN</b>	0.204887142857141	up in BM-MSC
2	<b>FN1</b>	0.2056999999999999	up in BM-MSC
3	<b>SLC9A5</b>	0.2070899999999999	up in BM-MSC
4	<b>FHDC1</b>	0.207222857142857	up in BM-MSC
5	<b>LOC80154</b>	0.207424285714286	up in BM-MSC
6	<b>SAMD5</b>	0.207727142857143	up in BM-MSC
7	<b>CETN2</b>	0.207902142857142	up in BM-MSC
8	<b>FLJ00418</b>	0.208083571428572	up in BM-MSC
9	<b>CS</b>	0.208467142857142	up in BM-MSC
10	<b>KIF1B</b>	0.208472857142857	up in BM-MSC
11	<b>FLRT3</b>	0.208647142857143	up in BM-MSC
12	<b>SLC7A2</b>	0.208787857142857	up in BM-MSC
13	<b>LZTR1</b>	0.209210714285715	up in BM-MSC
14	<b>IDNK</b>	0.209327857142857	up in BM-MSC
15	<b>SNN</b>	0.209796428571429	up in BM-MSC
16	<b>ARHGAP42</b>	0.21025	up in BM-MSC
17	<b>SNX11</b>	0.210283571428572	up in BM-MSC
18	<b>ZFP69</b>	0.210327142857143	up in BM-MSC
19	<b>FKBP10</b>	0.210448571428571	up in BM-MSC
20	<b>RNF11</b>	0.210616428571428	up in BM-MSC
21	<b>NNT</b>	0.210719285714286	up in BM-MSC
22	<b>EFNB3</b>	0.210989285714285	up in BM-MSC
23	<b>SH3BGRL</b>	0.2112999999999999	up in BM-MSC
24	<b>CAMK1</b>	0.211409285714285	up in BM-MSC
25	<b>POU6F1</b>	0.211796428571429	up in BM-MSC
26	<b>DLG5</b>	0.211820714285714	up in BM-MSC
27	<b>DNMT3A</b>	0.212302142857143	up in BM-MSC
28	<b>CDK6</b>	0.212723571428571	up in BM-MSC
29	<b>CAMTA2</b>	0.212742857142857	up in BM-MSC
30	<b>GAPDH</b>	0.212771428571429	up in BM-MSC
31	<b>MOCS2</b>	0.213026428571428	up in BM-MSC
32	<b>IFITM2</b>	0.213368571428571	up in BM-MSC
33	<b>USP34</b>	0.213454285714286	up in BM-MSC
34	<b>RCE1</b>	0.213947857142856	up in BM-MSC
35	<b>SFMBT1</b>	0.214110714285714	up in BM-MSC
36	<b>C5AR1</b>	0.214177857142857	up in BM-MSC
37	<b>LRRC37A3</b>	0.214616428571429	up in BM-MSC
38	<b>FAM117A</b>	0.21497	up in BM-MSC
39	<b>SMUG1</b>	0.215012142857142	up in BM-MSC
40	<b>C21orf59</b>	0.215285714285714	up in BM-MSC
41	<b>ADRBK2</b>	0.215462857142857	up in BM-MSC
42	<b>NTRK1</b>	0.215655714285714	up in BM-MSC
43	<b>RNF215</b>	0.215738571428571	up in BM-MSC
44	<b>SHF</b>	0.216083571428572	up in BM-MSC
45	<b>SDSL</b>	0.2164	up in BM-MSC
46	<b>ARID1A</b>	0.2165099999999999	up in BM-MSC
47	<b>DNAJC24</b>	0.216685000000001	up in BM-MSC
48	<b>LOC100132</b>	0.217203571428571	up in BM-MSC
49	<b>AKT1</b>	0.217264285714286	up in BM-MSC
50	<b>MANF</b>	0.217282142857143	up in BM-MSC
51	<b>GAS8</b>	0.217524285714285	up in BM-MSC
52	<b>UNC13B</b>	0.217806428571428	up in BM-MSC
53	<b>ATP7A</b>	0.217879285714285	up in BM-MSC
54	<b>LAMA5</b>	0.218326428571428	up in BM-MSC
55	<b>DNAJA4</b>	0.218564285714286	up in BM-MSC
56	<b>PRSS35</b>	0.21865	up in BM-MSC

1				
2	BMMSC_ASC			
3	<b>KLHL18</b>	0.218748571428571	0.00915945724193735	up in BM-MSC
4	<b>MYH11</b>	0.219030714285714	0.0181448749410964	up in BM-MSC
5	<b>FBXO27</b>	0.219052857142857	0.00643148655756119	up in BM-MSC
6	<b>MRPL14</b>	0.219262142857142	0.00316304028833399	up in BM-MSC
7	<b>RBPM52</b>	0.21938857142857	0.0225939928469197	up in BM-MSC
8	<b>AKIP1</b>	0.219406428571429	0.00812183886178482	up in BM-MSC
9	<b>CTNNA1</b>	0.220024285714285	0.0125443751873143	up in BM-MSC
10	<b>FAM115C</b>	0.220177142857143	0.00451975651795509	up in BM-MSC
11	<b>HSP90B1</b>	0.220221428571429	0.0266868106604131	up in BM-MSC
12	<b>EIF2AK4</b>	0.220568571428571	0.0112830750783911	up in BM-MSC
13	<b>GALNT18</b>	0.220669285714286	0.00121651658037076	up in BM-MSC
14	<b>B4GALT1</b>	0.220862142857144	0.0148955429095602	up in BM-MSC
15	<b>MECOM</b>	0.220932857142857	0.0275968387681898	up in BM-MSC
16	<b>RTKN2</b>	0.221812857142857	0.0450158554802731	up in BM-MSC
17	<b>SMARCD3</b>	0.222905	0.0241778692330508	up in BM-MSC
18	<b>MAP2K6</b>	0.223093571428571	0.0344773394026853	up in BM-MSC
19	<b>SLC26A10</b>	0.223342857142857	0.0175851782210086	up in BM-MSC
20	<b>RIMS3</b>	0.223439285714285	0.00829206582493307	up in BM-MSC
21	<b>SCRN2</b>	0.223860714285714	0.00658726404460311	up in BM-MSC
22	<b>SMCR7</b>	0.223927142857142	0.010769267363906	up in BM-MSC
23	<b>MIB1</b>	0.224057142857141	0.0335176766176023	up in BM-MSC
24	<b>LOC100288</b>	0.224292857142857	0.0378782049762867	up in BM-MSC
25	<b>HECTD4</b>	0.2246699999999999	0.0149832324584972	up in BM-MSC
26	<b>ZSCAN31</b>	0.225247142857143	0.0369648373350557	up in BM-MSC
27	<b>R3HCC1</b>	0.225809285714286	0.034687364807394	up in BM-MSC
28	<b>R3HDM1</b>	0.226009285714285	0.0306829164496303	up in BM-MSC
29	<b>POMT1</b>	0.226552857142857	0.0155028916020579	up in BM-MSC
30	<b>DCAF15</b>	0.226645714285713	0.0287589486272605	up in BM-MSC
31	<b>ZNF70</b>	0.22685	0.0482102827196066	up in BM-MSC
32	<b>HLA-A</b>	0.226921428571426	0.0307733503825357	up in BM-MSC
33	<b>HLA-C</b>	0.2271	0.0298789435303647	up in BM-MSC
34	<b>ANXA2P2</b>	0.22717857142857	0.0280031272406962	up in BM-MSC
35	<b>MARCKS</b>	0.227892142857143	0.0276346572027904	up in BM-MSC
36	<b>PPP2R5B</b>	0.228365	0.0103055322233708	up in BM-MSC
37	<b>FAM114A1</b>	0.228606428571429	0.0104702189637834	up in BM-MSC
38	<b>CGNL1</b>	0.229125714285714	0.0229059572196931	up in BM-MSC
39	<b>EIF2B2</b>	0.229285714285715	0.0174977165814757	up in BM-MSC
40	<b>RNA5P22!</b>	0.229605714285714	0.00463534874947975	up in BM-MSC
41	<b>RPTN</b>	0.230477142857143	0.0435616994806412	up in BM-MSC
42	<b>WDTC1</b>	0.230851428571427	0.00352969464613078	up in BM-MSC
43	<b>SHC1</b>	0.231322142857142	0.0432215817601352	up in BM-MSC
44	<b>ACOT4</b>	0.231794285714285	0.00371980800744841	up in BM-MSC
45	<b>QSOX1</b>	0.232245714285713	0.0195196379692009	up in BM-MSC
46	<b>CDRT4</b>	0.232278571428571	0.0112866995385385	up in BM-MSC
47	<b>FAM89B</b>	0.232376428571429	0.0287701018351129	up in BM-MSC
48	<b>ERBB2</b>	0.232566428571429	0.00304974711843321	up in BM-MSC
49	<b>LRRC37A4I</b>	0.233267857142857	0.0384495662518138	up in BM-MSC
50	<b>MIER2</b>	0.233349285714286	0.0422969953435276	up in BM-MSC
51	<b>POTEJ</b>	0.233675	0.0441171029905364	up in BM-MSC
52	<b>LRRC8A</b>	0.234027142857143	0.00301464875178812	up in BM-MSC
53	<b>PFDN1</b>	0.234036428571428	0.0283089505053754	up in BM-MSC
54	<b>MORN4</b>	0.234299285714286	0.044304426413412	up in BM-MSC
55	<b>CLSTN1</b>	0.23431	0.0101964359627315	up in BM-MSC
56	<b>MAP3K14</b>	0.234492857142856	0.00700133351804711	up in BM-MSC
57	<b>TMEM25</b>	0.234504285714286	0.0072546680969976	up in BM-MSC
58	<b>LINGO1</b>	0.234616428571428	0.00984461375620611	up in BM-MSC

		BMMSC_ASC	
1	<b>MDP1</b>	0.234670714285714	up in BM-MSC
2	<b>RNF208</b>	0.234790714285714	up in BM-MSC
3	<b>GNAL</b>	0.234816428571428	up in BM-MSC
4	<b>AIG1</b>	0.235342142857142	up in BM-MSC
5	<b>NDUFA4</b>	0.235886428571427	up in BM-MSC
6	<b>AFF2</b>	0.236142857142857	up in BM-MSC
7	<b>P2RY2</b>	0.236336428571429	up in BM-MSC
8	<b>PCDHB9</b>	0.236339285714285	up in BM-MSC
9	<b>CCDC134</b>	0.236427142857143	up in BM-MSC
10	<b>LY75</b>	0.23652	up in BM-MSC
11	<b>SOGA3</b>	0.236855714285715	up in BM-MSC
12	<b>FAM219A</b>	0.237047857142857	up in BM-MSC
13	<b>PNMA1</b>	0.237268571428571	up in BM-MSC
14	<b>ITSN2</b>	0.237307142857143	up in BM-MSC
15	<b>AUTS2</b>	0.2375	up in BM-MSC
16	<b>ZFP3</b>	0.237855	up in BM-MSC
17	<b>CCDC68</b>	0.23791	up in BM-MSC
18	<b>PHKB</b>	0.237945714285714	up in BM-MSC
19	<b>PRKAR2B</b>	0.238049999999999	up in BM-MSC
20	<b>VSTM2L</b>	0.238134285714285	up in BM-MSC
21	<b>ZNF85</b>	0.238155714285713	up in BM-MSC
22	<b>GTF2F2</b>	0.238667857142857	up in BM-MSC
23	<b>ZNF793</b>	0.239359285714285	up in BM-MSC
24	<b>AC008103.5</b>	0.239737857142857	up in BM-MSC
25	<b>AGPAT3</b>	0.239978571428571	up in BM-MSC
26	<b>JRK</b>	0.240430714285714	up in BM-MSC
27	<b>ZNF14</b>	0.240677142857143	up in BM-MSC
28	<b>RUNX3</b>	0.240777857142856	up in BM-MSC
29	<b>AC073958.2</b>	0.240842142857142	up in BM-MSC
30	<b>XKR8</b>	0.240873571428571	up in BM-MSC
31	<b>DYPSL4</b>	0.241132857142858	up in BM-MSC
32	<b>C9orf89</b>	0.241588571428571	up in BM-MSC
33	<b>CUL4B</b>	0.242149285714286	up in BM-MSC
34	<b>RTKN</b>	0.24236	up in BM-MSC
35	<b>sept-09</b>	0.242611428571429	up in BM-MSC
36	<b>ZCCHC11</b>	0.242762142857143	up in BM-MSC
37	<b>NDUFS7</b>	0.242998571428571	up in BM-MSC
38	<b>ZNF542</b>	0.243007857142856	up in BM-MSC
39	<b>HEXIM1</b>	0.243520714285713	up in BM-MSC
40	<b>TANGO2</b>	0.243527142857142	up in BM-MSC
41	<b>RGP1</b>	0.243701428571428	up in BM-MSC
42	<b>C5orf42</b>	0.244701428571428	up in BM-MSC
43	<b>PIGO</b>	0.244739285714285	up in BM-MSC
44	<b>ZNF667</b>	0.244797142857143	up in BM-MSC
45	<b>PIM2</b>	0.246223571428571	up in BM-MSC
46	<b>ZNF395</b>	0.247335714285715	up in BM-MSC
47	<b>PAQR7</b>	0.247369285714286	up in BM-MSC
48	<b>SNORD115</b>	0.247554285714286	up in BM-MSC
49	<b>REM1</b>	0.247724285714285	up in BM-MSC
50	<b>FMNL3</b>	0.247731428571428	up in BM-MSC
51	<b>ARF3</b>	0.247770714285713	up in BM-MSC
52	<b>SNX7</b>	0.24805	up in BM-MSC
53	<b>DYNC1LI2</b>	0.248297857142856	up in BM-MSC
54	<b>C9orf142</b>	0.248327857142856	up in BM-MSC
55	<b>LOC100130</b>	0.249499999999999	up in BM-MSC
56	<b>ATF6</b>	0.249901428571429	up in BM-MSC

1			
2			
3		BMMSC_ASC	
4	<b>CYP27C1</b>	0.250055	0.0176488075304026 up in BM-MSC
5	<b>LOC729737</b>	0.250392142857143	0.0477081664112787 up in BM-MSC
6	<b>PRKCH</b>	0.2505699999999999	0.0439780640369177 up in BM-MSC
7	<b>LGALS1</b>	0.250664285714286	0.0131219807086191 up in BM-MSC
8	<b>ARMCX3</b>	0.251309285714286	0.0478598758075217 up in BM-MSC
9	<b>SHFM1</b>	0.2515949999999999	0.0112309486009592 up in BM-MSC
10	<b>RBFOX2</b>	0.251792142857142	0.00678214000119898 up in BM-MSC
11	<b>DEC2</b>	0.251881428571428	0.028880223374385 up in BM-MSC
12	<b>AES</b>	0.252216428571428	0.00997995269166109 up in BM-MSC
13	<b>TMEM136</b>	0.252625	0.0271534945769667 up in BM-MSC
14	<b>SHANK2-A1</b>	0.253532857142857	0.0231416523146502 up in BM-MSC
15	<b>ZNF780B</b>	0.254424285714286	0.0373165580526206 up in BM-MSC
16	<b>CASKIN2</b>	0.255132857142857	0.00027461021047703 up in BM-MSC
17	<b>FUOM</b>	0.255393571428571	0.00598933050183496 up in BM-MSC
18	<b>PDP2</b>	0.255467857142857	0.0190045279102242 up in BM-MSC
19	<b>MSR1</b>	0.25555	0.00730346170712814 up in BM-MSC
20	<b>CSPG4P1Y</b>	0.255632857142857	0.00100428265861223 up in BM-MSC
21	<b>ACTR2</b>	0.255957142857143	0.0130358342246756 up in BM-MSC
22	<b>MUS81</b>	0.256050714285715	0.012911815124733 up in BM-MSC
23	<b>PPP6C</b>	0.256076428571428	0.0284543860569139 up in BM-MSC
24	<b>PAFAH1B2</b>	0.256314999999999	0.0157001661152533 up in BM-MSC
25	<b>ZNF334</b>	0.2565	0.0330063044161202 up in BM-MSC
26	<b>CCND3</b>	0.256750714285714	0.0270256874198008 up in BM-MSC
27	<b>LPPR2</b>	0.256790714285714	0.0236222040032561 up in BM-MSC
28	<b>TSC22D3</b>	0.257150714285714	0.00179870028077337 up in BM-MSC
29	<b>TRAPP C9</b>	0.257162857142857	0.0157988644120415 up in BM-MSC
30	<b>APBA2</b>	0.257163571428571	0.0385174154124057 up in BM-MSC
31	<b>WDR78</b>	0.25746	0.0385737201964024 up in BM-MSC
32	<b>LETM2</b>	0.257545714285714	0.0169600899181202 up in BM-MSC
33	<b>NCF2</b>	0.257826428571428	0.0112830750783911 up in BM-MSC
34	<b>SPECC1L</b>	0.257919285714285	0.0135522696165359 up in BM-MSC
35	<b>MOP-1</b>	0.258192142857143	0.00232597625535588 up in BM-MSC
36	<b>CREB3L2</b>	0.258201428571428	0.0191988849158614 up in BM-MSC
37	<b>ST8SIA1</b>	0.259208571428571	0.0185084172643238 up in BM-MSC
38	<b>C5orf24</b>	0.259690714285714	0.00898365052377641 up in BM-MSC
39	<b>DNAJC22</b>	0.260180714285714	0.00504511079178957 up in BM-MSC
40	<b>VEZF1</b>	0.260192857142858	0.0490391183193387 up in BM-MSC
41	<b>USP5</b>	0.260537857142858	0.0361831441196984 up in BM-MSC
42	<b>KIAA1737</b>	0.261132857142857	0.0228720736761699 up in BM-MSC
43	<b>FOXP1</b>	0.261429285714284	0.00855538361054788 up in BM-MSC
44	<b>PRELID2</b>	0.261459285714285	0.00984461375620611 up in BM-MSC
45	<b>PRPSAP2</b>	0.262166428571429	0.0348835915194361 up in BM-MSC
46	<b>TNRC18P3</b>	0.262572857142857	0.0264764036438605 up in BM-MSC
47	<b>STX7</b>	0.263432857142856	0.0261088222050098 up in BM-MSC
48	<b>ZC4H2</b>	0.264627142857143	0.0152475047404356 up in BM-MSC
49	<b>REEP2</b>	0.264665	0.00490898868221559 up in BM-MSC
50	<b>CACNB3</b>	0.264974285714285	0.00736614752534538 up in BM-MSC
51	<b>LDHA</b>	0.265128571428574	0.0381024121156307 up in BM-MSC
52	<b>INF2</b>	0.265223571428572	0.0448753559468533 up in BM-MSC
53	<b>ZIK1</b>	0.265249285714286	0.0241778692330508 up in BM-MSC
54	<b>SOX11</b>	0.265275	0.00187965540699636 up in BM-MSC
55	<b>TTC13</b>	0.265761428571428	0.0341176930478046 up in BM-MSC
56	<b>HLA-J</b>	0.266085714285714	0.0356790500107969 up in BM-MSC
57	<b>LOC644936</b>	0.266434999999999	0.0171016953965526 up in BM-MSC
58	<b>MAP3K13</b>	0.26724	0.00415229320991653 up in BM-MSC
59	<b>HN1L</b>	0.267253571428571	0.0297724145682564 up in BM-MSC

			BMMSC_ASC
1	<b>LAMA3</b>	0.268597857142857	0.0435004406332897 up in BM-MSC
2	<b>HCST</b>	0.269202857142857	0.0108138024038575 up in BM-MSC
3	<b>KLHL7</b>	0.269843571428571	0.0108332417376659 up in BM-MSC
4	<b>FAM27C</b>	0.269869285714285	0.043747868413815 up in BM-MSC
5	<b>HAGH</b>	0.270402857142857	0.0236072545214619 up in BM-MSC
6	<b>CERS2</b>	0.27048357142857	0.00424124019893558 up in BM-MSC
7	<b>ABCD1</b>	0.270511428571428	0.0139680737620831 up in BM-MSC
8	<b>COMM7D</b>	0.270607857142857	0.0175326919728621 up in BM-MSC
9	<b>FHL3</b>	0.271068571428571	0.0254701408836453 up in BM-MSC
10	<b>TEC</b>	0.27147	0.000439838696052275 up in BM-MSC
11	<b>C5AR2</b>	0.272022857142857	0.0192641837799134 up in BM-MSC
12	<b>LEPREL2</b>	0.272026428571428	0.00484054122039884 up in BM-MSC
13	<b>ELOVL3</b>	0.27245	0.00905449827103259 up in BM-MSC
14	<b>IPO13</b>	0.272810714285714	0.00730346170712814 up in BM-MSC
15	<b>RP11-466L10</b>	0.272963571428571	0.0493408080901711 up in BM-MSC
16	<b>ZNF626</b>	0.2733949999999999	0.0165274884497178 up in BM-MSC
17	<b>SPATA20</b>	0.2738	0.00425519400212572 up in BM-MSC
18	<b>PLCG1</b>	0.2740399999999999	0.0220380037962556 up in BM-MSC
19	<b>LANCL3</b>	0.274115	0.0128976396194731 up in BM-MSC
20	<b>NACC1</b>	0.274120714285714	0.0283176889068155 up in BM-MSC
21	<b>PAGR1</b>	0.274910714285714	0.0168593936925093 up in BM-MSC
22	<b>IQGAP1</b>	0.2750749999999999	0.00121651658037076 up in BM-MSC
23	<b>TMEM245</b>	0.275102142857142	0.0256389014430876 up in BM-MSC
24	<b>REEP4</b>	0.275156428571428	0.0386127567747805 up in BM-MSC
25	<b>FAM27A</b>	0.275400714285715	0.0260994671564117 up in BM-MSC
26	<b>NUDT3</b>	0.275750714285713	0.00814686554531933 up in BM-MSC
27	<b>POLB</b>	0.275827142857142	0.0391112886361546 up in BM-MSC
28	<b>NRM</b>	0.276149285714285	0.0273098496559856 up in BM-MSC
29	<b>OSBPL10</b>	0.276397857142857	0.0315990161205481 up in BM-MSC
30	<b>P4HTM</b>	0.276403571428571	0.0259997811454717 up in BM-MSC
31	<b>KIF5B</b>	0.276832857142857	0.0127395240351961 up in BM-MSC
32	<b>HTR7</b>	0.276997857142857	0.0059468381861895 up in BM-MSC
33	<b>WNK1</b>	0.2771349999999999	0.00342455795151095 up in BM-MSC
34	<b>PAFAH1B3</b>	0.2776349999999999	0.0228720736761699 up in BM-MSC
35	<b>UPRT</b>	0.277924285714286	0.00590505756111192 up in BM-MSC
36	<b>GTF2I</b>	0.278165714285714	0.00451975651795509 up in BM-MSC
37	<b>CD2AP</b>	0.278173571428571	0.00602268644306121 up in BM-MSC
38	<b>SLC39A13</b>	0.278507142857142	0.0079788170464947 up in BM-MSC
39	<b>PICK1</b>	0.279047142857143	0.0187349189127352 up in BM-MSC
40	<b>PINK1</b>	0.280114285714285	0.00959197702155991 up in BM-MSC
41	<b>MTMR4</b>	0.280270714285714	0.0368004482800704 up in BM-MSC
42	<b>THBS1</b>	0.281642857142855	0.00867814181188804 up in BM-MSC
43	<b>POTEKP</b>	0.282112857142857	0.0170025975352382 up in BM-MSC
44	<b>FGF1</b>	0.282197857142857	0.0072546680969976 up in BM-MSC
45	<b>RP13-516M</b>	0.282407142857143	0.0290221466721525 up in BM-MSC
46	<b>KCNS3</b>	0.282476428571428	0.00929750477705115 up in BM-MSC
47	<b>SLC41A1</b>	0.282667142857142	0.00551648860686056 up in BM-MSC
48	<b>CCDC85C</b>	0.283427857142857	0.0102537526132735 up in BM-MSC
49	<b>CLIP2</b>	0.283499285714285	0.00802682068783504 up in BM-MSC
50	<b>MARC1</b>	0.283567857142857	0.00913045492730955 up in BM-MSC
51	<b>NAGK</b>	0.283633571428571	0.0399984103866232 up in BM-MSC
52	<b>SLC2A8</b>	0.283894285714286	0.00309924525308327 up in BM-MSC
53	<b>RSPH3</b>	0.283899285714285	0.00572501881797219 up in BM-MSC
54	<b>WWP2</b>	0.284637857142857	0.0241583167577552 up in BM-MSC
55	<b>STXBP1</b>	0.284721428571428	0.0227857714972011 up in BM-MSC
56	<b>PRDM16</b>	0.284814285714286	0.00296581692106794 up in BM-MSC

			BMMSC_ASC
1			
2			
3	<b>ARSG</b>	0.28485	0.00336425657087227 up in BM-MSC
4	<b>COPRS</b>	0.285223571428571	0.021030367072154 up in BM-MSC
5	<b>SYNJ1</b>	0.285348571428571	0.00273237578664008 up in BM-MSC
6	<b>PPP1R13B</b>	0.285608571428571	0.00012431712398323 up in BM-MSC
7	<b>SPANXA2-C</b>	0.286401428571428	0.0457402857187494 up in BM-MSC
8	<b>SELT</b>	0.286432857142856	0.00261388353688864 up in BM-MSC
9	<b>C7orf50</b>	0.286617857142856	0.0170718916416179 up in BM-MSC
10	<b>FGFRL1</b>	0.286625714285714	0.0183634824400033 up in BM-MSC
11	<b>LMLN</b>	0.286938571428571	0.0232117783549907 up in BM-MSC
12	<b>STAMBP</b>	0.287284285714285	0.00277658476783306 up in BM-MSC
13	<b>KRT86</b>	0.287464285714286	0.00204009636932772 up in BM-MSC
14	<b>ADAMTS9</b>	0.287588571428572	0.0311917609670408 up in BM-MSC
15	<b>GPI</b>	0.288403571428571	0.0267378894228202 up in BM-MSC
16	<b>ZDHHC13</b>	0.289066428571428	0.0365798999819935 up in BM-MSC
17	<b>ACOT13</b>	0.289292857142856	0.0100600533623446 up in BM-MSC
18	<b>NINJ1</b>	0.289339285714285	0.0245860056423123 up in BM-MSC
19	<b>BICD1</b>	0.289771428571429	0.0488990457206995 up in BM-MSC
20	<b>ACTBP7</b>	0.290008571428571	0.0154978485738443 up in BM-MSC
21	<b>KIAA1715</b>	0.290139285714285	0.0169098219142298 up in BM-MSC
22	<b>SLC25A37</b>	0.290592142857142	0.0493794663274411 up in BM-MSC
23	<b>RAB34</b>	0.290849285714287	0.0111517261212039 up in BM-MSC
24	<b>SPRYD7</b>	0.291618571428571	0.0137462963918738 up in BM-MSC
25	<b>NAT14</b>	0.292011428571429	0.0016384610005351 up in BM-MSC
26	<b>DOPEY1</b>	0.292253571428571	0.0219259957152549 up in BM-MSC
27	<b>COL7A1</b>	0.292430714285714	0.00277877738214961 up in BM-MSC
28	<b>ANKEF1</b>	0.292755	0.00265374754367811 up in BM-MSC
29	<b>BBX</b>	0.293802857142857	0.0271367634919855 up in BM-MSC
30	<b>KIF3C</b>	0.294114285714286	0.0164608303797235 up in BM-MSC
31	<b>JPH2</b>	0.294149285714285	0.00744321696676397 up in BM-MSC
32	<b>H2AFY2</b>	0.2941999999999999	0.0114124252369195 up in BM-MSC
33	<b>ROGDI</b>	0.294357142857142	0.00761136335358736 up in BM-MSC
34	<b>IGFBP1</b>	0.294842857142856	0.0226243234082296 up in BM-MSC
35	<b>GNAQ</b>	0.2951649999999999	0.0177634295968941 up in BM-MSC
36	<b>NLRP1</b>	0.295215714285714	0.000597579845105776 up in BM-MSC
37	<b>TMEM246</b>	0.295267142857143	9.20890219714208e-05 up in BM-MSC
38	<b>RNF5P1</b>	0.295826428571428	0.00117464453226081 up in BM-MSC
39	<b>OBFC1</b>	0.29585	0.0115257138495358 up in BM-MSC
40	<b>C4orf22</b>	0.295997857142857	0.00833252706928246 up in BM-MSC
41	<b>MORC4</b>	0.296046428571428	0.0307235752696704 up in BM-MSC
42	<b>ZNF625-ZNI</b>	0.296276428571428	0.0375286057382028 up in BM-MSC
43	<b>ARHGDIA</b>	0.296516428571427	0.0248182489253573 up in BM-MSC
44	<b>MYO5A</b>	0.29716	0.0367333107897084 up in BM-MSC
45	<b>KANK2</b>	0.29724	0.0300263022720785 up in BM-MSC
46	<b>NXNL2</b>	0.297652857142857	0.00814686554531933 up in BM-MSC
47	<b>HAAO</b>	0.297863571428572	0.00338103278032422 up in BM-MSC
48	<b>YIPF2</b>	0.297880714285714	0.0244687151959693 up in BM-MSC
49	<b>CNN3</b>	0.298118571428571	0.00740611414917279 up in BM-MSC
50	<b>HUS1</b>	0.298254285714285	0.000386541748667637 up in BM-MSC
51	<b>KRTAP2-4</b>	0.298422857142857	0.0232606045275659 up in BM-MSC
52	<b>MAGED1</b>	0.298683571428571	0.026824738740036 up in BM-MSC
53	<b>ASB5</b>	0.299047142857143	0.00387016127162122 up in BM-MSC
54	<b>TNFRSF25</b>	0.300072142857143	0.00106828762444403 up in BM-MSC
55	<b>RCN3</b>	0.300282142857142	0.0244033356757334 up in BM-MSC
56	<b>TEAD3</b>	0.300562142857142	0.00765506062046628 up in BM-MSC
57	<b>WDR47</b>	0.301287142857143	0.0110916872845344 up in BM-MSC
58	<b>FRYL</b>	0.30141	0.0231277583166076 up in BM-MSC

			BMMSC_ASC
1	<b>EHD1</b>	0.301992142857142	0.0434124379606277 up in BM-MSC
2	<b>RAF1</b>	0.302650714285713	0.00893778475028449 up in BM-MSC
3	<b>CELSR1</b>	0.302655	0.000629080869124199 up in BM-MSC
4	<b>CAPZB</b>	0.304342857142857	0.00045661929834942 up in BM-MSC
5	<b>ZNF772</b>	0.304675	0.00342403166796068 up in BM-MSC
6	<b>CERCAM</b>	0.304888571428571	0.0029125094073919 up in BM-MSC
7	<b>ASPHD1</b>	0.304906428571429	0.0361392949730698 up in BM-MSC
8	<b>PYGB</b>	0.306302142857142	0.0287701018351129 up in BM-MSC
9	<b>RASA2</b>	0.306392142857142	0.0270256874198008 up in BM-MSC
10	<b>NLRX1</b>	0.306665714285714	0.00132858506982709 up in BM-MSC
11	<b>PRKACA</b>	0.306897857142857	0.0067701991809827 up in BM-MSC
12	<b>NPR2</b>	0.3069799999999999	0.0219895197922037 up in BM-MSC
13	<b>ING2</b>	0.307459285714286	0.0204688432765815 up in BM-MSC
14	<b>CBX6</b>	0.30757	0.0340398917509093 up in BM-MSC
15	<b>TRPM4</b>	0.307595	0.0119102758273784 up in BM-MSC
16	<b>EXD2</b>	0.307723571428572	0.0469794482277454 up in BM-MSC
17	<b>DOLPP1</b>	0.307884285714286	0.00799707624068462 up in BM-MSC
18	<b>RWDD4</b>	0.308306428571427	0.0246205663495419 up in BM-MSC
19	<b>TTC9</b>	0.308457857142857	0.0311104956650255 up in BM-MSC
20	<b>RNF5</b>	0.308497857142857	0.000698056075478424 up in BM-MSC
21	<b>MYPN</b>	0.308691428571428	0.0478598758075217 up in BM-MSC
22	<b>ABR</b>	0.308972142857142	0.0224088123904531 up in BM-MSC
23	<b>VCL</b>	0.309344285714285	0.000492879089216956 up in BM-MSC
24	<b>GLIS2</b>	0.309447142857142	0.0190350251219888 up in BM-MSC
25	<b>CCS</b>	0.309534285714286	0.00209379523776157 up in BM-MSC
26	<b>CADM1</b>	0.30963	0.00174640207703748 up in BM-MSC
27	<b>RDX</b>	0.310027142857143	0.00147603782012316 up in BM-MSC
28	<b>CHRNE</b>	0.310259285714286	0.00437206141030078 up in BM-MSC
29	<b>CDC42SE2</b>	0.310268571428571	0.00380443250602695 up in BM-MSC
30	<b>CILP2</b>	0.310507142857142	0.0327449658429818 up in BM-MSC
31	<b>OSBPL5</b>	0.310586428571429	0.00980790803533816 up in BM-MSC
32	<b>MAP3KAPK3</b>	0.310920714285715	0.0498074006354365 up in BM-MSC
33	<b>TSPYL5</b>	0.312005	0.0175084941503084 up in BM-MSC
34	<b>TECR</b>	0.31205	0.0465444812680021 up in BM-MSC
35	<b>IPP</b>	0.312315	0.0191209394688005 up in BM-MSC
36	<b>BTN2A1</b>	0.3125099999999999	0.00401834037171248 up in BM-MSC
37	<b>DDHD2</b>	0.313135714285713	0.00329942230646591 up in BM-MSC
38	<b>DMXL2</b>	0.313215714285714	0.0035940671487353 up in BM-MSC
39	<b>PLEKHF2</b>	0.313498571428571	0.0194503515938695 up in BM-MSC
40	<b>SPIN1</b>	0.314757142857143	0.00194117175723978 up in BM-MSC
41	<b>SLC35E4</b>	0.316416428571428	0.000721293603496625 up in BM-MSC
42	<b>CEP170B</b>	0.316795714285714	0.0301326949285447 up in BM-MSC
43	<b>GDNF</b>	0.317129285714285	0.0419898860693788 up in BM-MSC
44	<b>PRRX2</b>	0.317707142857142	0.00504527714154921 up in BM-MSC
45	<b>SOX6</b>	0.317834285714286	0.000323211105941232 up in BM-MSC
46	<b>ANXA6</b>	0.317878571428572	0.0102846778301338 up in BM-MSC
47	<b>SERGEF</b>	0.318165	0.0195196379692009 up in BM-MSC
48	<b>SACS</b>	0.318487857142857	0.0461151603632563 up in BM-MSC
49	<b>XYLT2</b>	0.318905714285714	0.00242743329628017 up in BM-MSC
50	<b>TRAK2</b>	0.319015	0.0396132360193916 up in BM-MSC
51	<b>TNRC6C</b>	0.319142142857143	0.0103183698190621 up in BM-MSC
52	<b>CYP20A1</b>	0.319358571428571	0.016036406481316 up in BM-MSC
53	<b>LASP1</b>	0.3196199999999999	0.0114795722929732 up in BM-MSC
54	<b>REPIN1</b>	0.319888571428571	0.00652274838102399 up in BM-MSC
55	<b>KIRREL</b>	0.319947142857143	0.0223502402371649 up in BM-MSC
56	<b>GNAI2</b>	0.3210249999999999	0.00050229314481185 up in BM-MSC

			BMMSC_ASC
1			
2			
3	<b>PHF10</b>	0.321228571428571	0.02159100654018 up in BM-MSC
4	<b>LPP</b>	0.3213199999999999	0.00676058490621049 up in BM-MSC
5	<b>AC027612.10</b>	0.321472857142856	0.00339491797194586 up in BM-MSC
6	<b>SLC38A3</b>	0.321483571428572	0.000976138345384659 up in BM-MSC
7	<b>DDR1</b>	0.321711428571429	0.0411971255673774 up in BM-MSC
8	<b>CTTNBP2N</b>	0.322087142857143	0.0280220079122438 up in BM-MSC
9	<b>POMGNT1</b>	0.322521428571428	0.00699312998350066 up in BM-MSC
10	<b>TMEM106A</b>	0.322952142857143	0.0260577033179706 up in BM-MSC
11	<b>CAPN2</b>	0.323122142857143	0.00258222796097119 up in BM-MSC
12	<b>FBXO16</b>	0.323217857142857	0.0042167576757356 up in BM-MSC
13	<b>CBL</b>	0.323381428571427	0.00121651658037076 up in BM-MSC
14	<b>TNFAIP8</b>	0.324652857142857	0.026997322436328 up in BM-MSC
15	<b>POTEM</b>	0.324866428571428	0.0214286045952154 up in BM-MSC
16	<b>EPDR1</b>	0.324893571428571	0.0225253700764328 up in BM-MSC
17	<b>CHD4</b>	0.325483571428571	0.000305634962514656 up in BM-MSC
18	<b>PLEKHA6</b>	0.325567857142857	0.0150358354375107 up in BM-MSC
19	<b>KIAA0895</b>	0.3256699999999999	0.000573981408623529 up in BM-MSC
20	<b>NACC2</b>	0.326677857142857	0.00256536377643587 up in BM-MSC
21	<b>MARC2</b>	0.328473571428572	0.0177073924400316 up in BM-MSC
22	<b>CALM3</b>	0.328665714285713	0.000170928496845029 up in BM-MSC
23	<b>FAM213B</b>	0.328687857142857	0.00690660070153944 up in BM-MSC
24	<b>MAPRE3</b>	0.328738571428571	0.0231277583166076 up in BM-MSC
25	<b>PNPLA3</b>	0.329003571428572	0.0493597806245868 up in BM-MSC
26	<b>VAMP5</b>	0.329871428571428	0.0042167576757356 up in BM-MSC
27	<b>ACTBP2</b>	0.3315499999999999	0.00689012837403434 up in BM-MSC
28	<b>SUSD5</b>	0.33177	0.0034609326811357 up in BM-MSC
29	<b>SDR42E1</b>	0.332207857142857	0.00521461438789678 up in BM-MSC
30	<b>BACE1</b>	0.332455	0.0148310586648493 up in BM-MSC
31	<b>DAB2IP</b>	0.332457142857143	0.00265374754367811 up in BM-MSC
32	<b>ANKRD20A</b>	0.333490714285714	0.0353191719805518 up in BM-MSC
33	<b>HRAS</b>	0.335526428571428	0.00166890176724774 up in BM-MSC
34	<b>STOML1</b>	0.336091428571429	0.00121651658037076 up in BM-MSC
35	<b>RGL1</b>	0.337440714285714	0.033428675731611 up in BM-MSC
36	<b>CH17-12M2</b>	0.337476428571428	0.00732330305899029 up in BM-MSC
37	<b>HEY2</b>	0.337584285714286	0.0192362251428574 up in BM-MSC
38	<b>CHD9</b>	0.337784285714286	0.000714962646243865 up in BM-MSC
39	<b>CYP2R1</b>	0.338223571428571	0.0225253700764328 up in BM-MSC
40	<b>ZDHHC21</b>	0.338617857142856	0.036306711078966 up in BM-MSC
41	<b>ATF7IP2</b>	0.339372142857143	0.000889992470573248 up in BM-MSC
42	<b>PPFIBP1</b>	0.339391428571428	0.00437206141030078 up in BM-MSC
43	<b>TUBB2B</b>	0.339595714285715	0.0046565146437536 up in BM-MSC
44	<b>FOXC1</b>	0.339628571428571	0.000124928138437893 up in BM-MSC
45	<b>KLC2</b>	0.3397249999999999	0.00117959654185465 up in BM-MSC
46	<b>NOL3</b>	0.339952142857142	0.000840006020454557 up in BM-MSC
47	<b>DUSP18</b>	0.339953571428571	0.00530998405994255 up in BM-MSC
48	<b>NFATC2</b>	0.340312857142857	0.0219262692542604 up in BM-MSC
49	<b>SLC30A4</b>	0.340329285714286	0.0231622489739396 up in BM-MSC
50	<b>SHISA4</b>	0.340755	0.023281233299956 up in BM-MSC
51	<b>ARL3</b>	0.34148357142857	0.00180722512949832 up in BM-MSC
52	<b>SEMA4C</b>	0.342496428571428	0.00473740453377519 up in BM-MSC
53	<b>ZMYM3</b>	0.342503571428571	0.000174193602649425 up in BM-MSC
54	<b>MRPL23</b>	0.343112142857143	0.0244692209897339 up in BM-MSC
55	<b>APC</b>	0.343135714285714	0.000190079808774295 up in BM-MSC
56	<b>SEC14L2</b>	0.343150714285714	0.0285068966037203 up in BM-MSC
57	<b>CAP1</b>	0.343414285714285	0.0173069547260559 up in BM-MSC
58	<b>IGSF8</b>	0.344674285714286	0.000748611644304091 up in BM-MSC

			BMMSC_ASC
1	<b>FOXC2</b>	0.344747857142857	0.000575069294937705 up in BM-MSC
2	<b>C11orf80</b>	0.344804285714285	0.00130297289978621 up in BM-MSC
3	<b>ACTG1P1</b>	0.3449499999999999	0.00110556736160901 up in BM-MSC
4	<b>IDS</b>	0.344954285714285	0.0385284892628696 up in BM-MSC
5	<b>TENM4</b>	0.345775	0.0431337708374088 up in BM-MSC
6	<b>EHD3</b>	0.346536428571428	0.0194018806673828 up in BM-MSC
7	<b>PHLDB2</b>	0.346549285714286	0.00485169277135377 up in BM-MSC
8	<b>CCDC167</b>	0.347687142857143	0.0133149789086113 up in BM-MSC
9	<b>IGF1R</b>	0.347797142857142	0.0380731914486323 up in BM-MSC
10	<b>DEPDC7</b>	0.347895	0.000409728807795367 up in BM-MSC
11	<b>ANKRD52</b>	0.348458571428571	0.0244033356757334 up in BM-MSC
12	<b>MOB1B</b>	0.34876	0.00892600741411038 up in BM-MSC
13	<b>PYGO1</b>	0.349141428571428	0.000252057992654 up in BM-MSC
14	<b>PITPNM3</b>	0.349562857142857	0.00368757819949075 up in BM-MSC
15	<b>SCYL2</b>	0.349711428571428	0.00159228011205857 up in BM-MSC
16	<b>OR7E162P</b>	0.349759285714286	0.00588183260680438 up in BM-MSC
17	<b>POTEI</b>	0.35075	0.0121877161293061 up in BM-MSC
18	<b>PAK3</b>	0.351	0.0157720763369693 up in BM-MSC
19	<b>UBR3</b>	0.351106428571429	0.0492421993004061 up in BM-MSC
20	<b>KIF1C</b>	0.3513049999999999	0.00386551450267089 up in BM-MSC
21	<b>FPR1</b>	0.3513850000000001	0.00371307856752801 up in BM-MSC
22	<b>BCAM</b>	0.351517857142857	0.0104453158921786 up in BM-MSC
23	<b>BAIAP2-AS</b>	0.351542142857142	0.00013026755921829 up in BM-MSC
24	<b>TSPYL4</b>	0.3515599999999999	0.00113374920938591 up in BM-MSC
25	<b>CD151</b>	0.351714285714285	0.00130726395286556 up in BM-MSC
26	<b>KMT2E</b>	0.351827857142858	7.71101023418462e-05 up in BM-MSC
27	<b>STK39</b>	0.352837857142857	0.00757798528015785 up in BM-MSC
28	<b>MEF2A</b>	0.353215714285715	0.0135467599670657 up in BM-MSC
29	<b>DIP2C</b>	0.353943571428571	0.000486448774511191 up in BM-MSC
30	<b>PMVK</b>	0.354274285714286	1.44622544363504e-05 up in BM-MSC
31	<b>ANXA2P1</b>	0.354285714285713	0.0295499354583782 up in BM-MSC
32	<b>C10orf54</b>	0.354907857142856	0.00657668635608692 up in BM-MSC
33	<b>SCAPER</b>	0.355745714285714	0.0218360364354105 up in BM-MSC
34	<b>STBD1</b>	0.355918571428571	0.000161775960243684 up in BM-MSC
35	<b>TMEM56</b>	0.356710714285714	0.0303847156817789 up in BM-MSC
36	<b>ABCA3</b>	0.357152857142857	0.00054274308417099 up in BM-MSC
37	<b>RAB36</b>	0.357615714285713	0.000779383895441214 up in BM-MSC
38	<b>RAMP1</b>	0.357745	0.00590505756111192 up in BM-MSC
39	<b>SLC22A17</b>	0.359077857142857	0.00113696193065349 up in BM-MSC
40	<b>PLA2G15</b>	0.360041428571428	0.00794340352115063 up in BM-MSC
41	<b>SGPL1</b>	0.360878571428571	0.0412015969599339 up in BM-MSC
42	<b>APLP1</b>	0.361607142857143	0.00408577751939102 up in BM-MSC
43	<b>OXSR1</b>	0.362066428571429	0.00438693798776199 up in BM-MSC
44	<b>TRAM1</b>	0.362657142857142	3.56187134101598e-05 up in BM-MSC
45	<b>HIPK2</b>	0.363177857142857	0.0066380257141545 up in BM-MSC
46	<b>CDC42EP1</b>	0.363367857142857	0.0301559009490689 up in BM-MSC
47	<b>ACTA2-AS10</b>	0.363568571428571	0.0122439414398256 up in BM-MSC
48	<b>ROS1</b>	0.364937142857142	0.00446908506982642 up in BM-MSC
49	<b>STIM1</b>	0.365305714285713	0.0461736152471563 up in BM-MSC
50	<b>PTMS</b>	0.36531357142857	0.037561804635718 up in BM-MSC
51	<b>TBC1D12</b>	0.366002142857143	0.0225253700764328 up in BM-MSC
52	<b>BACE2</b>	0.366222142857142	0.00739180426352538 up in BM-MSC
53	<b>ABHD2</b>	0.366245	0.0349820154964407 up in BM-MSC
54	<b>ACTA1</b>	0.366955714285714	0.00206024567259451 up in BM-MSC
55	<b>DOCK9</b>	0.367037857142857	0.00483301021692352 up in BM-MSC
56	<b>PHF19</b>	0.367107142857142	0.00508137246032573 up in BM-MSC

			BMMSC_ASC
1	<b>ADAMTS2</b>	0.367238571428572	0.00510251936634243 up in BM-MSC
2	<b>KCTD11</b>	0.367701428571428	0.0398781767234439 up in BM-MSC
3	<b>CRIP1P4</b>	0.367792142857143	0.00325717293336753 up in BM-MSC
4	<b>FNDC4</b>	0.368272142857142	0.0199858503771664 up in BM-MSC
5	<b>LOC101060</b>	0.368460714285713	0.00029579524861296 up in BM-MSC
6	<b>EPHA3</b>	0.369182857142857	0.00113374920938591 up in BM-MSC
7	<b>PTRF</b>	0.3697549999999999	0.00156413234699377 up in BM-MSC
8	<b>MTMR2</b>	0.369873571428572	0.0115529952096526 up in BM-MSC
9	<b>BTN2A2</b>	0.370289285714285	0.000509393890406756 up in BM-MSC
10	<b>MOC51</b>	0.370407142857144	0.000456489898038817 up in BM-MSC
11	<b>GOPC</b>	0.3708899999999999	0.0105395598220948 up in BM-MSC
12	<b>FAT1</b>	0.371286428571428	0.0309906478808062 up in BM-MSC
13	<b>DUSP7</b>	0.371622142857142	0.00453292136208982 up in BM-MSC
14	<b>CNTNAP2</b>	0.372498571428571	0.0136049469607914 up in BM-MSC
15	<b>EXOC6</b>	0.372762142857143	0.006355957084687 up in BM-MSC
16	<b>ARHGEF6</b>	0.372932142857142	0.00326730698295216 up in BM-MSC
17	<b>PER2</b>	0.372972142857143	0.00799866180563482 up in BM-MSC
18	<b>ZNF439</b>	0.373116428571428	0.0349431697917318 up in BM-MSC
19	<b>YPEL1</b>	0.373556428571428	0.00260306401652606 up in BM-MSC
20	<b>BGLAP</b>	0.374096428571428	0.0301854565616819 up in BM-MSC
21	<b>ARHGAP5</b>	0.3751	0.00296581692106794 up in BM-MSC
22	<b>C15orf52</b>	0.377178571428571	0.000391720034173944 up in BM-MSC
23	<b>ERBB2IP</b>	0.378797142857142	0.00577735864557648 up in BM-MSC
24	<b>KIAA1377</b>	0.378897857142857	0.0315484212786347 up in BM-MSC
25	<b>NOTCH1</b>	0.379207142857143	0.00200115224147188 up in BM-MSC
26	<b>QPCTL</b>	0.379234285714286	0.000599573350579638 up in BM-MSC
27	<b>PKM</b>	0.38012857142857	0.000841081933084923 up in BM-MSC
28	<b>IQSEC1</b>	0.380954285714286	0.0242463239131712 up in BM-MSC
29	<b>SVIP</b>	0.381176428571428	0.00439124250918444 up in BM-MSC
30	<b>ABI2</b>	0.381906428571428	0.000158201606827228 up in BM-MSC
31	<b>KRT23</b>	0.381969285714285	0.00431588539562736 up in BM-MSC
32	<b>UBXN2B</b>	0.382186428571428	0.0280929875596825 up in BM-MSC
33	<b>AMN1</b>	0.382969285714286	0.00151396857971911 up in BM-MSC
34	<b>GDI1</b>	0.383075714285714	0.00110363802170553 up in BM-MSC
35	<b>SNTB1</b>	0.3833249999999999	0.0255299546301601 up in BM-MSC
36	<b>SLC9A3R1</b>	0.3849599999999999	0.00300319105038136 up in BM-MSC
37	<b>DDO</b>	0.385662142857143	0.00362683040996667 up in BM-MSC
38	<b>C7orf69</b>	0.386395	0.00256536377643587 up in BM-MSC
39	<b>SLC38A2</b>	0.386721428571428	0.00300319105038136 up in BM-MSC
40	<b>IL11RA</b>	0.386955	0.0469258255276536 up in BM-MSC
41	<b>TBC1D24</b>	0.387308571428572	0.00158869854475027 up in BM-MSC
42	<b>LCLAT1</b>	0.388616428571428	0.0041038458845851 up in BM-MSC
43	<b>ZNF827</b>	0.389067857142857	0.00346209137407867 up in BM-MSC
44	<b>IDSP1</b>	0.390023571428571	0.00983417542313268 up in BM-MSC
45	<b>CFL1</b>	0.390057142857142	0.00820942901086597 up in BM-MSC
46	<b>HLC5</b>	0.390085714285714	0.0344773394026853 up in BM-MSC
47	<b>TCEAL6</b>	0.390887857142856	0.000776661937691705 up in BM-MSC
48	<b>CTNNND1</b>	0.391337857142856	3.40639898282221e-05 up in BM-MSC
49	<b>BCL9</b>	0.391710714285714	0.000122884586615046 up in BM-MSC
50	<b>TET2</b>	0.391976428571429	0.00369718360005018 up in BM-MSC
51	<b>ORAI2</b>	0.392319285714286	0.00574524282847242 up in BM-MSC
52	<b>ACOT2</b>	0.392378571428571	0.0317199729220278 up in BM-MSC
53	<b>ADAMTS7</b>	0.392411428571428	0.00190658235272213 up in BM-MSC
54	<b>TRAM1L1</b>	0.392581428571428	0.00034279654678136 up in BM-MSC
55	<b>SESTD1</b>	0.393974285714284	0.01394797322584 up in BM-MSC
56	<b>CCNJL</b>	0.394022857142857	0.000955835373498178 up in BM-MSC

			BMMSC_ASC
1	<b>DTWD2</b>	0.394197857142857	0.00388133684981159 up in BM-MSC
2	<b>SETBP1</b>	0.394347142857143	0.0238786604568739 up in BM-MSC
3	<b>KLHL3</b>	0.395167142857142	0.00976921493655814 up in BM-MSC
4	<b>ANKRD36B</b>	0.396060714285714	0.00663142613237117 up in BM-MSC
5	<b>ADCK2</b>	0.396093571428572	0.0164608303797235 up in BM-MSC
6	<b>INHBB</b>	0.396412142857143	4.46711794036344e-05 up in BM-MSC
7	<b>TCEAL3</b>	0.397821428571428	0.00460691057312845 up in BM-MSC
8	<b>HERC1</b>	0.397902142857143	0.00427705750582711 up in BM-MSC
9	<b>RARA</b>	0.397925714285714	0.00173338884031492 up in BM-MSC
10	<b>FRZB</b>	0.398924285714286	0.0464752017132234 up in BM-MSC
11	<b>FAM212B</b>	0.399137857142857	0.0181986929230837 up in BM-MSC
12	<b>TM7SF3</b>	0.399241428571429	0.000982858525900339 up in BM-MSC
13	<b>DNASE1L1</b>	0.399857857142856	0.00877021930529549 up in BM-MSC
14	<b>EXTL2</b>	0.400344999999999	0.00952026830812511 up in BM-MSC
15	<b>YWHAH</b>	0.400538571428571	0.00110556736160901 up in BM-MSC
16	<b>PYGL</b>	0.400744285714284	0.00329942230646591 up in BM-MSC
17	<b>MYADM</b>	0.400790714285713	0.00777254777544498 up in BM-MSC
18	<b>ATP6V0E2</b>	0.402170714285714	0.00102568066943117 up in BM-MSC
19	<b>BAI2</b>	0.402570714285714	6.97790025530654e-05 up in BM-MSC
20	<b>ARMCX2</b>	0.403019999999999	0.0082625510909665 up in BM-MSC
21	<b>IFFO2</b>	0.403605714285714	0.0210840518020928 up in BM-MSC
22	<b>EPHB4</b>	0.403622142857142	0.00624143726274634 up in BM-MSC
23	<b>DOPEY2</b>	0.405199285714285	0.00262526556554841 up in BM-MSC
24	<b>FZD7</b>	0.405492142857142	0.00801027832371866 up in BM-MSC
25	<b>SKA2</b>	0.405857142857143	0.0217526874133778 up in BM-MSC
26	<b>ARHGEF10</b>	0.405995714285714	0.00503216718783175 up in BM-MSC
27	<b>P2RX6</b>	0.40618	0.00185661479850662 up in BM-MSC
28	<b>ACTG1</b>	0.407114285714284	0.000398552874429969 up in BM-MSC
29	<b>VASP</b>	0.407152857142857	0.0209562856685666 up in BM-MSC
30	<b>CERS6</b>	0.407206428571428	0.0357287527779883 up in BM-MSC
31	<b>MARVELD2</b>	0.407517142857143	0.031183162317526 up in BM-MSC
32	<b>FAM151B</b>	0.407817142857143	0.00171549974390333 up in BM-MSC
33	<b>GALM</b>	0.408120714285714	0.0418081597456181 up in BM-MSC
34	<b>UGCG</b>	0.408257857142857	0.0284923132088132 up in BM-MSC
35	<b>CCL28</b>	0.408474285714285	0.000436597925030789 up in BM-MSC
36	<b>WFDC1</b>	0.409512142857143	0.00914962606109778 up in BM-MSC
37	<b>TSPO</b>	0.412344999999999	0.00396097253555887 up in BM-MSC
38	<b>FAM189A2</b>	0.412605714285714	0.00458966500417532 up in BM-MSC
39	<b>TMEM171</b>	0.413046428571429	0.0154132154719189 up in BM-MSC
40	<b>ENPP4</b>	0.413955714285714	0.00859011787808138 up in BM-MSC
41	<b>PAFAH2</b>	0.414022142857142	0.000326436115949582 up in BM-MSC
42	<b>TALDO1</b>	0.414657857142856	0.000924975681490254 up in BM-MSC
43	<b>SPEG</b>	0.414743571428572	0.00130297289978621 up in BM-MSC
44	<b>ARHGAP23</b>	0.415552857142858	0.00681706449233175 up in BM-MSC
45	<b>XYLT1</b>	0.415692857142858	0.00891009578015331 up in BM-MSC
46	<b>ERMN</b>	0.415864285714285	0.00701855162948475 up in BM-MSC
47	<b>C9orf3</b>	0.416052142857142	0.000611342117987428 up in BM-MSC
48	<b>DLEU1</b>	0.416207857142857	0.0447687173673908 up in BM-MSC
49	<b>OSTF1</b>	0.416386428571429	0.00292406345962886 up in BM-MSC
50	<b>VAMP2</b>	0.416435714285713	0.00835102870231992 up in BM-MSC
51	<b>DLX6</b>	0.416577142857143	0.0009122089409321 up in BM-MSC
52	<b>SYT11</b>	0.416837142857142	0.00775272576590632 up in BM-MSC
53	<b>ITGB5</b>	0.416997142857143	0.00501099367408984 up in BM-MSC
54	<b>CCDC14</b>	0.417051428571428	0.0101185068423585 up in BM-MSC
55	<b>CALM2</b>	0.417207857142856	0.000603453165966489 up in BM-MSC
56	<b>RABGAP1</b>	0.418010714285714	6.18109748016993e-05 up in BM-MSC

		BMMSC_ASC	
1	<b>SMAP2</b>	0.418141428571429	0.0123798613248576 up in BM-MSC
2	<b>NEK6</b>	0.418811428571429	0.0170025975352382 up in BM-MSC
3	<b>C10orf107</b>	0.419451428571428	0.00235455218580908 up in BM-MSC
4	<b>BCAR1</b>	0.419921428571428	0.00369443871163542 up in BM-MSC
5	<b>KGFLP2</b>	0.420567142857143	0.000234205204460937 up in BM-MSC
6	<b>PREX1</b>	0.420595714285714	9.51212245871735e-05 up in BM-MSC
7	<b>PLEKHG2</b>	0.420713571428571	0.00458966500417532 up in BM-MSC
8	<b>LIMK2</b>	0.421932857142857	0.0040931855481975 up in BM-MSC
9	<b>PIEZ01</b>	0.422441428571427	0.000357804537994485 up in BM-MSC
10	<b>ZNF699</b>	0.422756428571428	8.78678788913861e-05 up in BM-MSC
11	<b>LPGAT1</b>	0.422927142857143	0.00622354738059137 up in BM-MSC
12	<b>CAPS</b>	0.42381357142857	0.00105533779114995 up in BM-MSC
13	<b>LOC441956</b>	0.424953571428572	0.0362203804255128 up in BM-MSC
14	<b>ARHGAP54</b>	0.425265714285714	0.000289612351211062 up in BM-MSC
15	<b>PIK3R3</b>	0.426633571428571	0.000391720034173942 up in BM-MSC
16	<b>CPPED1</b>	0.427705714285715	0.0322547187987626 up in BM-MSC
17	<b>DLX1</b>	0.428107142857142	0.000367232196723857 up in BM-MSC
18	<b>VWA1</b>	0.429353571428571	0.000575151688560637 up in BM-MSC
19	<b>TOM1L2</b>	0.42994	0.0056513675872864 up in BM-MSC
20	<b>PALMD</b>	0.430326428571428	0.0327449658429818 up in BM-MSC
21	<b>SEC14L1</b>	0.431499285714286	0.000391720034173942 up in BM-MSC
22	<b>CYLD</b>	0.432868571428571	0.00736099799675224 up in BM-MSC
23	<b>PPP1R12B</b>	0.432997142857142	0.00545833495491513 up in BM-MSC
24	<b>RASGEF1B</b>	0.433237142857143	0.00118356594890877 up in BM-MSC
25	<b>HDAC11</b>	0.433524285714285	0.00176912916974571 up in BM-MSC
26	<b>ILK</b>	0.434882142857142	9.9491519834403e-05 up in BM-MSC
27	<b>PPIP5K1</b>	0.435257857142857	0.00835102870231992 up in BM-MSC
28	<b>ARG2</b>	0.435537142857143	0.0301326949285447 up in BM-MSC
29	<b>HINT3</b>	0.4365699999999999	0.0133226502917277 up in BM-MSC
30	<b>CDO1</b>	0.437795714285714	0.0220778308973199 up in BM-MSC
31	<b>DLX3</b>	0.438073571428571	0.0102537526132735 up in BM-MSC
32	<b>SCMH1</b>	0.438971428571429	0.00360294579437489 up in BM-MSC
33	<b>CDH15</b>	0.439732142857143	0.0017128807097505 up in BM-MSC
34	<b>LHFP</b>	0.440605714285714	0.00740611414917279 up in BM-MSC
35	<b>FAM115A</b>	0.441280714285714	0.0385695907745447 up in BM-MSC
36	<b>CMTM8</b>	0.442148571428572	0.00891009578015331 up in BM-MSC
37	<b>SMO</b>	0.442641428571429	0.000121923133453861 up in BM-MSC
38	<b>TMEM150A</b>	0.443373571428571	0.00672800968191328 up in BM-MSC
39	<b>MYO1C</b>	0.443410714285713	0.00528871501252111 up in BM-MSC
40	<b>PFN1P2</b>	0.445548571428571	0.0186222397133245 up in BM-MSC
41	<b>ITPR1</b>	0.446020714285714	0.0023236821305341 up in BM-MSC
42	<b>AMOTL2</b>	0.448215714285714	0.0191281361664552 up in BM-MSC
43	<b>TP63</b>	0.448661428571429	0.0233657975993565 up in BM-MSC
44	<b>SEPW1</b>	0.449142142857143	0.0120279449315661 up in BM-MSC
45	<b>LAMP5</b>	0.449671428571429	0.0495210728264397 up in BM-MSC
46	<b>CCND1</b>	0.4499949999999999	0.0304956540680026 up in BM-MSC
47	<b>MDK</b>	0.451389285714286	0.000949052600150259 up in BM-MSC
48	<b>MAN2A2</b>	0.451867857142857	0.00204009636932772 up in BM-MSC
49	<b>SIPA1L2</b>	0.452832857142857	0.00652708350633692 up in BM-MSC
50	<b>SGK223</b>	0.452888571428571	0.000274100958357885 up in BM-MSC
51	<b>EPG5</b>	0.453643571428571	0.00838232203912472 up in BM-MSC
52	<b>PPP1R12A</b>	0.454202857142856	0.00739180426352538 up in BM-MSC
53	<b>ZNF671</b>	0.455902857142858	0.000742969712413864 up in BM-MSC
54	<b>EFS</b>	0.45637	0.000283722532205614 up in BM-MSC
55	<b>COX17</b>	0.457064285714286	0.00263063338536768 up in BM-MSC
56	<b>GALNT7</b>	0.457931428571428	0.00237982687485825 up in BM-MSC

		BMMSC_ASC	
1	<b>TIMP3</b>	0.457957142857143	0.0267074244531016 up in BM-MSC
2	<b>B4GALNT1</b>	0.458141428571429	0.00218567708952756 up in BM-MSC
3	<b>HPS5</b>	0.459127142857143	0.0119100825887143 up in BM-MSC
4	<b>PREPL</b>	0.459374285714286	0.0474840042308644 up in BM-MSC
5	<b>GPD1L</b>	0.459522142857143	0.0252303011867968 up in BM-MSC
6	<b>RNA5P50T</b>	0.460637857142857	0.0175084941503084 up in BM-MSC
7	<b>CDIP1</b>	0.461552857142857	0.00275545163538314 up in BM-MSC
8	<b>ADORA1</b>	0.465230714285714	0.00316418644035461 up in BM-MSC
9	<b>ABHD5</b>	0.465234999999999	0.00778842743888372 up in BM-MSC
10	<b>COX17P1</b>	0.465743571428572	0.00200295132033887 up in BM-MSC
11	<b>MAGED4B</b>	0.466822142857143	0.0151219260275682 up in BM-MSC
12	<b>PRKD1</b>	0.46693	0.0246660995484471 up in BM-MSC
13	<b>FAT4</b>	0.467648571428571	0.00829206582493307 up in BM-MSC
14	<b>ANP32AP1</b>	0.468167857142857	0.000168826051480899 up in BM-MSC
15	<b>DIRAS1</b>	0.468355714285714	0.00135737266560589 up in BM-MSC
16	<b>DGKA</b>	0.468762142857143	0.00326730698295216 up in BM-MSC
17	<b>NLGN4Y</b>	0.469055	0.00630640995170256 up in BM-MSC
18	<b>YEATS2</b>	0.469161428571427	0.000399442096479918 up in BM-MSC
19	<b>ICAM2</b>	0.469287857142857	0.0315484212786347 up in BM-MSC
20	<b>LRP12</b>	0.469292142857143	0.00501099367408984 up in BM-MSC
21	<b>MIOS</b>	0.47164	0.00369106112936845 up in BM-MSC
22	<b>PLEKHG5</b>	0.473200714285713	0.000181871059361794 up in BM-MSC
23	<b>ZNF664</b>	0.474119285714286	0.000728977837457827 up in BM-MSC
24	<b>NPTN</b>	0.474645714285713	9.88400758763647e-06 up in BM-MSC
25	<b>TGFB1I1</b>	0.477352142857143	0.00265374754367811 up in BM-MSC
26	<b>CNN2</b>	0.478004999999999	0.00456131979416305 up in BM-MSC
27	<b>CCNYL1</b>	0.478367857142857	0.00904370287814578 up in BM-MSC
28	<b>FAM13C</b>	0.478966428571429	0.00474261803686907 up in BM-MSC
29	<b>TMEM108</b>	0.479237142857142	0.00419297885319916 up in BM-MSC
30	<b>SMPD1</b>	0.479266428571428	0.00253736254955126 up in BM-MSC
31	<b>SYNGR2</b>	0.480101428571428	0.00857319359568151 up in BM-MSC
32	<b>FZD6</b>	0.480155	0.0348317748099509 up in BM-MSC
33	<b>CFHR1</b>	0.482253571428572	0.0133246599303458 up in BM-MSC
34	<b>COX20</b>	0.484457142857142	0.000750052260829828 up in BM-MSC
35	<b>PFKFB4</b>	0.484585714285714	0.00508137246032573 up in BM-MSC
36	<b>SERINC5</b>	0.484668571428572	0.00371980800744841 up in BM-MSC
37	<b>FZD3</b>	0.484715	0.00113239087838769 up in BM-MSC
38	<b>TBC1D10A</b>	0.485302142857143	7.87703616770544e-05 up in BM-MSC
39	<b>AVP11</b>	0.486864285714285	0.00446908506982642 up in BM-MSC
40	<b>PDIA5</b>	0.48742	0.0369648373350557 up in BM-MSC
41	<b>SMCO4</b>	0.487461428571428	0.0132756651657295 up in BM-MSC
42	<b>GHR</b>	0.487505714285714	0.0276501240334561 up in BM-MSC
43	<b>FAM129B</b>	0.488999285714285	0.000697723389938607 up in BM-MSC
44	<b>MNS1</b>	0.492053571428571	0.0166254835181886 up in BM-MSC
45	<b>LOC100506</b>	0.493112142857142	0.00158328796954533 up in BM-MSC
46	<b>PLEC</b>	0.493254999999998	0.000180009751367021 up in BM-MSC
47	<b>EOGT</b>	0.493357857142857	0.0145267674392603 up in BM-MSC
48	<b>FLJ39632</b>	0.494505714285714	0.0271367634919855 up in BM-MSC
49	<b>WDR1</b>	0.494752142857142	0.00692086024693774 up in BM-MSC
50	<b>CCDC88A</b>	0.496788571428572	0.000400034310464613 up in BM-MSC
51	<b>CAMSAP1</b>	0.498885	0.00102352538653188 up in BM-MSC
52	<b>RHOD</b>	0.499424285714285	0.00212931552858781 up in BM-MSC
53	<b>RASL11A</b>	0.50056	0.0448386119574047 up in BM-MSC
54	<b>SV2A</b>	0.500732857142857	0.000615997473750171 up in BM-MSC
55	<b>MSN</b>	0.501083571428571	0.00473740453377519 up in BM-MSC
56	<b>FAM63A</b>	0.501126428571428	0.00817739016156216 up in BM-MSC

1				
2	BMMSC_ASC			
3	<b>CASP6</b>	0.501148571428572	0.00368944645188984	up in BM-MSC
4	<b>CYB5R1</b>	0.502270714285714	0.000967350426605464	up in BM-MSC
5	<b>PLCD4</b>	0.503273571428571	0.000869458928842462	up in BM-MSC
6	<b>MPP7</b>	0.505177142857142	0.000132720630550557	up in BM-MSC
7	<b>FAM101A</b>	0.505273571428571	0.00557760248965742	up in BM-MSC
8	<b>RARG</b>	0.505906428571429	0.00408502006672916	up in BM-MSC
9	<b>KIF13B</b>	0.506846428571428	0.000323211105941232	up in BM-MSC
10	<b>SLC24A3</b>	0.507384285714285	0.0348476989838942	up in BM-MSC
11	<b>PHACTR4</b>	0.508004285714285	0.00258353652704136	up in BM-MSC
12	<b>C4orf3</b>	0.509502142857142	0.000656267600621798	up in BM-MSC
13	<b>HSPB1</b>	0.509514285714285	0.00794805747268727	up in BM-MSC
14	<b>BOK</b>	0.510370714285715	0.00781639575390771	up in BM-MSC
15	<b>PIGM</b>	0.510942142857142	0.000244840695572487	up in BM-MSC
16	<b>MPP6</b>	0.511206428571428	0.00124487330440862	up in BM-MSC
17	<b>AKAP6</b>	0.511738571428572	0.006355957084687	up in BM-MSC
18	<b>SIX1</b>	0.5117649999999999	0.0251104024316055	up in BM-MSC
19	<b>RFFL</b>	0.513227142857142	0.000115909706760998	up in BM-MSC
20	<b>GSE1</b>	0.514034285714285	3.26674233006005e-05	up in BM-MSC
21	<b>SH3RF3</b>	0.514446428571428	0.00658741220807134	up in BM-MSC
22	<b>SAMD9L</b>	0.5150949999999999	0.00102663205530752	up in BM-MSC
23	<b>TCTA</b>	0.51576	9.87566057255049e-05	up in BM-MSC
24	<b>P2RY6</b>	0.516916428571428	9.24082243471159e-05	up in BM-MSC
25	<b>TPST2</b>	0.516958571428571	0.00181165275517677	up in BM-MSC
26	<b>RNA5P38!</b>	0.517242142857143	0.0309707321588177	up in BM-MSC
27	<b>FLOT2</b>	0.5184049999999999	1.87619924774387e-05	up in BM-MSC
28	<b>ZFHX3</b>	0.51941	3.796963591276e-06	up in BM-MSC
29	<b>SUN2</b>	0.520309285714286	7.82592542956559e-06	up in BM-MSC
30	<b>TANC1</b>	0.521417142857142	0.00586042089513993	up in BM-MSC
31	<b>ATP13A2</b>	0.521634285714285	0.00745706251336071	up in BM-MSC
32	<b>PHKA1</b>	0.52221	0.000714962646243865	up in BM-MSC
33	<b>HOXA2</b>	0.522511428571429	0.000106949933483961	up in BM-MSC
34	<b>LNX2</b>	0.52289	0.00193725327227323	up in BM-MSC
35	<b>ATP8B1</b>	0.523647857142856	0.0340563364781659	up in BM-MSC
36	<b>MLPH</b>	0.523778571428571	0.00166162608121804	up in BM-MSC
37	<b>WWTR1</b>	0.524102142857143	0.0130000916657117	up in BM-MSC
38	<b>MGAT5</b>	0.524719285714286	0.000111664576319855	up in BM-MSC
39	<b>CTSZ</b>	0.526133571428569	1.44727324428933e-05	up in BM-MSC
40	<b>LINC00839</b>	0.526185714285714	0.000167076087202395	up in BM-MSC
41	<b>ACSF2</b>	0.527032857142857	0.000161311600005528	up in BM-MSC
42	<b>RNF182</b>	0.527651428571428	0.00911263032290267	up in BM-MSC
43	<b>FKBP5</b>	0.5283	0.0230622175879246	up in BM-MSC
44	<b>TRPS1</b>	0.529569285714285	0.00616702821180261	up in BM-MSC
45	<b>CRELD1</b>	0.529774285714286	2.7861343820553e-06	up in BM-MSC
46	<b>MAST3</b>	0.530087142857143	0.000700373718699909	up in BM-MSC
47	<b>TLN1</b>	0.530380714285713	0.000537567716051153	up in BM-MSC
48	<b>TPM4</b>	0.531190714285714	0.000112304267221827	up in BM-MSC
49	<b>RAB30</b>	0.532417142857143	0.00200295132033887	up in BM-MSC
50	<b>CHST3</b>	0.532942857142857	0.000145318037073332	up in BM-MSC
51	<b>CPEB2</b>	0.533458571428571	0.00117676077420282	up in BM-MSC
52	<b>TTC12</b>	0.53375	0.000434196843099853	up in BM-MSC
53	<b>C1orf51</b>	0.533820714285714	0.0339830590722876	up in BM-MSC
54	<b>GALNT2</b>	0.535472142857142	1.39827622887397e-05	up in BM-MSC
55	<b>LOC220077</b>	0.536079285714286	0.00151396857971911	up in BM-MSC
56	<b>ST6GALNA</b>	0.536738571428572	0.00659408204362061	up in BM-MSC
57	<b>ACTN4</b>	0.537757142857143	0.00854756019853743	up in BM-MSC
58	<b>ZNF423</b>	0.538197857142857	0.00570091314803437	up in BM-MSC

			BMMSC_ASC
1	<b>CST6</b>	0.540217857142857	0.00405361283800075 up in BM-MSC
2	<b>PDLIM7</b>	0.5404499999999998	0.0378679618170154 up in BM-MSC
3	<b>ETV6</b>	0.540522857142857	0.000118029239081963 up in BM-MSC
4	<b>PEAR1</b>	0.541585	0.0437307784412413 up in BM-MSC
5	<b>LOC101060</b>	0.544018571428571	4.91244091597281e-05 up in BM-MSC
6	<b>HOMER2</b>	0.544111428571428	0.00094511336669765 up in BM-MSC
7	<b>PLXNB2</b>	0.546210714285714	0.000454596411899142 up in BM-MSC
8	<b>DMPK</b>	0.547177857142857	0.0012176785801904 up in BM-MSC
9	<b>KCNN4</b>	0.547317857142857	0.00397193853876038 up in BM-MSC
10	<b>ALX1</b>	0.547564285714285	0.0160897344305335 up in BM-MSC
11	<b>SGCB</b>	0.548972142857142	0.000454596411899142 up in BM-MSC
12	<b>FGF7</b>	0.549134285714285	0.00182655376549419 up in BM-MSC
13	<b>SLC16A3</b>	0.550369285714285	0.00208150643825439 up in BM-MSC
14	<b>NEDD4</b>	0.550429285714286	0.000960567465745375 up in BM-MSC
15	<b>TGFB1</b>	0.550714999999999	0.00121651658037076 up in BM-MSC
16	<b>NFE2L3</b>	0.551063571428571	6.97790025530654e-05 up in BM-MSC
17	<b>THBS2</b>	0.552471428571428	0.00998249132146325 up in BM-MSC
18	<b>TGFBRAP1</b>	0.553055714285714	0.000137339623576221 up in BM-MSC
19	<b>FGF7P2</b>	0.556947857142858	0.000122349047027431 up in BM-MSC
20	<b>ADCY7</b>	0.558296428571428	0.00246192580739378 up in BM-MSC
21	<b>TBC1D1</b>	0.560015714285714	0.00100097480294896 up in BM-MSC
22	<b>SYNM</b>	0.560349285714286	3.51289935881184e-05 up in BM-MSC
23	<b>SLC25A4</b>	0.560814999999999	0.012446781806439 up in BM-MSC
24	<b>PAC SIN3</b>	0.561870714285715	0.000456981831376081 up in BM-MSC
25	<b>HLA-DPB1</b>	0.562589285714286	0.0385457083778393 up in BM-MSC
26	<b>LOC124685</b>	0.563892142857143	0.000802193688014944 up in BM-MSC
27	<b>KRT17</b>	0.565565	0.00215607675706317 up in BM-MSC
28	<b>PARP8</b>	0.565662857142856	0.000377186981080561 up in BM-MSC
29	<b>AK1</b>	0.569737142857143	8.80054389119844e-05 up in BM-MSC
30	<b>MSRB1</b>	0.570460714285714	0.000260629310071654 up in BM-MSC
31	<b>CDK5RAP2</b>	0.570793571428572	0.000122349047027431 up in BM-MSC
32	<b>CTC-298B1</b>	0.573608571428572	0.000671417786114819 up in BM-MSC
33	<b>MYL6</b>	0.573678571428571	0.000758763069613003 up in BM-MSC
34	<b>PRKCD</b>	0.573923571428571	0.000581672739905008 up in BM-MSC
35	<b>NXPH3</b>	0.575710714285714	9.84604015356814e-05 up in BM-MSC
36	<b>TCEA3</b>	0.576891428571428	0.0323920631753154 up in BM-MSC
37	<b>GPC4</b>	0.577144285714286	0.0435706283292651 up in BM-MSC
38	<b>CDKL5</b>	0.579435	3.82606949393304e-06 up in BM-MSC
39	<b>IFI44L</b>	0.581275	0.0202606500661981 up in BM-MSC
40	<b>KGFLP1</b>	0.581554285714285	0.000226318005204383 up in BM-MSC
41	<b>PGM2L1</b>	0.582350714285714	0.00552722141254692 up in BM-MSC
42	<b>STK17A</b>	0.582488571428572	0.000426223503026647 up in BM-MSC
43	<b>TRAF5</b>	0.58272	0.000625487566427813 up in BM-MSC
44	<b>RBMS2</b>	0.587222857142857	4.75488055087924e-05 up in BM-MSC
45	<b>KRTAP2-3</b>	0.587659285714286	0.0178574672204854 up in BM-MSC
46	<b>TACC1</b>	0.58783	0.000191126922633456 up in BM-MSC
47	<b>JAM2</b>	0.588852142857142	0.0106205060557575 up in BM-MSC
48	<b>DNALI1</b>	0.589008571428571	0.00636863920011217 up in BM-MSC
49	<b>ITGAV</b>	0.592132857142857	0.00018219814047835 up in BM-MSC
50	<b>ST5</b>	0.594211428571428	0.00114266661055251 up in BM-MSC
51	<b>ABCA2</b>	0.594657857142857	4.32180316997851e-05 up in BM-MSC
52	<b>SEZ6L2</b>	0.594944285714286	0.000235888266676483 up in BM-MSC
53	<b>GSAP</b>	0.597257857142857	0.0101816275103721 up in BM-MSC
54	<b>C1orf110</b>	0.597575	0.0135297563691756 up in BM-MSC
55	<b>PON2</b>	0.598207857142857	0.000357804537994485 up in BM-MSC
56	<b>PHF20</b>	0.598262857142857	0.000166171051887181 up in BM-MSC

1		
2	BMMSC_ASC	
3	<b>ALS2CR11</b>	0.598696428571428
4	<b>DYNLT3</b>	0.598984999999998
5	<b>FLNB</b>	0.598988571428573
6	<b>RTN4RL1</b>	0.599537857142857
7	<b>TRIB2</b>	0.602351428571429
8	<b>TSC22D1</b>	0.602553571428571
9	<b>RILPL2</b>	0.603240714285714
10	<b>ZNF608</b>	0.604700714285714
11	<b>TP53I11</b>	0.604844285714286
12	<b>NHS</b>	0.611438571428571
13	<b>ACP6</b>	0.612136428571428
14	<b>LDLRAP1</b>	0.613197142857143
15	<b>EMILIN1</b>	0.614667857142856
16	<b>ESYT1</b>	0.61502857142857
17	<b>FOXD1</b>	0.615399285714286
18	<b>KCNT2</b>	0.616974285714286
19	<b>RAB27B</b>	0.618387857142857
20	<b>INS-IGF2</b>	0.619036428571429
21	<b>C14orf37</b>	0.621049999999999
22	<b>RGS5</b>	0.621202142857143
23	<b>CLTCL1</b>	0.621287142857142
24	<b>CTSD</b>	0.627215
25	<b>ID4</b>	0.63297
26	<b>SHOX</b>	0.634127142857143
27	<b>MAP3K5</b>	0.634695
28	<b>ACSS3</b>	0.635159285714285
29	<b>NMRK1</b>	0.638667142857143
30	<b>CD200</b>	0.639447857142857
31	<b>RNF141</b>	0.640069285714286
32	<b>PLCD1</b>	0.640084285714286
33	<b>DYSF</b>	0.640769285714286
34	<b>PRR16</b>	0.642869285714284
35	<b>MAP1B</b>	0.644183571428571
36	<b>KIAA1549</b>	0.646414999999999
37	<b>ABCA7</b>	0.64887
38	<b>KCNQ5</b>	0.649295714285714
39	<b>MT1M</b>	0.650117142857142
40	<b>EDNRA</b>	0.654097857142857
41	<b>ATP10A</b>	0.658494285714284
42	<b>TMEM130</b>	0.659634285714286
43	<b>RASSF3</b>	0.660906428571428
44	<b>SLC44A2</b>	0.661909285714285
45	<b>WISP3</b>	0.662765
46	<b>C10orf10</b>	0.664817857142857
47	<b>JUP</b>	0.670915714285715
48	<b>FADS3</b>	0.671218571428571
49	<b>EXTL1</b>	0.671231428571428
50	<b>COLGALT2</b>	0.671278571428572
51	<b>NCS1</b>	0.674444285714285
52	<b>RAB23</b>	0.675667142857142
53	<b>SAP30L-AS</b>	0.677865714285714
54	<b>EMB</b>	0.678723571428571
55	<b>MGC57346</b>	0.680520714285713
56	<b>TNFSF15</b>	0.680989285714286
57	<b>FLNA</b>	0.68223857142857
58	<b>ALDH3A2</b>	0.684541428571428
59		0.69776928270773058
60		up in BM-MSC

			BMMSC_ASC
1	<b>ADAMTS1</b>	0.688617142857142	0.0201704502241743 up in BM-MSC
2	<b>CRYAB</b>	0.690312857142858	0.000312146652146904 up in BM-MSC
3	<b>ALDH3B1</b>	0.691102857142857	0.000137700255618607 up in BM-MSC
4	<b>LBP</b>	0.693006428571428	0.0315009370033968 up in BM-MSC
5	<b>IVNS1ABP</b>	0.693545714285714	0.00273237578664008 up in BM-MSC
6	<b>LOC101060</b>	0.693860714285713	0.00647722744587384 up in BM-MSC
7	<b>RASA1</b>	0.694635714285715	3.80858413188587e-06 up in BM-MSC
8	<b>SIX2</b>	0.695214999999999	5.70304224975793e-05 up in BM-MSC
9	<b>JAZF1</b>	0.695472142857142	0.00036241143690528 up in BM-MSC
10	<b>CLCN4</b>	0.697144285714286	0.00016886615130161 up in BM-MSC
11	<b>DTX3</b>	0.698374285714286	2.85047061076737e-06 up in BM-MSC
12	<b>TBL1XR1</b>	0.701378571428572	0.00010134584458299 up in BM-MSC
13	<b>CTNNB1</b>	0.702707142857141	4.28025376078035e-05 up in BM-MSC
14	<b>MSRB3</b>	0.706217857142856	6.76958788516782e-05 up in BM-MSC
15	<b>LOXL1</b>	0.707186428571427	0.00045661929834942 up in BM-MSC
16	<b>DOK1</b>	0.707645714285715	0.00317424005227439 up in BM-MSC
17	<b>CCDC92</b>	0.708844285714285	0.000493132791570081 up in BM-MSC
18	<b>LYN</b>	0.709699285714285	0.0190119284898866 up in BM-MSC
19	<b>ISM1</b>	0.711552857142857	0.0183137524153069 up in BM-MSC
20	<b>PTPLB</b>	0.715107142857142	0.000248722780748796 up in BM-MSC
21	<b>MOK</b>	0.716585714285713	0.00285376084929388 up in BM-MSC
22	<b>CBLB</b>	0.716711428571428	0.0006678541426549 up in BM-MSC
23	<b>CSPG4P8</b>	0.719867857142857	0.000558726910885732 up in BM-MSC
24	<b>IBSP</b>	0.721691428571428	0.0435501348206539 up in BM-MSC
25	<b>UBASH3B</b>	0.725003571428571	0.00430919581161898 up in BM-MSC
26	<b>SDC3</b>	0.726921428571429	5.47187811687852e-05 up in BM-MSC
27	<b>KRT81</b>	0.727875	0.0437313562340784 up in BM-MSC
28	<b>SYT12</b>	0.72988	0.000118002774133639 up in BM-MSC
29	<b>PLP2</b>	0.730484999999998	0.00115037882981148 up in BM-MSC
30	<b>PSEN2</b>	0.731412857142858	0.000661329357697631 up in BM-MSC
31	<b>DCLK2</b>	0.733272142857142	0.000161311600005528 up in BM-MSC
32	<b>ENO2</b>	0.734307142857143	0.000128213254996164 up in BM-MSC
33	<b>ARHGEF17</b>	0.734900714285714	9.36551613147644e-05 up in BM-MSC
34	<b>SPCS3</b>	0.73493	0.000688953563033424 up in BM-MSC
35	<b>FAM69A</b>	0.73745857142857	0.00034279654678136 up in BM-MSC
36	<b>HECW2</b>	0.739042142857143	0.0205444630835225 up in BM-MSC
37	<b>CACNA2D1</b>	0.740879999999999	0.00778683925797924 up in BM-MSC
38	<b>INO80C</b>	0.748446428571428	4.28025376078035e-05 up in BM-MSC
39	<b>DAAM2</b>	0.749916428571428	0.000126501006900148 up in BM-MSC
40	<b>CHSY3</b>	0.753157142857143	0.000221255790324683 up in BM-MSC
41	<b>PFN2</b>	0.754707857142857	0.000116954114717881 up in BM-MSC
42	<b>VEGFC</b>	0.757094285714287	0.000252057992654 up in BM-MSC
43	<b>FCHSD2</b>	0.757959285714285	5.59754314021959e-05 up in BM-MSC
44	<b>INA</b>	0.760702857142857	0.00998249132146325 up in BM-MSC
45	<b>ABLM1</b>	0.760830714285714	0.00760558888552325 up in BM-MSC
46	<b>AS3MT</b>	0.763292142857143	1.90974235155188e-05 up in BM-MSC
47	<b>ARVCF</b>	0.764431428571428	6.19339461660031e-06 up in BM-MSC
48	<b>TUBA4A</b>	0.767214285714285	1.90364311565959e-05 up in BM-MSC
49	<b>SDC4</b>	0.76791	0.0140574092263916 up in BM-MSC
50	<b>PCBP4</b>	0.76843	6.80203539321826e-05 up in BM-MSC
51	<b>KCNMB1</b>	0.769660714285715	1.90974235155188e-05 up in BM-MSC
52	<b>GTF2IRD1</b>	0.77088	3.07221417435954e-05 up in BM-MSC
53	<b>KRT16P3</b>	0.773554285714286	0.000846742373428674 up in BM-MSC
54	<b>LFNG</b>	0.773624285714286	0.000421155465741005 up in BM-MSC
55	<b>EVA1C</b>	0.774324285714285	3.4645422372773e-05 up in BM-MSC
56	<b>NLGN4X</b>	0.776786428571428	0.00152624024331646 up in BM-MSC

			BMMSC_ASC
1			
2			
3	<b>KRTAP1-3</b>	0.778231428571428	0.00068749194439025 up in BM-MSC
4	<b>DGKI</b>	0.781268571428571	0.000161311600005528 up in BM-MSC
5	<b>ALDH1B1</b>	0.782505714285714	0.0282146185132338 up in BM-MSC
6	<b>SLC17A9</b>	0.784844285714285	0.00164162049071859 up in BM-MSC
7	<b>TMC7</b>	0.785093571428571	8.59183802264891e-06 up in BM-MSC
8	<b>DSTNP2</b>	0.786140714285714	2.7635035192751e-06 up in BM-MSC
9	<b>EYA1</b>	0.788362142857142	0.0151670018509729 up in BM-MSC
10	<b>PSD3</b>	0.789582857142857	3.26674233006005e-05 up in BM-MSC
11	<b>RBP4</b>	0.792231428571429	0.0419898860693788 up in BM-MSC
12	<b>NEGR1</b>	0.793439285714286	0.00443039119643926 up in BM-MSC
13	<b>ALDH4A1</b>	0.797536428571428	1.04448029216193e-05 up in BM-MSC
14	<b>OCIAD2</b>	0.798736428571428	0.00543833381669953 up in BM-MSC
15	<b>ARHGEF25</b>	0.799975	1.34207438042478e-05 up in BM-MSC
16	<b>TES</b>	0.800567142857142	0.00168978603220034 up in BM-MSC
17	<b>PC</b>	0.806691428571429	0.000152775365143268 up in BM-MSC
18	<b>ZNF667-AS</b>	0.80891	0.00784479880440541 up in BM-MSC
19	<b>CPNE2</b>	0.809749285714285	0.00018081018788636 up in BM-MSC
20	<b>HLA-DMA</b>	0.809938571428571	0.00262463309799409 up in BM-MSC
21	<b>SEMA3F</b>	0.810987857142858	0.000174029084530956 up in BM-MSC
22	<b>GLRB</b>	0.812354285714285	2.55594421981416e-05 up in BM-MSC
23	<b>JAG1</b>	0.812924999999999	0.022324794807764 up in BM-MSC
24	<b>KIAA1217</b>	0.813137857142856	8.43138524229563e-05 up in BM-MSC
25	<b>NOTCH2</b>	0.818652857142857	9.98464834618136e-06 up in BM-MSC
26	<b>P4HA3</b>	0.818865714285714	0.0371273254832112 up in BM-MSC
27	<b>RANBP3L</b>	0.823669285714286	0.00185661479850662 up in BM-MSC
28	<b>ATP1B1</b>	0.82401	0.0407165300005877 up in BM-MSC
29	<b>SLC1A4</b>	0.826400714285715	0.0110291459429272 up in BM-MSC
30	<b>CYP1B1</b>	0.826805714285713	0.00504527714154921 up in BM-MSC
31	<b>LOC388022</b>	0.828311428571428	0.000585870106373672 up in BM-MSC
32	<b>NLRP10</b>	0.831172142857143	0.00644152627311729 up in BM-MSC
33	<b>INSIG2</b>	0.833236428571428	0.00117366232408914 up in BM-MSC
34	<b>EML4</b>	0.833739999999999	1.50700455805087e-05 up in BM-MSC
35	<b>E2F5</b>	0.834443571428571	5.18876216517652e-05 up in BM-MSC
36	<b>PDE1C</b>	0.834777857142856	0.0244002701617865 up in BM-MSC
37	<b>LGALSL</b>	0.836722142857143	6.06209050171406e-06 up in BM-MSC
38	<b>MAP1A</b>	0.840242142857143	3.78158948014332e-05 up in BM-MSC
39	<b>PIK3CB</b>	0.841412857142857	0.000135885235856744 up in BM-MSC
40	<b>FAM180A</b>	0.842115714285715	0.00845607309166013 up in BM-MSC
41	<b>CRIP1</b>	0.842231428571428	0.00127861369623913 up in BM-MSC
42	<b>FAM26E</b>	0.844496	6.54433250260398e-05 up in BM-MSC
43	<b>KIAA1462</b>	0.845230714285714	0.0152215581959305 up in BM-MSC
44	<b>ACOT7</b>	0.845966428571428	0.00173338884031492 up in BM-MSC
45	<b>BGN</b>	0.846939285714285	0.00256536377643587 up in BM-MSC
46	<b>ANKRD29</b>	0.848007142857143	0.0178736971169606 up in BM-MSC
47	<b>GJA1</b>	0.848545714285715	0.000171743833958685 up in BM-MSC
48	<b>GALNT10</b>	0.849187857142857	2.91860392308105e-05 up in BM-MSC
49	<b>SEMA6D</b>	0.850266428571429	0.00128492231322986 up in BM-MSC
50	<b>PRSS23</b>	0.852244285714285	0.00031789602773899 up in BM-MSC
51	<b>DYNC1I1</b>	0.852824285714285	4.8365780991385e-05 up in BM-MSC
52	<b>DOCK10</b>	0.855802857142857	0.000158146473719212 up in BM-MSC
53	<b>LOXL3</b>	0.855805000000001	0.0287795066288736 up in BM-MSC
54	<b>EPHX1</b>	0.856239285714285	0.00482854294893342 up in BM-MSC
55	<b>SLC2A12</b>	0.859675	0.0287037154127271 up in BM-MSC
56	<b>FGF5</b>	0.861002142857143	0.00474261803686907 up in BM-MSC
57	<b>EPAS1</b>	0.863556428571428	0.00404489677517383 up in BM-MSC
58	<b>HEPH</b>	0.864003571428572	0.0151219260275682 up in BM-MSC

			BMMSC_ASC
1	<b>MTSS1</b>	0.864044285714285	0.0447175456808423 up in BM-MSC
2	<b>CXXC5</b>	0.867432142857143	2.7681051090313e-05 up in BM-MSC
3	<b>LAPTM5</b>	0.869152142857142	0.0486982637109549 up in BM-MSC
4	<b>CD24</b>	0.86929	0.00897730026745486 up in BM-MSC
5	<b>NEDD4L</b>	0.869384285714285	0.000124317123983231 up in BM-MSC
6	<b>GAP43</b>	0.871434285714286	0.00229513707764353 up in BM-MSC
7	<b>SLC29A1</b>	0.872405714285714	8.53391962697422e-06 up in BM-MSC
8	<b>C1GALT1</b>	0.874616428571427	0.000586496135152121 up in BM-MSC
9	<b>FRMD4B</b>	0.87642	0.00138039627827137 up in BM-MSC
10	<b>NETO2</b>	0.877046428571428	0.00122609709067739 up in BM-MSC
11	<b>ANKRD6</b>	0.880801428571428	0.00318962693576823 up in BM-MSC
12	<b>MST4</b>	0.882735714285714	0.000671417786114819 up in BM-MSC
13	<b>FHL2</b>	0.8839499999999999	0.000162698868049197 up in BM-MSC
14	<b>HRCT1</b>	0.884922142857142	0.000144156525746284 up in BM-MSC
15	<b>CCBE1</b>	0.886812857142857	0.00357040871237621 up in BM-MSC
16	<b>KCTD20</b>	0.892256428571428	0.000486448774511191 up in BM-MSC
17	<b>ACTG2</b>	0.894327142857143	0.0141132701204515 up in BM-MSC
18	<b>PTGER4</b>	0.894965714285714	0.000161311600005528 up in BM-MSC
19	<b>PTPRK</b>	0.897540714285713	9.32809553434164e-05 up in BM-MSC
20	<b>TSPAN15</b>	0.900920714285714	0.00473011086295125 up in BM-MSC
21	<b>PAWR</b>	0.901034285714285	0.00045813997674991 up in BM-MSC
22	<b>KIAA1671</b>	0.901345714285714	0.000260629310071654 up in BM-MSC
23	<b>WNT5B</b>	0.902650714285714	0.000149838361034965 up in BM-MSC
24	<b>RAI14</b>	0.906305714285714	0.000167076087202395 up in BM-MSC
25	<b>PLCE1</b>	0.907532142857143	0.000308130773383987 up in BM-MSC
26	<b>ANKH</b>	0.911759285714286	0.00103244291474265 up in BM-MSC
27	<b>ITM2C</b>	0.914243571428572	6.23680347656646e-05 up in BM-MSC
28	<b>THBS3</b>	0.916217857142857	0.000129949920405998 up in BM-MSC
29	<b>SIDT2</b>	0.920184285714286	4.74076823567839e-05 up in BM-MSC
30	<b>HGF</b>	0.921682142857143	0.0391224802357119 up in BM-MSC
31	<b>SMAGP</b>	0.922544285714286	1.17122636107078e-06 up in BM-MSC
32	<b>PLA2G16</b>	0.922548571428571	0.00079120721027091 up in BM-MSC
33	<b>PIP4K2C</b>	0.922991428571428	1.90974235155188e-05 up in BM-MSC
34	<b>ARHGAP22</b>	0.923632142857143	2.86420692235752e-05 up in BM-MSC
35	<b>PTPN14</b>	0.924532857142856	1.53351070322214e-05 up in BM-MSC
36	<b>ESM1</b>	0.925581428571428	0.0112967764124583 up in BM-MSC
37	<b>MYH9</b>	0.926033571428572	7.9278001863549e-05 up in BM-MSC
38	<b>DCBLD1</b>	0.926453571428571	0.000384834522548166 up in BM-MSC
39	<b>EPHA2</b>	0.929859285714285	0.000479360652526961 up in BM-MSC
40	<b>IL26</b>	0.930551428571428	0.03353455257802 up in BM-MSC
41	<b>IFI44</b>	0.932509285714285	0.00044059274922403 up in BM-MSC
42	<b>TPM2</b>	0.93365	0.000892311068065911 up in BM-MSC
43	<b>DNAJC6</b>	0.934233571428571	6.85689185474569e-05 up in BM-MSC
44	<b>STEAP1B</b>	0.940080714285714	0.00190658235272213 up in BM-MSC
45	<b>ACTN1</b>	0.945665714285714	0.000866726656201762 up in BM-MSC
46	<b>EMP2</b>	0.94617857142857	0.000700373718699909 up in BM-MSC
47	<b>B3GALNT1</b>	0.946642142857143	0.000312146652146904 up in BM-MSC
48	<b>HOXA5</b>	0.952143571428571	0.000701542456758311 up in BM-MSC
49	<b>CMTM4</b>	0.952694285714285	5.9997354167352e-05 up in BM-MSC
50	<b>WLS</b>	0.954175714285714	0.00221752789040131 up in BM-MSC
51	<b>LMO7</b>	0.95629	9.35275976611031e-05 up in BM-MSC
52	<b>MEST</b>	0.958134285714285	0.0166254835181886 up in BM-MSC
53	<b>CPXM2</b>	0.958648571428572	0.00130712470750809 up in BM-MSC
54	<b>IGFBP4</b>	0.964814285714286	3.97780134890554e-07 up in BM-MSC
55	<b>PCGF5</b>	0.967002857142856	3.31278065462231e-06 up in BM-MSC
56	<b>NEDD9</b>	0.967907857142856	0.00369753466590432 up in BM-MSC

1			
2	BMMSC_ASC		
3	<b>CD97</b>	0.969152142857143	2.14752331417284e-05 up in BM-MSC
4	<b>TGFBR1</b>	0.979768571428571	0.000257715381029091 up in BM-MSC
5	<b>PLK2</b>	0.982854285714285	1.96194332223236e-05 up in BM-MSC
6	<b>BDNF</b>	0.989001428571428	0.00132549342984332 up in BM-MSC
7	<b>SLC6A6</b>	0.989917142857144	0.000286580476679294 up in BM-MSC
8	<b>IRX3</b>	0.995121428571428	0.00192260143576348 up in BM-MSC
9	<b>EFHD1</b>	0.998574285714285	0.000124928138437891 up in BM-MSC
10	<b>DIXDC1</b>	1.00053571428571	7.06674371309446e-07 up in BM-MSC
11	<b>C5orf30</b>	1.00492071428571	6.93129000955843e-05 up in BM-MSC
12	<b>NEO1</b>	1.00796	5.00506043131397e-05 up in BM-MSC
13	<b>CMKLR1</b>	1.011935	0.0242216786685107 up in BM-MSC
14	<b>ARHGAP31</b>	1.01703428571429	0.000253773571084819 up in BM-MSC
15	<b>CES1</b>	1.01867642857143	8.26970590028039e-05 up in BM-MSC
16	<b>KLF12</b>	1.02919785714286	9.75705720981519e-07 up in BM-MSC
17	<b>DSTN</b>	1.03364428571428	1.28869201419704e-07 up in BM-MSC
18	<b>MYL9</b>	1.03643857142857	1.90974235155188e-05 up in BM-MSC
19	<b>ARNTL2</b>	1.03882357142857	3.24970736868797e-05 up in BM-MSC
20	<b>DOCK5</b>	1.03895214285714	9.84604015356814e-05 up in BM-MSC
21	<b>SLC22A3</b>	1.04571642857143	0.0132429191759076 up in BM-MSC
22	<b>DPYSL3</b>	1.0466	1.41596952745788e-05 up in BM-MSC
23	<b>MYEF2</b>	1.04737642857143	1.98995016156191e-05 up in BM-MSC
24	<b>GPT2</b>	1.04835285714286	0.00016752407505987 up in BM-MSC
25	<b>HLA-DRA</b>	1.05291714285714	0.0332575864487029 up in BM-MSC
26	<b>KRT14</b>	1.05685642857143	0.0212412566203411 up in BM-MSC
27	<b>ABCC3</b>	1.05980142857143	0.000158201606827228 up in BM-MSC
28	<b>GMDS</b>	1.06509857142857	1.50700455805087e-05 up in BM-MSC
29	<b>CTGF</b>	1.08252785714286	0.00128104796259916 up in BM-MSC
30	<b>FZD5</b>	1.09333142857143	0.000330618531220327 up in BM-MSC
31	<b>MATN2</b>	1.103315	0.00312326089325311 up in BM-MSC
32	<b>STK38L</b>	1.10513928571429	0.000216136976386173 up in BM-MSC
33	<b>CTNNAL1</b>	1.10573	9.64780694930967e-06 up in BM-MSC
34	<b>TPD52L1</b>	1.10649714285714	0.000901743375502387 up in BM-MSC
35	<b>PDGFA</b>	1.10686714285714	1.69915338292609e-05 up in BM-MSC
36	<b>SERPINI1</b>	1.10798	0.000149070577985536 up in BM-MSC
37	<b>PLXNA3</b>	1.10810928571429	1.15315954504315e-05 up in BM-MSC
38	<b>LYPD1</b>	1.10816785714286	0.00573571523003409 up in BM-MSC
39	<b>CDC42EP3</b>	1.10854	0.000576397070300212 up in BM-MSC
40	<b>PMEPA1</b>	1.11437285714286	2.55594421981416e-05 up in BM-MSC
41	<b>ADCY4</b>	1.11507214285714	0.000127622132900856 up in BM-MSC
42	<b>ADARB1</b>	1.11798571428571	1.04448029216193e-05 up in BM-MSC
43	<b>SORBS2</b>	1.12654714285714	0.000238136850883235 up in BM-MSC
44	<b>LIN7A</b>	1.13203071428571	1.17122636107078e-06 up in BM-MSC
45	<b>TRIM16</b>	1.13485571428571	0.000128213254996164 up in BM-MSC
46	<b>SLC2A1</b>	1.13570428571428	0.00943204021955349 up in BM-MSC
47	<b>ALCAM</b>	1.13702428571429	0.00012110267682242 up in BM-MSC
48	<b>ITGA10</b>	1.14262428571429	0.000489704470284792 up in BM-MSC
49	<b>SLC9A3R2</b>	1.14495928571429	2.13696007933268e-06 up in BM-MSC
50	<b>SCUBE1</b>	1.14582857142857	0.00393029079375359 up in BM-MSC
51	<b>TRIM16L</b>	1.14829571428571	3.31802810540514e-05 up in BM-MSC
52	<b>FUCA1</b>	1.15013428571429	0.000194071177254837 up in BM-MSC
53	<b>MFGE8</b>	1.15060071428571	1.58747414007594e-06 up in BM-MSC
54	<b>PALLD</b>	1.15203142857143	4.44052009987685e-06 up in BM-MSC
55	<b>FBXL2</b>	1.15699428571429	2.9726879881323e-06 up in BM-MSC
56	<b>TIAM2</b>	1.15989928571429	1.07341299064141e-05 up in BM-MSC
57	<b>CNTNAP3B</b>	1.16459571428571	0.010228132679774 up in BM-MSC
58	<b>GCNT1</b>	1.16577285714286	3.12644576842339e-05 up in BM-MSC

1		BMMSC_ASC
2		
3	<b>EPHB2</b>	1.17125928571429
4	<b>PAPSS1</b>	1.17337785714286
5	<b>ENDOD1</b>	1.17638571428571
6	<b>C7orf10</b>	1.18205
7	<b>GALNT5</b>	1.18316571428571
8	<b>GMFG</b>	1.18989928571429
9	<b>PDLIM1</b>	1.19328928571429
10	<b>PODNL1</b>	1.19544142857143
11	<b>PDCD1LG2</b>	1.20048714285714
12	<b>CSRP1</b>	1.20394428571429
13	<b>TOM1L1</b>	1.20454571428571
14	<b>TM4SF20</b>	1.20469285714286
15	<b>LIF</b>	1.20620571428571
16	<b>CNTNAP3</b>	1.20737857142857
17	<b>LYPD6B</b>	1.21030428571428
18	<b>HBEGF</b>	1.21035285714286
19	<b>DSP</b>	1.21080357142857
20	<b>RAPH1</b>	1.21233785714286
21	<b>TBC1D19</b>	1.21533285714286
22	<b>NAP1L3</b>	1.21755071428571
23	<b>MLLT11</b>	1.22236071428571
24	<b>ARHGEF28</b>	1.22248357142857
25	<b>MTSS1L</b>	1.23048428571429
26	<b>C1orf54</b>	1.23268357142857
27	<b>ITGA11</b>	1.24946928571429
28	<b>COL4A2</b>	1.26177285714286
29	<b>RUNX2</b>	1.26994285714286
30	<b>LITAF</b>	1.27263142857143
31	<b>RNF150</b>	1.27623857142857
32	<b>CD82</b>	1.29041642857143
33	<b>ENPP1</b>	1.301305
34	<b>SCUBE3</b>	1.31134428571428
35	<b>BPGM</b>	1.31220214285714
36	<b>HPCAL1</b>	1.31384
37	<b>NOTCH3</b>	1.31681285714286
38	<b>HK2</b>	1.31779857142857
39	<b>BAIAP2L1</b>	1.31917571428571
40	<b>NET1</b>	1.31999428571428
41	<b>TINAGL1</b>	1.32759571428571
42	<b>SLC16A4</b>	1.33687714285714
43	<b>EFNB2</b>	1.36246571428571
44	<b>SERINC2</b>	1.36458
45	<b>C11orf87</b>	1.36996428571429
46	<b>GAS6</b>	1.37264642857143
47	<b>TOX</b>	1.37833571428571
48	<b>CXCL16</b>	1.38294642857143
49	<b>SPOCD1</b>	1.38595928571428
50	<b>FST</b>	1.38803642857143
51	<b>LBH</b>	1.40227142857143
52	<b>ITGBL1</b>	1.403575
53	<b>GDF6</b>	1.40848214285714
54	<b>EPGN</b>	1.42292571428571
55	<b>GPR21</b>	1.42475928571429
56	<b>ADIRF-AS1</b>	1.42863142857143
57	<b>VAMP8</b>	1.43531214285714
58	<b>EZR</b>	1.43915642857143

		BMMSC_ASC
1	<b>AHR</b>	1.44212928571429
2	<b>NRG1</b>	1.44663857142857
3	<b>COL4A1</b>	1.44689785714286
4	<b>GLIPR1</b>	1.44839642857143
5	<b>CRIP2</b>	1.45924357142857
6	<b>CAP2</b>	1.46005214285714
7	<b>DBC1</b>	1.46894857142857
8	<b>WISP1</b>	1.47385285714286
9	<b>FMO3</b>	1.48081642857143
10	<b>IGFBP7</b>	1.48518642857143
11	<b>CNN1</b>	1.49185928571429
12	<b>PDLIM5</b>	1.49873357142857
13	<b>LTBP2</b>	1.50074714285714
14	<b>KRT34</b>	1.50937
15	<b>HIP1</b>	1.51014785714286
16	<b>CRISPLD1</b>	1.53277714285714
17	<b>TLE4</b>	1.53527642857143
18	<b>ENC1</b>	1.53616642857143
19	<b>PLOD2</b>	1.55741714285714
20	<b>WNT5A</b>	1.57048214285714
21	<b>ENAH</b>	1.57278857142857
22	<b>SLC4A4</b>	1.577435
23	<b>SRGN</b>	1.58443214285714
24	<b>MID1</b>	1.58944357142857
25	<b>MYBL1</b>	1.59491214285714
26	<b>TAGLN</b>	1.61741785714286
27	<b>SIPA1L1</b>	1.62138285714286
28	<b>GDF5</b>	1.64721928571429
29	<b>PDGFC</b>	1.65209714285714
30	<b>KCNH1</b>	1.66658642857143
31	<b>RDH5</b>	1.66717571428571
32	<b>KRT16</b>	1.67135714285714
33	<b>KCNMA1</b>	1.67810714285714
34	<b>STC2</b>	1.69894857142857
35	<b>ST6GAL1</b>	1.70226428571429
36	<b>PRR5L</b>	1.71148571428571
37	<b>ENTPD1</b>	1.71217642857143
38	<b>DOCK4</b>	1.71856785714286
39	<b>SATB2</b>	1.71978714285714
40	<b>TGM2</b>	1.72055714285714
41	<b>ANGPT1</b>	1.72100428571429
42	<b>CD4</b>	1.72897428571429
43	<b>SEMA3B</b>	1.74117214285714
44	<b>ERRFI1</b>	1.74515
45	<b>CCKAR</b>	1.74733428571429
46	<b>RAVER2</b>	1.76073
47	<b>CPA4</b>	1.81886428571429
48	<b>STK17B</b>	1.82017142857143
49	<b>CD74</b>	1.82402142857143
50	<b>LMOD1</b>	1.83003571428571
51	<b>HAS2</b>	1.83306571428572
52	<b>PRUNE2</b>	1.84602071428571
53	<b>ARSJ</b>	1.8666835
54	<b>ITGB2</b>	1.91138857142857
55	<b>ACTA2</b>	1.9288
56	<b>INHBA</b>	1.93840071428571

		BMMSC_ASC
1	<b>PTN</b>	1.95590928571429
2	<b>TNC</b>	3.70571330934594e-05 up in BM-MSC
3	<b>MCAM</b>	1.95686571428571
4		0.00050371271181831e-05 up in BM-MSC
5	<b>MYLK</b>	1.96245714285714
6		0.00012087658166806e-05 up in BM-MSC
7	<b>CFH</b>	1.96538071428571
8		0.00036223599717356e-05 up in BM-MSC
9	<b>HAPLN1</b>	1.96705928571429
10		0.00010426317070188e-05 up in BM-MSC
11	<b>PLEKHA2</b>	1.96907642857143
12		0.0292632921917005e-05 up in BM-MSC
13	<b>KLHL13</b>	1.97851571428571
14		4.32180316997851e-05 up in BM-MSC
15	<b>RGS4</b>	1.98025928571429
16		2.89648090648622e-05 up in BM-MSC
17	<b>CSPG4</b>	1.99059285714286
18		0.00016127381388873e-06 up in BM-MSC
19	<b>SORT1</b>	2.00050071428571
20		8.84468582391279e-06 up in BM-MSC
21	<b>PLCB4</b>	2.00994642857143
22		1.54763428467267e-06 up in BM-MSC
23	<b>PIEZO2</b>	2.02890142857143
24		0.00015277536514326e-05 up in BM-MSC
25	<b>EYA2</b>	2.03480142857143
26		1.4928082774605e-08 up in BM-MSC
27	<b>NDNF</b>	2.05203071428571
28		0.00032155922159158e-05 up in BM-MSC
29	<b>ANKRD1</b>	2.056405
30		0.0084130637900879e-05 up in BM-MSC
31	<b>ITGA8</b>	2.07703571428571
32		0.00038124498040249e-05 up in BM-MSC
33	<b>TNFRSF19</b>	2.08737571428571
34		0.00032643611594958e-05 up in BM-MSC
35	<b>BEX1</b>	2.09915785714286
36		0.00263911930251506e-05 up in BM-MSC
37	<b>PPP1R3C</b>	2.131615
38		3.22349412313321e-05 up in BM-MSC
39	<b>FNDC1</b>	2.17742214285714
40		1.13464433864636e-05 up in BM-MSC
41	<b>LEPREL1</b>	2.20045785714286
42		2.0532201177184e-05 up in BM-MSC
43	<b>KRTAP1-4</b>	2.25125857142857
44		4.8365780991385e-05 up in BM-MSC
45	<b>TGFB2</b>	2.33447785714286
46		1.47921786988246e-05 up in BM-MSC
47	<b>SMOC1</b>	2.39738642857143
48		2.45513343908808e-05 up in BM-MSC
49	<b>GALNT1</b>	2.44627642857143
50		4.80882369861359e-08 up in BM-MSC
51	<b>PENK</b>	2.46686357142857
52		0.00451217394163358e-05 up in BM-MSC
53	<b>KIAA1644</b>	2.46892428571429
54		2.29972822779566e-08 up in BM-MSC
55	<b>MET</b>	2.47829928571429
56		1.4469254149361e-07 up in BM-MSC
57	<b>LTBP1</b>	2.52069214285714
58		1.92314251927926e-05 up in BM-MSC
59	<b>KRTAP1-1</b>	2.53630857142857
60		5.9997354167352e-05 up in BM-MSC
61	<b>FLG</b>	2.66280785714286
62		0.00036720339928180e-05 up in BM-MSC
63	<b>IFITM10</b>	2.66469428571429
64		4.80882369861359e-08 up in BM-MSC
65	<b>TM4SF1</b>	2.74804714285714
66		4.8365780991385e-05 up in BM-MSC
67	<b>CDH6</b>	2.77983142857143
68		0.000188860703729251e-05 up in BM-MSC
69	<b>KRTAP1-5</b>	2.81784928571428
70		2.14752331417284e-05 up in BM-MSC
71	<b>ITGA7</b>	2.81893
72		2.61789704482416e-05 up in BM-MSC
73	<b>IGF2</b>	2.84775571428571
74		3.3433904034958e-05 up in BM-MSC
75	<b>ITGA3</b>	2.86564571428571
76		4.44052009987685e-06 up in BM-MSC
77	<b>TNS3</b>	2.87899857142857
78		3.52423296416294e-06 up in BM-MSC
79	<b>DLX5</b>	2.88506642857143
80		6.44479687963732e-09 up in BM-MSC
81	<b>TSPAN18</b>	3.00600714285714
82		2.30054739189195e-07 up in BM-MSC
83	<b>ACAN</b>	3.02825714285714
84		0.000177397971051879e-05 up in BM-MSC
85	<b>NPR3</b>	3.46963142857143
86		1.79896489468195e-06 up in BM-MSC
87	<b>PDE5A</b>	3.78460928571429
88		1.87619924774387e-05 up in BM-MSC
89	<b>IGFBP2</b>	3.942535
90		3.33524831905485e-06 up in BM-MSC
91	<b>EDIL3</b>	4.23347142857143
92		1.00335073611069e-05 up in BM-MSC
93	<b>VCAM1</b>	5.30279357142857
94		1.32404884401917e-05 up in BM-MSC
95	<b>SLC14A1</b>	5.40159928571428
96		1.41467096064428e-06 up in BM-MSC

1  
2                   BMMSC\_ASC  
3   **Id BM-MSCs**  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

For Peer Review






Figure S1. Gating strategy for the phenotypic analysis of native MSCs in stromal vascular fraction and bone marrow aspirates.

Dead cells and doublets were gated out from mononuclear cells. Stromal compartment was selected as CD73<sup>pos</sup> events that were CD45<sup>neg</sup>/CD245a<sup>neg</sup>/CD11<sup>beg</sup>. CD31<sup>pos</sup> endothelial cells were then excluded from analysis. Finally, native BM-MSCs were visualized as CD34<sup>neg</sup>CD271<sup>pos</sup> cells and native ASCs as CD34<sup>pos</sup>CD146<sup>neg</sup> cells and VCAM-1 expression was analyzed on both MSC subsets. Shaded grey histogram represents isotypic control and black line depicts VCAM-1. MNC : mononuclear cells, DAPI : 4',6-diamidino-2-phenylindole



**Figure S2. Control of VCAM-1 silencing effectiveness.**


BM-MSCs were transfected with siRNA for VCAM-1 or a control siRNA or mock-transfected. Expression of VCAM-1 was assessed 48 hours later by flow cytometry before use in adhesion assays. Results are depicted as the percentage of VCAM-1<sup>pos</sup> cells as compared to an isotypic control antibody. Bars represented the medians.



**Figure S3. Immunophenotypic characterization of paired BM-MSCs and ASCs.**

(A) Paired BM-MSCs and ASCs were assessed by flow cytometry for the expression of standard MSC markers.

(B) Paired BM-MSCs and ASCs were assessed by flow cytometry for the expression of CD146. Histograms represent mean  $\pm$  SEM ( $n=14$ , \*\* $P < 0.01$ , \*\*\* $P < 0.001$ )

**Figure S4. WGCNA analysis**

(A) Sample clustering dendrogram based on the Euclidian distance using the 25% most variable genes  
 (B) Selection of the soft-thresholding power based on the evolution of the scale free topology index in function of the soft threshold (left) and the analysis of the mean connectivity evolution in function of the soft threshold (right)  
 (C) Module eigengenes for each cell type in relevant modules with p-value calculated based on a Wilcoxon rank test comparison  
 (D) Heatplot of gene expression in the modules Yellow, Blue, and Purple. For modules Yellow and Blue, a tree cut function was applied for the gene dendograms, highlighting two clusters associated with increased expression in ASCs versus BM-MSCs and colored as followed: dark blue and dark orange for ASCs, and light blue and light orange for BM-MSC.

190x254mm (300 x 300 DPI)




Figure S5. Differentiation assays on paired BM-MSCs and ASCs

(A-B) Osteogenic differentiation was assessed by Red Alizarin (A) and alcaline phosphatase (B) quantification (osteogenic conditions relative to untreated controls).

(C) Chondrogenic differentiation was assessed by glycosaminoglycan (GAG) quantification (chondrogenic conditions relative to untreated controls).

(D) Adipogenic differentiation was assessed by triglycerides (TG) quantification (adipogenic conditions relative to untreated controls).

All histograms represented mean ± SEM (n=9, \*P < 0.05, \*\*P < 0.01)