



HAL
open science

Thermal stability and spectroscopic study of $\text{Ho}^{3+}/\text{Yb}^{3+}$ co-doped fluorophosphates glasses

O. Bentouila, K.E. Aiadi, F. Rehouma, M. Poulain, F. Benhbirech

► To cite this version:

O. Bentouila, K.E. Aiadi, F. Rehouma, M. Poulain, F. Benhbirech. Thermal stability and spectroscopic study of $\text{Ho}^{3+}/\text{Yb}^{3+}$ co-doped fluorophosphates glasses. *Journal of King Saud University - Computer and Information Sciences*, 2019, 31 (4), pp.628-634. 10.1016/j.jksus.2017.12.011 . hal-02473043

HAL Id: hal-02473043

<https://univ-rennes.hal.science/hal-02473043>

Submitted on 9 Jul 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License



Contents lists available at ScienceDirect

Journal of King Saud University – Science

journal homepage: www.sciencedirect.com

Thermal stability and spectroscopic study of Ho³⁺/Yb³⁺ co-doped fluorophosphates glasses

O. Bentouila^{a,*}, K.E. Aiadi^a, F. Rehouma^b, M. Poulain^c, F. Benhbirech^a^aÉquipe Optoélectronique, Laboratoire LENREZA, Université Kasdi Merbah-Ouargla, 30000 Ouargla, Algeria^bUniversité d'El-Oued, B.P 789 El-Oued R.P, 39000 El-Oued, Algeria^cMatériaux Photoniques, UMR Sciences Chimiques, Université de Rennes 1, F-35042 Rennes, France

ARTICLE INFO

Article history:

Received 16 November 2017

Accepted 19 December 2017

Available online 20 December 2017

Keywords:

Holmium

Ytterbium

Rare earth

Fluorophosphates glass

Judd-Ofelt theory

ABSTRACT

Holmium/Ytterbium co-doped fluorophosphate glasses with compositions (80-x-y) NaPO₃-10SrF₂-10ZnF₂-xHoF₃-yYbF₃ (x = 1 and y = 0.5, 1, 1.5 and 2 mol%) were prepared by melt-quenching technique. The stability criteria indicate that these glasses exhibit a good resistance against devitrification. Densities of glasses were determined and showed an almost linear variation with increase of YbF₃ content. Spectroscopic parameters of Ho³⁺ such as radiative transition probability, branching ratio, spectroscopic quality factor, integrated emission cross section and radiative lifetime, were calculated on the basis of Judd-Ofelt analysis. The results showed that these glasses could be proposed as suitable lasing materials. © 2017 The Authors. Production and hosting by Elsevier B.V. on behalf of King Saud University. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

Rare earth ions doped glasses have a potential application in different fields as a solid state lasers, optical fiber amplifiers and waveguide lasers. Rare earth ions are used as doping agents because of their various transitions in the visible and infrared regions and their insensitivity to the matrix in which are introduced. Up to now, a variety of glassy materials such as silicate (Bai et al., 2011), phosphate (Rivera-López et al., 2011; Hraiech et al., 2013), fluoride (Mortier et al., 2007; Reichert et al., 2015), chalcogenide (Li et al., 2016; Ari et al., 2017), tellurite (Meruva et al., 2014; Costa et al., 2015; Sajna et al., 2016), germanate (Fan et al., 2011, 2015) and halogeno-phosphates glasses (Babu and Ratnakaram, 2016; Galleani et al., 2017) have been investigated as host materials for rare earth ions in the aim to developing of optical devices. Among different glassy host materials, halogeno-phosphates glasses offer significant advantages. They are easily prepared by introducing selected metal halides (fluoride in our

case) into polyphosphate glasses. These glasses exhibit low phonon energy than that of phosphate glasses and a less complex fabrication route than that of fluoride glasses and can accept a high concentration of rare earth ions which can improve or induce new optical properties (Poulain et al., 1992; Kenyon, 2002; Dwivedi et al., 2010; Polishchuk et al., 2011; Galleani et al., 2017).

Solid state lasers operating at 2 μm wavelength has attracted so much attention in recent years owing to their potential applications in several fields such as eye safe laser radars, remote sensing, military, atmospheric pollution detection, medical surgery, etc (Tian et al., 2010; Wu et al., 2012; Ryabochkina et al., 2017). Efficient 2 μm emission required an appropriate rare earth ions and host materials. 2 μm laser emission can be achieved in some rare earth ions such as Ho³⁺ with the transition ⁵I₇ → ⁵I₈ (Fan et al., 2015) However, Ho³⁺ ions have no corresponding absorption energy levels to be pumped directly by the commercial 800 nm or 980 nm laser diode (LD). Thus, Co-doping with other rare earth ions such as Tm³⁺ (Seshadri et al., 2014; Chen et al., 2016) and Yb³⁺ (Žmojda et al., 2012; Pandey et al., 2016) ions can sensitize efficiently Ho³⁺ to achieve 2 μm emission. Yb³⁺ is frequently chosen as a sensitizer because this ion has a strong absorption band around 980 nm, and the Yb³⁺: ²F_{5/2} level is close to the Ho³⁺: ⁵I₆ level which can provide an efficient energy transfer from Yb³⁺ to Ho³⁺ ions.

A several number of recent studies reporting the spectroscopic properties of Ho³⁺ doped glasses and Ho³⁺ doped glasses sensitized with either Tm³⁺, Yb³⁺ or Er³⁺ are available in the literature

* Corresponding author.

E-mail address: bentouila.om@univ-ouargla.dz (O. Bentouila).

Peer review under responsibility of King Saud University.



(Babu and Ratnakaram, 2016; Bai et al., 2011; Chen et al., 2016; Gandhi et al., 2010; Hemming et al., 2014; Rai et al., 2003; Satyanarayana et al., 2010). Furthermore, to our knowledge, there are few number of investigations on $\text{Ho}^{3+}/\text{Yb}^{3+}$ co-doped fluorophosphate glasses (Gómez et al., 2009; Tian et al., 2010; Wang et al., 2011). In this work we report thermal and spectroscopic studies of a new composition of fluorophosphate glasses co-doped $\text{Ho}^{3+}/\text{Yb}^{3+}$ with doping concentration of Yb^{3+} varied from 0.5 mol% up to 2 mol% while the doping concentration of Ho^{3+} is kept constant at 1 mol%.

2. Experimental

2.1. Glass preparation

Samples of fluorophosphate glasses with general formula (in mol%): $(80-x-y) \text{NaPO}_3-10\text{SrF}_2-10\text{ZnF}_2-x\text{HoF}_3-y\text{YbF}_3$ ($x = 1$ and $y = 0.5, 1, 1.5$ and 2 mol%) were prepared using high-purity of NaPO_3 , SrF_2 , ZnF_2 , HoF_3 and YbF_3 powder. The doping concentration of the rare earth was set at 1 mol% for Ho^{3+} ions and varying from 0.5 to 2 mol% for Yb^{3+} ions. A stoichiometric mixture of the starting materials (about 10 g) is placed in a platinum crucible and melted at 900°C for 15 min. The melts were cast on preheated brass molds at a temperature 10°C below the glass transition temperature. Thermal annealing of the samples is performed for several hours, in order to eliminate the internal stresses of mechanical or thermal origins created during quenching, following by a slow cooling to room temperature. After annealing, the glass samples were cut and polished. The samples obtained after polishing have parallel faces allowing the optical characterization. In the other hand, some local defects, such as scratches and unevenness, are difficult to avoid.

2.2. Measurements

The characteristic temperatures (temperature of glass transition T_g and temperature of onset crystallization T_x) were determined by differential scanning calorimetry (DSC) using *DSC TA Instrument* with a programmed heating rate of $10^\circ\text{C}/\text{min}$. The accuracy on the temperature is about $\pm 2^\circ\text{C}$. Density was measured by Archimedeian method with an accuracy of ± 0.001 . Refractive index was measured by an Abbe refractometer with a mean error ± 0.001 . Absorption spectra were recorded at room temperature using a double beam spectrophotometer UV–Vis – Near IR CARY 5G brand operating between 200 and 3000 nm with a spectral resolution of 0.1 nm.

3. Results

3.1. Glass samples

Fig. 1 shows all the samples: non-doped, doped with Ho^{3+} only and co-doped $\text{Ho}^{3+}/\text{Yb}^{3+}$. Compositions of glass samples were presented in Table 1.




Fig. 1. Fluorophosphates glass Samples.

3.2. Thermal properties, density and refractive index

Fig. 2 represents the DSC curves of the samples: without any doping ions (dash-dotted line), doped with Ho^{3+} only (dotted line) and $\text{Ho}^{3+}/\text{Yb}^{3+}$ co-doped (with 1 mol% YbF_3 , solid line). Glass transition temperature T_g for NPSZ_HY series still situated around 250°C and the crystallization onset T_x around 450°C .

The values of refractive index and the density of glass samples were presented in Table 2. The results show a small almost linear variation of refractive index and density with the variation of YbF_3 content.

3.3. Absorption spectra and Judd-Ofelt analysis

The absorption spectra are shown in Fig. 3. We can count ten absorption bands centered at 1957, 1155, 642, 538, 486, 472, 448, 418, 386 and 360 nm corresponding to the optical transitions of the Ho^{3+} ion from its ground state 5I_8 to the different excited states: 5I_7 , 5I_6 , 5F_5 , 5F_4 , 5F_3 , (5F_2 , 3K_8), 5G_6 , 5G_5 , 5G_4 and 3H_6 respectively. We can also observe an absorption band at 980 nm correspond to the transition $^2F_{7/2}$ to $^2F_{5/2}$ of the Yb^{3+} ion in the four co-doped samples.

The different spectroscopic parameters of the trivalent rare-earth ions in various hosts can be calculated by the application of the theory proposed by Judd (Judd, 1962) and Ofelt (Ofelt, 1962). The detailed assumptions of the theory have been described in original articles. A brief summary of the theory will present below taking into account only the formulas necessary to determine the different spectroscopic parameters.

The intensities of intraconfigurational $f-f$ transitions of trivalent rare earths observed in the absorption spectra can be described by the oscillator strengths f_{mes} of each $J \rightarrow J'$ transition. The majority of these transitions are induced electric dipole transitions, although a few magnetic dipole transitions are also present. From the absorption spectra, we can calculate the oscillator strength f_{mes} , which is proportional to the band absorption intensity, from the value of the absorption coefficient $\alpha(\lambda)$ at a particular wavelength λ according to the formula:

$$f_{mes} = \frac{mc^2}{\pi e^2 N} \int \frac{\alpha(\lambda) d\lambda}{\lambda^2} \quad (1)$$

where m is the electron mass, c is the celerity of the light in the vacuum and e is the electron charge.

On the other side, the oscillator strength can be given in term of the electric dipole line strength S_{ed} :

$$f_{cal} = \frac{8\pi^2 mc}{3h(2J+1)\lambda} \frac{(n^2+2)}{9n} S_{ed} \quad (2)$$

$$S_{ed} = e^2 \sum_{k=2,4,6} \Omega_k \left| \langle J' || U^{(k)} || J \rangle \right|^2 \quad (3)$$

where Ω_k ($k = 2, 4$ and 6) are known as Judd-Ofelt parameters. These parameters are dependent on both the chemical environment and the lanthanide ion (de Sá et al., 2000). The factor $(n^2+2)/9n$ takes

Table 1
Compositions of glass samples.

Name of the sample	Glass compositions (mol%)				
	NaPO ₃	SrF ₂	ZnF ₂	HoF ₃	YbF ₃
NPZS	80	10	10	0	0
NPZS_H1	79	10	10	1	0
NPZS_HY0.5	79.5	10	10	1	0.5
NPZS_HY1	78	10	10	1	1
NPZS_HY1.5	77.5	10	10	1	1.5
NPZS_HY2	77	10	10	1	2




Fig. 2. DSC Curves of the non-doped, Ho³⁺ doped and Ho³⁺/Yb³⁺ co-doped glass samples.

Table 2
Refractive index and density of glass samples.

Samples	Refractive index ±0.001	Density (g/cm ³) ±0.001
NPZS	1.494	2.772
NPZS_H1	1.495	2.803
NPZS_HY0.5	1.493	2.820
NPZS_HY1	1.494	2.859
NPZS_HY1.5	1.495	2.883
NPZS_HY2	1.496	2.904

into account the fact that the rare earth ion is not in a vacuum, but in a dielectric medium, n being the refractive index of this medium. $U^{(k)}$ are the components of the reduced tensorial operator which are independent of ligand field. The values of $U^{(k)}$ are usually considered to be host invariant and they are tabulated (Carnall et al., 1968, 1965). h is the Planck's constant and λ is the average wavelength of the transition.

The values of the Ω_k are empirically determined by comparing the computed values starting from the formula (2) with the values obtained from the absorption spectra at ambient temperature of the oscillator strengths (formula (1)). If q is the number of the absorption bands considered in experiments, the resolution of a system of q equation to 3 unknown factors, by a least square approximation, makes it possible to obtain the values of the parameters Ω_k . These parameters are expressed in cm². A measure of the accuracy of the fit is given by the root mean square deviation (RMS):

$$RMS = \sqrt{\frac{\sum (f_{cal} - f_{mes})^2}{q - 3}} \quad (4)$$




Fig. 3. Absorption spectra of NPZS_HY samples.

The values of Judd-Ofelt parameters obtained are used to calculate the line strength of the transitions between the initial state J and the final state J' using the Eq. (3). The probabilities of the radiative transitions are given by the equation:

$$A_{rad}(J, J') = \frac{64\pi^4}{3h(2J+1)\lambda^3} \left[\frac{n(n^2+2)^2}{9} \right] S_{ed} \quad (5)$$

The branching ratios can be to obtain from the probabilities of radiative transitions A_{rad} by the equation:

$$\beta = \frac{A_{rad}(J, J')}{\sum_{J'} A_{rad}(J, J')} \quad (6)$$

The radiative lifetime of the level J is given by:

$$\tau_{rad} = \frac{1}{\sum_{J'} A_{rad}(J, J')} \quad (7)$$

Table 3
Measured and calculated oscillator strength for Ho³⁺ ions in NPSZ_HY samples.

Transition: ⁵ I ₈ →	λ(nm)	Oscillator strength $f(\times 10^{-6})$									
		NPZS_H1		NPZS_HY0.5		NPZS_HY1		NPZS_HY1.5		NPZS_HY2	
		f_{mes}	f_{cal}	f_{mes}	f_{cal}	f_{mes}	f_{cal}	f_{mes}	f_{cal}	f_{mes}	f_{cal}
⁵ I ₇	1957	1.1951	1.30792	1.2529	1.5595	1.2983	1.5987	1.3064	1.8003	1.2161	1.4308
⁵ I ₆	1155	0.5946	0.96128	0.6883	1.1498	0.6651	1.1765	0.6861	1.3338	0.6485	1.051
⁵ F ₅	642	2.3739	2.57079	2.6415	3.0311	2.6752	3.1015	2.6738	3.3458	2.6391	2.8484
⁵ F ₄	538	3.3668	2.79476	4.5804	3.3199	4.8053	3.4026	5.6358	3.7506	3.9579	3.0808
⁵ F ₃	486	0.8187	1.04389	0.3176	1.2556	0.4405	1.2903	0.3395	1.4719	0.6037	1.1409
⁵ F ₂ , ³ K ₈	474	0.5251	0.64620	0.6064	0.7773	0.1951	0.7987	0.3039	0.9112	0.4084	0.7063
⁵ G ₆	448	12.4917	12.70179	13.331	13.625	12.587	12.869	13.473	13.743	13.006	13.292
⁵ G ₅	418	2.3285	2.42021	2.5453	2.7951	2.5716	2.8468	2.5617	2.8813	2.5005	2.719
⁵ G ₄	386	0.3533	0.32203	0.7069	0.3781	0.6512	0.3865	0.8467	0.4116	0.7537	0.3579
³ H ₆	362	3.4714	2.37699	4.0711	2.5256	3.8578	2.3779	3.9563	2.5319	3.9731	2.484
RMS ($\times 10^{-6}$)		±0.511		±0.8946		±0.9261		±1.1160		±0.7466	

Table 4
Judd-Ofelt parameters ($\Omega_k \times 10^{-20} \text{cm}^2$) of Ho³⁺ doped NPSZ_HY samples and other glasses.

Sample	Ω_2	Ω_4	Ω_6	Ω_4/Ω_6	Trend
NPZS_H1 (present work)	3.03	2.26	1.72	1.31	$\Omega_2 > \Omega_4 > \Omega_6$
NPZS_HY0.5 (present work)	3.13	2.62	2.07	1.26	$\Omega_2 > \Omega_4 > \Omega_6$
NPZS_HY1 (present work)	2.83	2.66	2.12	1.25	$\Omega_2 > \Omega_4 > \Omega_6$
NPZS_HY1.5 (present work)	3.09	2.69	2.42	1.11	$\Omega_2 > \Omega_4 > \Omega_6$
NPZS_HY2 (present work)	3.07	2.54	1.88	1.35	$\Omega_2 > \Omega_4 > \Omega_6$
Halogeno-phosphate (Bentouila et al., 2013)	2.44	1.40	1.31	1.07	$\Omega_2 > \Omega_4 > \Omega_6$
Phosphate (Reisfeld and Hormadaly, 1976)	5.20	2.72	1.87	1.45	$\Omega_2 > \Omega_4 > \Omega_6$
Germanate (Fan et al., 2015)	4.70	1.63	0.81	2.01	$\Omega_2 > \Omega_4 > \Omega_6$
Fluoride (Florez et al., 2006)	1.56	3.72	2.86	1.30	$\Omega_2 < \Omega_6 < \Omega_4$
Tellurite (Rai et al., 2003)	4.98	0.99	2.96	0.33	$\Omega_4 < \Omega_6 < \Omega_2$

Table 5
Predicted radiative transition probability, integrated emission cross-section and radiative lifetimes for ⁵I₇ → ⁵I₈ transition of Ho³⁺ ions in NPSZ_HY samples and other glasses.

Sample	$A_{rad}(s)$	$\beta(\%)$	$\Sigma (\times 10^{-20} \text{ m})$	$\tau_{rad} (\text{ms})$
NPZS_H1 (present work)	57.357	1000	1519	17.435
NPZS_HY0.5 (present work)	68.47	100	1.56	14.60
NPZS_HY1 (present work)	70.21	100	1.60	14.24
NPZS_HY1.5 (present work)	79.25	100	1.80	12.61
NPZS_HY2 (present work)	63.00	100	1.43	15.87
Fluorophosphate (Tian et al., 2010)	73.55	100	–	13.60
Germanate (Fan et al., 2011)	97.84	100	–	10.22
Fluoride (Florez et al., 2006)	109.93	100	–	9.09

Another important term, integrated emission cross-section (in m), which is particularly useful to determine the possibility of lasing in glass, is defined as:

$$\Sigma = \frac{\lambda^2}{8\pi cn^2} A_{rad}(J, J') \quad (8)$$

When the value of the integrated emission cross-section is close to or greater than $\sim 10^{-20} \text{ m}$, there is a possibility of lasing (Watekar et al., 2008).

The results obtained from the Judd-Ofelt analysis are reported in Tables 3–5.

4. Discussions

4.1. Thermal stability

Determination of glass transition temperature (T_g) and onset crystallization (T_x) is interesting for many reasons: in practical terms, T_g is a measure of approximate upper use temperature for

a given composition, and annealing of glass samples is carried out somewhat below T_g . In addition, T_g is an important factor for laser glass. It is reported that a glass with high T_g has a good thermal stability to resist thermal damage at high pumping power (Xu et al., 2011a,b). T_x defines a safe upper limit for processing the melt if crystallization is to be avoided. From the DSC curves, one can observe that there is no crystallization peak till $T = 450 \pm 2^\circ \text{C}$ for all samples, T_g is about $247 \pm 2^\circ \text{C}$ and T_x is about $460 \pm 2^\circ \text{C}$ for the glass sample without any doping ions and for glasses containing HoF₃ and YbF₃, the vitreous transition still situated around 250°C and crystallization onset around 450°C . One can notice that the glass transition temperature is shifted upwards high temperatures and the onset crystallization is shifted downwards low temperatures by addition of HoF₃ and YbF₃, results in agreement with previous works (Imanieh et al., 2014). As the changes of T_g and T_x is largely depending on the major mixing elements, because the temperature is closely related to the bonding force among the constituent elements, one can explain the shifting of T_g and T_x by structure arrangement of glass due to participation of Yb³⁺ and Ho³⁺ ions and enhanced glassy network structure

(Chen et al., 2014). However, it has been observed that with high concentration of rare-earth, the glass became impossible to pour due to its high instability and during the pouring it could be crystallize to become opaque (Dantelle et al., 2005). Thus, an optimization of rare earth content is necessary to obtain a transparent glass.

The quantity $\Delta T = T_x - T_g$, known as the supercooled liquid region, defined as the temperature gap between T_g and T_x . It has been used as a rough measure of the glass forming ability of a melt, i.e., of resistance against crystallization during casting (Wang, 2008). Large ΔT means strong inhibition to processes of nucleation and crystallization (Park et al., 2010; Xu et al., 2011a,b). For this reason, it is frequently used as an assessment criterion to determine the stability of glass. To achieve a large working range during operations such as fiber fabrication or the preparation of bulk glass articles, it is desirable to have ΔT as large as possible. We find that all glass samples have relatively a large value of ΔT (~ 200 °C) close to the value obtained for fluorophosphate glasses (Tian et al., 2010; Chen et al., 2014), which is significantly higher than that of other kinds of rare earth doped fluorophosphate glasses such as Tm^{3+} (Liao et al., 2007). This result means that all our glass samples are stable against crystallization.

From the analysis of DSC curve, we can conclude that thermal properties of our glass samples are good for fiber drawing.

4.2. Absorption spectra and Judd-Ofelt analysis

Absorption spectra of the Ho^{3+} and Ho^{3+}/Yb^{3+} co-doped glass samples are shown in Fig. 3. The spectroscopic properties of our glass samples were determined using the Judd-Ofelt model. The $f-f$ transitions are considered to be electric dipole in nature, because the magnetic dipole oscillator strength (f_{md}) will be relatively small (Sooraj Hussain et al., 2006). For that reason in the present work, these magnetic dipole line strengths have not been considered. Measured and calculated oscillator strength for Ho^{3+} ions in NPSZ_HY samples were presented in Table 3. The low RMS values suggest the good agreement between calculated and experimental oscillator strengths of Ho^{3+} ions in our glasses samples which indicates the validity of the Judd-Ofelt model for predicting the spectroscopic properties of Ho^{3+} .

The Judd-Ofelt parameters Ω_k ($k = 2, 4, 6$) are mainly depend on the host glass composition. These parameters can provide versatile information regarding the rare earth in glass structure. Some empirical correlations of the Judd-Ofelt parameters and the local structure of the rare earth ions have been reported in literature (Jacobs and Weber, 1976; Ebendorff-Heidepriem et al., 1998; Malta and Carlos, 2003). Generally, Ω_2 is an indicator of the covalency of the rare earth-ligand bonds (short-range effect), and it is hypersensitive to the compositional changes in the host materials. Ω_2 is also related with the symmetry of ligand field in the glass host. According to previous studies (Ebendorff-Heidepriem and Ehrt, 1999), Ω_2 increase with the increasing of covalency and asymmetry at the rare earth sites. The values for Ω_4 and Ω_6 provide some information of the rigidity of the host materials (Wang, 2008). They depend on bulk properties such as viscosity and dielectric constant of the media (long-range effects). They are also affected by the vibronic transitions of the rare earth ions bound to the ligand atoms. In the present work, the Judd-Ofelt parameters Ω_i are calculated and compared with those of various Ho^{3+} doped glasses, the results were presented in Table 4. One can observe, from the values of Ω_2 of our samples, that the covalent environment for Ho^{3+} is slightly decreased with increasing of Yb^{3+} amount in glasses. The observed Ω_2 values of our samples are located between the higher side to the values reported for ionic glasses (for fluoride glasses, $\Omega_2 \sim 2 \times 10^{-20} \text{ cm}^2$) and those of the covalent glasses (for phosphates $\Omega_2 \sim 5 \times 10^{-20} \text{ cm}^2$). Theoretically, the polarizability of oxide ions is higher than that of fluorine ions, resulting in the

increasing covalence of the bonds between rare earth ions and surrounding ligand from fluoride to phosphate glasses due to substitution of fluorine ions by oxygen ions. As fluorophosphate glasses has both O^{2-} and F^- ions, the value of Ω_2 is larger than that of fluoride glass and smaller than that of phosphate glass (Tian et al., 2010). However, the observed lower values of Ω_2 parameter for Ho^{3+}/Yb^{3+} co-doped NPSZ_HY glasses compared by those of phosphate glasses indicates that the ligand asymmetry around the rare earth ions in Ho^{3+}/Yb^{3+} co-doped NPSZ_HY glasses is weaker than those in phosphate glasses. Additionally, a larger modifier ion in phosphate glass gives rise to a larger average between P-O-P chains causing the increasing average Ho-O distance to increase. Such increase in the bond lengths produces weaker local field near rare earth ions and lead to lower value of Ω_2 (Rao et al., 2012).

According to the theory of Jacobs and Weber (Jacobs and Weber, 1976), the rare earth emission intensity can be characterized uniquely by Ω_4 and Ω_6 parameters. Thus, we used the so-called spectroscopic quality factor (Ω_4/Ω_6). This factor is important in predicting the behavior of various lasing transitions in a given matrix. Based on this factor, it is found that the NPZS_HYy glasses appear to be better optical glasses. Moreover, it is noticed that the values of Judd-Ofelt parameters of our sample glasses follows the trend $\Omega_2 > \Omega_4 > \Omega_6$ in consistent with that one observed for halogeno-phosphate, phosphate and germanate glasses; nevertheless, it differs from those of fluoride and tellurite glasses.

Table 5 presents the predicted radiative transition probability A_r , branching ratios β , integrated emission cross-section and radiative lifetimes τ_{rad} for $^5I_7 \rightarrow ^5I_8$ transition of Ho^{3+} ions in NPSZ_HY samples. The results show that the values A_{rad} of the 5I_7 level of Ho^{3+} were 68.4, 70.2, 79.2 and 63.0 s^{-1} , which are similar to the value found for fluorophosphates glass and smaller than that of germanate and fluoride glasses. It is reasonable to obtain such result because the radiative transition probability is proportional to $n(n^2 + 2)^2/9$ (Eq. (5) in Section 3.3) and the refractive index of fluorophosphates glasses is usually less than germanate and fluoride glasses. It is evident to find also that the radiative lifetimes of the 5I_7 level of Ho^{3+} for NPZS_HYy glasses are greater than those of germanate and fluoride glasses. Further, the radiative lifetimes values for Ho^{3+}/Yb^{3+} co-doped NPZS_HYy glasses are found to be smaller than that for individually Ho^{3+} doped NPZS_H1 glass. This result, which may be explained by the crucial contribution of phonon subsystem, is in agreement with those found by Gandhi et al. (2010) for the measured lifetime of blue, green and red transitions.

The values of the integrated emission cross-sections obtained are greater than $\sim 10^{-20} \text{ m}$, which indicates a possibility of lasing with these glasses. But it must be mentioned that lasing can be specifically determined only if emission cross-section and fluorescence lifetime are taken into account.

5. Conclusions

A series of Ho^{3+}/Yb^{3+} co-doped new fluorophosphate glasses have been investigated and characterized. All the prepared samples exhibit a high thermal stability against crystallization compared with other kinds of rare earth doped fluorophosphate glasses. From the absorption spectra, Judd-Ofelt parameters are obtained and discussed. The spectroscopic properties of Ho^{3+} in these glasses, such as radiative transition probabilities, integrated emission cross-sections and radiative lifetimes, were calculated and compared with other glasses. Spectroscopic quality factor (Ω_4/Ω_6) and the integrated emission cross-section were found greater than 1 and about 10^{-20} m respectively, which indicates better properties of these glasses as lasing materials. Ho^{3+}/Yb^{3+} co-doped fluorophosphate glasses have predicted radiative lifetimes smaller than that for individually Ho^{3+} doped

fluorophosphate glass which may be explained by the crucial contribution of phonon subsystem. Consequently, these results indicate these glasses appear as a potential lasing materials and offer prospects for photonics applications.

References

- Ari, J., Starecki, F., Boussard-Plédel, C., Doualan, J.-L., Quétel, L., Michel, K., Braud, A., Camy, P., Chahal, R., Bureau, B., Ledemi, Y., Messaddeq, Y., Nazabal, V., 2017. Rare-earth-doped chalcogenide glasses for mid-IR gas sensor applications. *Proc. SPIE* 10100, 101000Q. <https://doi.org/10.1117/12.2251529>.
- Babu, S., Ratnakaram, Y.C., 2016. Emission characteristics of holmium ions in fluorophosphate glasses for photonic applications. *AIP Conf. Proc.* 1731, 1–4. <https://doi.org/10.1063/1.4947833>.
- Bai, G., Guo, Y., Tian, Y., Hu, L., Zhang, J., 2011. Light emission at 2 μm from Ho-Tm-Yb doped silicate glasses. *Opt. Mater. (Amst)* 33, 1316–1319. <https://doi.org/10.1016/j.optmat.2011.03.033>.
- Bentouila, O., Aiadi, K.E., Rehouma, F., Poulain, M., 2013. Spectroscopic studies of rare earth-doped halogeno-phosphate glasses. *J. Optoelectron. Adv. Mater.* 15, 15.
- Carnall, W.T., Fields, P.R., Wybourne, B.G., 1965. Spectral intensities of the trivalent lanthanides and actinides in solution. I. Pr^{3+} , Nd^{3+} , Er^{3+} , Tm^{3+} , and Yb^{3+} . *J. Chem. Phys.* 42, 3797–3806. <https://doi.org/10.1063/1.1695840>.
- Carnall, W.T., Fields, P.R., Rajnak, K., 1968. Spectral intensities of the trivalent lanthanides and actinides in solution. II. Pm^{3+} , Sm^{3+} , Eu^{3+} , Gd^{3+} , Tb^{3+} , Dy^{3+} , and Ho^{3+} . *J. Chem. Phys.* 49, 4412–4423. <https://doi.org/10.1063/1.1669892>.
- Chen, H., Chen, F., Wei, T., Liu, Q., Shen, R., Tian, Y., 2014. Ho³⁺ doped fluorophosphate glasses sensitized by Yb³⁺ for efficient 2 μm laser applications. *Opt. Commun.* 321, 183–188. <https://doi.org/10.1016/j.optcom.2014.01.072>.
- Chen, R., Tian, Y., Li, B., Jing, X., Zhang, J., Xu, S., Eckert, H., Zhang, X., 2016. Thermal and luminescent properties of 2 μm emission in thulium-sensitized holmium-doped silicate-germanate glass. *Photonics Res.* 4, 214–221. <https://doi.org/10.1364/PRJ.4.000214>.
- Costa, F.B., Yukimitu, K., Nunes, L.A.O., Andrade, L.H. da C., Sandro Marcio Lima, J.C., Moraes, S., 2015. Characterization of Nd³⁺ -doped Tellurite Glasses with Low OH Content. *Mater. Res.* 18:2–7. <https://doi.org/10.1590/1516-1439.320614>.
- Dantelle, G., Mortier, M., Vivien, D., Patriarche, G., 2005. Nucleation efficiency of erbium and ytterbium fluorides in transparent oxyfluoride glass-ceramics. *J. Mater. Res.* 20, 472–481. <https://doi.org/10.1557/JMR.2005.0051>.
- de Sá, G., Malta, O., de Mello Donegá, C., Simas, A., Longo, R., Santa-Cruz, P., da Silva, E., 2000. Spectroscopic properties and design of highly luminescent lanthanide coordination complexes. *Coord. Chem. Rev.* [https://doi.org/10.1016/S0010-8545\(99\)00054-5](https://doi.org/10.1016/S0010-8545(99)00054-5).
- Dwivedi, Y., Bahadur, A., Rai, S.B., 2010. Spectroscopic study of Sm: Ce ions co-doped in barium fluoroborate glass. *J. Non. Cryst. Solids* 356, 1650–1654. <https://doi.org/10.1016/j.jnoncrysol.2010.06.013>.
- Ebendorff-Heidepriem, H., Ehrdt, D., Bettinelli, M., Speghini, A., 1998. Effect of glass composition on Judd-Ofelt parameters and radiative decay rates of Er³⁺ in fluoride phosphate and phosphate glasses. *J. Non. Cryst. Solids* 240, 66–78. [https://doi.org/10.1016/S0022-3093\(98\)00706-6](https://doi.org/10.1016/S0022-3093(98)00706-6).
- Ebendorff-Heidepriem, H., Ehrdt, D., 1999. Tb³⁺ f-d absorption as indicator of the effect of covalency on the Judd-Ofelt Ω_2 parameter in glasses. *J. Non. Cryst. Solids* 248, 247–252. [https://doi.org/10.1016/S0022-3093\(99\)00243-4](https://doi.org/10.1016/S0022-3093(99)00243-4).
- Fan, J., Fan, Y., Yang, Y., Chen, D., Calveza, L., Zhang, X., Zhang, L., 2011. Spectroscopic properties and energy transfer in Yb³⁺-Ho³⁺ co-doped germanate glass emitting at 2.0 μm . *J. Non. Cryst. Solids* 357, 2431–2434. <https://doi.org/10.1016/j.jnoncrysol.2010.11.085>.
- Fan, X., Kuan, P., Li, K., Zhang, L., Li, D., Hu, L., 2015. Spectroscopic properties and quenching mechanism of 2 μm emission in Ho³⁺ doped germanate glasses and fibers. *Opt. Mater. Express* 5, 1356–1365. <https://doi.org/10.1364/OME.5.001356>.
- Florez, A., Oliveira, S.L., Flórez, M., Gómez, L.A., Nunes, L.A.O., 2006. Spectroscopic characterization of Ho³⁺ ion-doped fluoride glass. *J. Alloys Compd.* 418, 238–242. <https://doi.org/10.1016/j.jallcom.2005.12.088>.
- Galleani, G., Santagneli, S.H., Messaddeq, Y., de Oliveira, M., Eckert, H., 2017. Rare-earth doped fluoride phosphate glasses: structural foundations of their luminescence properties. *Phys. Chem. Chem. Phys.* 19, 21612–21624. <https://doi.org/10.1039/C7CP03927A>.
- Gámez, M.A.M., Kiryanov, A.V., Lucio, J.L., Wiechers, C., Kumar, G.A., 2009. Near-IR emission from holmium-ytterbium co-doped alkali bismuth gallate and fluorophosphate fiber glass preforms. *J. Alloys Compd.* 473, 500–504. <https://doi.org/10.1016/j.jallcom.2008.06.025>.
- Gandhi, Y., Rao, M.V.R., Rao, C.S., Srikumar, T., Kityk, I.V., Veeraiyah, N., 2010. Influence of aluminum ions on fluorescent spectra and upconversion in codoped CaF₂-Al₂O₃-P₂O₅-SiO₂-Ho³⁺ and Er³⁺ glass system. *J. Appl. Phys.* 108. <https://doi.org/10.1063/1.3464257>.
- Hemming, A., Simakov, N., Haub, J., Carter, A., 2014. A review of recent progress in holmium-doped silica fibre sources. *Opt. Fiber Technol.* 20, 621–630. <https://doi.org/10.1016/j.yofte.2014.08.010>.
- Hraiech, S., Ferid, M., Guyot, Y., Boulon, G., 2013. Structural and optical studies of Yb³⁺, Er³⁺ and Er³⁺/Yb³⁺ co-doped phosphate glasses. *J. Rare Earths* 31, 685–693. [https://doi.org/10.1016/S1002-0721\(12\)60343-3](https://doi.org/10.1016/S1002-0721(12)60343-3).
- Imanieh, M.H., Martín, I.R., Gonzalez-Platas, J., Eftekhari Yekta, B., Marghussian, V.K., Shakhesi, S., 2014. Behavior of Yb³⁺ and Er³⁺ during Heat Treatment in Oxyfluoride Glass Ceramics 2014. <https://doi.org/10.1155/2014/171045>.
- Jacobs, R.R., Weber, R.J., 1976. Dependence of the 4 F_{3/2} → 4 I_{11/2} induced-emission cross section for Nd³⁺ on glass composition. *IEEE J. Quantum Electron.* 12, 102–111. <https://doi.org/10.1109/JQE.1976.1069101>.
- Judd, B.R., 1962. Optical absorption intensities of rare-earth ions. *Phys. Rev.* 127, 750–761. <https://doi.org/10.1103/PhysRev.127.750>.
- Kenyon, A.J., 2002. Recent developments in rare-earth-doped materials for optoelectronics. *Prog. Quant. Elec.* 26, 225–284. [https://doi.org/10.1016/S0079-6727\(02\)00014-9](https://doi.org/10.1016/S0079-6727(02)00014-9).
- Li, L., Bian, J., Jiao, Q., Liu, Z., Dai, S., Lin, C., 2016. GeS₂-In₂S₃-CsI Chalcogenide Glasses Doped with Rare Earth Ions for Near- and Mid-IR Luminescence. *Sci. Rep.* 6, 37577. <https://doi.org/10.1038/srep37577>.
- Liao, M.S., Fang, Y.Z., Sun, H.T., Hu, L.L., 2007. Stability against crystallization and spectroscopic properties of Tm³⁺ doped fluorophosphate glasses. *Opt. Mater. (Amst)* 29, 867–872. <https://doi.org/10.1016/j.optmat.2006.01.012>.
- Malta, O.L., Carlos, L.D., 2003. Intensities of 4f–4f transitions in glass materials. *Quim. Nova* 26, 889–895. <https://doi.org/10.1590/S0100-40422003000600018>.
- Meruva, S., Carlos, B.L., Alberto Peres, F.J.J., 2014. Optical characterization, luminescence properties of Er³⁺ and Er³⁺/Yb³⁺ co-doped tellurite glasses for broadband amplification 8961, 896132. <https://doi.org/10.1117/12.2037000>.
- Mortier, M., Bensalah, A., Dantelle, G., Patriarche, G., Vivien, D., 2007. Rare-earth doped oxyfluoride glass-ceramics and fluoride ceramics: Synthesis and optical properties. *Opt. Mater. (Amst)* 29, 1263–1270. <https://doi.org/10.1016/j.optmat.2005.12.014>.
- Ofelt, G.S., 1962. Intensities of Crystal Spectra of Rare-Earth Ions. *J. Chem. Phys.* 37, 511–520. <https://doi.org/10.1063/1.1701366>.
- Pandey, A., Kroon, R.E., Kumar, V., Swart, H.C., 2016. Impact of ytterbium on photoluminescence from the modifier in TeO₂-ZnO:Ho³⁺ glass. *Phys. B Condens. Matter* 480, 137–140. <https://doi.org/10.1016/j.physb.2015.08.017>.
- Park, E.S., Na, J.H., Kim, D.H., 2010. Abnormal behavior of supercooled liquid region in bulk-forming metallic glasses. *J. Appl. Phys.* 108. <https://doi.org/10.1063/1.3465310>.
- Polishchuk, S.A., Ignat'eva, L.N., Marchenko, Y.V., Bouzniek, V.M., 2011. Oxyfluoride glasses (A review). *Gas. Phys. Chem.* 37, 1–20. <https://doi.org/10.1134/S108765961101010X>.
- Poulain, M., Soufiane, A., Messaddeq, Y., Aegerter, M.A., 1992. Fluoride glasses: synthesis and properties. *Brazilian J. Phys.* 22, 205–217.
- Rai, S.B., Singh, A.K., Singh, S.K., 2003. Spectroscopic properties of Ho³⁺ ions doped in tellurite glass. *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.* 59, 3221–3226. [https://doi.org/10.1016/S1386-1425\(03\)00178-1](https://doi.org/10.1016/S1386-1425(03)00178-1).
- Rao, P.R., Venkatramiah, N., Gandhi, Y., Kumar, V.R., Kityk, I.V., Veeraiyah, N., 2012. Role of modifier oxide in emission spectra and kinetics of Er-Ho codoped Na₂SO₄-MO-P₂O₅ glasses. *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.* 86, 472–480. <https://doi.org/10.1016/j.saa.2011.10.071>.
- Reichert, F., Moglia, F., Metz, P.W., Arcangeli, A., Marzahl, D.-T., Veronesi, S., Parisi, D., Fechner, M., Tonelli, M., Huber, G., 2015. Prospects of Holmium-doped fluorides as gain media for visible solid state lasers. *Opt. Mater. Express* 5, 88. <https://doi.org/10.1364/OME.5.000088>.
- Reisfeld, R., Hormadaly, J., 1976. Optical intensities of holmium in tellurite, calibo, and phosphate glasses. *J. Chem. Phys.* 64, 3207–3212. <https://doi.org/10.1063/1.432659>.
- Rivera-López, F., Babu, P., Basavapoornima, C., Jayasankar, C.K., Lavín, V., 2011. Efficient Nd³⁺→Yb³⁺ energy transfer processes in high phonon energy phosphate glasses for 1.0 μm Yb³⁺ laser. *J. Appl. Phys.* 109, 1–11. <https://doi.org/10.1063/1.3580475>.
- Ryabochkina, P.A., Chabushkin, A.N., Lyapin, A.A., Lomonova, E.E., Zakharov, N.G., Vorontsov, K.V., 2017. Tunable 2 μm ZrO₂-Y₂O₃-Ho₂O₃ solid-state laser. *Laser Phys. Lett.* 14, 55807. <https://doi.org/10.1088/1612-202X/aa69a5>.
- Sajna, M.S., Thomas, S., Jayakrishnan, C., Joseph, C., Biju, P.R., Unnikrishnan, N.V., 2016. NIR emission studies and dielectric properties of Er³⁺-doped multicomponent tellurite glasses. *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.* 161, 130–137. <https://doi.org/10.1016/j.saa.2016.02.039>.
- Satyanarayana, T., Kalpana, T., Ravi Kumar, V., Veeraiyah, N., 2010. Role of Al coordination in barium phosphate glasses on the emission features of Ho³⁺ ion in the visible and IR spectral ranges. *J. Lumin.* 130, 498–506. <https://doi.org/10.1016/j.jlumin.2009.10.021>.
- Seshadri, M., Ferencz Junior, J.A.P., Ratnakaram, Y.C., Barbosa, L.C., 2014. Spectroscopic properties of Ho³⁺, Tm³⁺, and Ho³⁺/Tm³⁺ doped tellurite glasses for fiber laser applications. *Proc. SPIE* 8961, 896139. <https://doi.org/10.1117/12.2036876>.
- Sooraj Hussain, N., Ali, N., Dias, A.G., Lopes, M.A., Santos, J.D., Buddhudu, S., 2006. Absorption and emission properties of Ho³⁺ doped lead-zinc-borate glasses. *Thin Solid Films* 515, 318–325. <https://doi.org/10.1016/j.tsf.2005.12.085>.
- Tian, Y., Zhang, L., Feng, S., Xu, R., Hu, L., Zhang, J., 2010. 2 μm Emission of Ho³⁺-doped fluorophosphate glass sensitized by Yb³⁺. *Opt. Mater. (Amst)* 32, 1508–1513. <https://doi.org/10.1016/j.optmat.2010.06.012>.
- Wang, X., 2008. Investigation of thermal stability and spectroscopic properties in Er³⁺/Yb³⁺ co-doped niobic tungsten tellurite glasses. *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.* 70, 99–103. <https://doi.org/10.1016/j.saa.2007.07.013>.
- Wang, M., Yu, C., He, D., Feng, S., Li, S., Zhang, L., Zhang, J., Hu, L., 2011. Enhanced 2 μm emission of Yb-Ho doped fluorophosphates glass. *J. Non. Cryst. Solids* 357, 2447–2449. <https://doi.org/10.1016/j.jnoncrysol.2010.11.073>.

- Watekar, P.R., Ju, S., Han, W.T., 2008. Optical properties of Ho-doped aluminogermano-silica glass optical fiber. *J. Non. Cryst. Solids* 354, 1453–1459. <https://doi.org/10.1016/j.jnoncrysol.2007.08.068>.
- Wu, C.T., Ju, Y.L., Chen, F., Jin, G.Y., 2012. Research on 2- μm solid-state lasers. *Laser Phys.* 22, 635–647. <https://doi.org/10.1134/S1054660X12040275>.
- Xu, R., Tian, Y., Hu, L., Zhang, J., 2011a. 2 μm spectroscopic investigation of Tm³⁺-doped tellurite glass fiber. *J. Non. Cryst. Solids* 357, 2489–2493. <https://doi.org/10.1016/j.jnoncrysol.2010.11.059>.
- Xu, R., Tian, Y., Hu, L., Zhang, J., 2011b. Broadband 2 μm emission and energy-transfer properties of thulium-doped oxyfluoride germanate glass fiber. *Appl. Phys. B Lasers Opt.* 104, 839–844. <https://doi.org/10.1007/s00340-011-4461-z>.
- Żmojda, J., Dorosz, D., Kochanowicz, M., Miluski, P., Dorosz, J., 2012. Yb³⁺/Ho³⁺-codoped antimony-silicate optical fiber 8454, 845414. <https://doi.org/10.1117/12.2000174>.