## Figures caption

**Figure 1**: Schematic diagram for preparing the SrTiO<sub>3</sub>/rGO@Ag nanocomposites

**Figure 2**: (a) XRD patterns of  $SrTiO_3/rGO_x$  (x = 0, 5, 10, 15 and 20%) and  $SrTiO_3/rGO_{20}@Ag_x$  (x = 2 and 4%), normalized by the highest intensity to one.(b)The characteristic crystalline parameter (a), the average grain seizes (D), microconstraint ( $\xi$ %) for the composites  $SrTiO_3/rGO_x$  (x=0, 5, 10, 15 and 20%).

**Figure 3**: In top SEM images of SrTiO<sub>3</sub> (a and b) and SrTiO<sub>3</sub>/rGO<sub>x</sub> composites (c-h) with different amount of rGO. In bottom (a)the widths of SrTiO<sub>3</sub> nanocubes is in the range 51 nm, (b) the composition of SrTiO<sub>3</sub> were obtained by EDX analysis.

Figure 4: Hydrodynamic diameter of SrTiO<sub>3</sub> in H<sub>2</sub>O suspension.

**Figure 5**: FT-IR spectra of GO,  $SrTiO_3/rGO_x$  (x = 0, 5, 10, 15 and 20%) and  $SrTiO_3/rGO_{20}@Ag_x$  (x = 1 and 2%) nanocomposites.

Figure 6: (a) Raw Raman spectra of  $SrTiO_3/rGO_x$  (x = 5, 10, 15 and 20%) nanocomposites, (b) subtract straight line Raman spectra of  $SrTiO_3/rGO_x$  (x = 20%) present D/G and 2D/G ratios.

**Figure 7**: the columns (a) side, (b) bottom, and (c) top views of SrTiO<sub>3</sub>/rGO on top, and SrTiO<sub>3</sub>/rGO@Ag in bottom. The column (d): on top the distance (Å) of C–Ti, and the bottom C–O

**Figure 8**: Band structure of SrTiO<sub>3</sub> (red), rGO (black), SrTiO<sub>3</sub>/rGO (blue), and SrTiO<sub>3</sub>/rGO@Ag (orange).

**Figure 9**: UV-Visible spectra of  $SrTiO_3/rGO_x$  (x=0, 5, 10, 15 and 20%) and  $SrTiO_3/rGO_{20}@Ag_x$  (x = 2 and 4%) nanocomposites. The insert figure: variation of the

band gap  $E_g$  according to Kubelka-Munk method and variation of Urbach energy  $E_U$ . All spectra are normalized to one by the maximum of absorbance.

**Figure 10**: Adsorption kinetic curves of MB on  $SrTiO_3/rGO_x$  (x= 0, 5, 10, 15 and 20%) nanocomposites.

**Figure 11**: Photodegradation of MB dye by  $SrTiO_3/rGO_x$  (x= 0, 5, 10, 15 and 20%) (Left) and  $SrTiO_3/rGO_{20}@Ag_x$  (x = 1, 2, 3 and 4%) (Right) nanocomposites.

Figure 12: Recycled SrTiO<sub>3</sub>/rGO<sub>20</sub>@Ag<sub>2</sub> photocatalyst for four times

**Figure 13**: Schematic illustration of the photocatalytic mechanism of SrTiO<sub>3</sub>/rGO@Agnanocomposite.